

Clemson University



3 1604 019 891 573





19.3 212  
Bulletin No. 216

CLEMSON COLLEGE LIBRARY  
GOVERNMENT PUBLICATIONS  
Series F. Geography 35

DEPARTMENT OF THE INTERIOR  
UNITED STATES GEOLOGICAL SURVEY

CHARLES D. WALCOTT, DIRECTOR

---

RESULTS


OF

PRIMARY TRIANGULATION AND PRIMARY TRAVERSE

FISCAL YEAR 1902-03

BY

SAMUEL S. GANNETT



WASHINGTON  
GOVERNMENT PRINTING OFFICE  
1903





DEPARTMENT OF THE INTERIOR  
UNITED STATES GEOLOGICAL SURVEY

CHARLES D. WALCOTT, DIRECTOR

---

RESULTS


OF

PRIMARY TRIANGULATION AND PRIMARY TRAVERSE

FISCAL YEAR 1902-03

BY

SAMUEL S. GANNETT



WASHINGTON  
GOVERNMENT PRINTING OFFICE  
1903



Digitized by the Internet Archive  
in 2013

# CONTENTS.

---

	Page.
Letter of transmittal .....	13
Summary .....	15
Atlantic section of topography .....	16
Maine .....	16
Triangulation stations .....	16
Sabattus, Androscoggin County .....	16
Bannock, Franklin County .....	16
Blue, Franklin County .....	17
Moose Hill, Franklin County .....	17
York, Franklin County .....	17
Quaker, Kennebec County .....	18
Baker, Piscataquis County .....	18
Bald, Piscataquis County .....	19
Barren, Piscataquis County .....	19
Big Spencer, Piscataquis County .....	19
Boarstone, Piscataquis County .....	20
Guilford, Piscataquis County .....	20
Kineo, Piscataquis County .....	20
Russell, Piscataquis County .....	21
Squaw, Piscataquis County .....	21
Bigelow, Somerset County .....	21
Fletcher, Somerset County .....	22
Fogg, Somerset County .....	22
Foss, Somerset County .....	23
Jewett, Somerset County .....	23
Moxie, Somerset County .....	23
New Portland, Somerset County .....	24
Stickney, Somerset County .....	24
New Hampshire .....	25
Triangulation stations .....	25
Federal, Hillsboro County .....	25
Hudson, Hillsboro County .....	25
Manchester, Hillsboro County .....	26
Mason, Hillsboro County .....	26
Mount Vernon, Hillsboro County .....	26
Nashua, Hillsboro County .....	27
Turkey, Hillsboro County .....	27
Unkonoque, Hillsboro County .....	27
Derry, Rockingham County .....	28
New York .....	28
Triangulation stations .....	28
Davis, Allegany County .....	28
Foster, Cattaraugus County .....	29
Learn, Cattaraugus County .....	29
McCarty, Cattaraugus County .....	29
Mullaly, Cattaraugus County .....	30



	Page.
Atlantic section of topography—Continued.	
New York—Continued.	
Triangulation stations—Continued.	
Pine Hill, Cattaraugus County .....	30
Read, Cattaraugus County .....	31
Shutt, Cattaraugus County .....	31
Townsend, Cattaraugus County .....	31
Tuy Hill, Cattaraugus County .....	32
Bates, Chautauqua County .....	32
Busti, Chautauqua County .....	33
Caselar, Chautauqua County .....	33
Clymer, Chautauqua County .....	34
Dewey, Chautauqua County .....	34
Haynes, Chautauqua County .....	34
Highland, Chautauqua County .....	35
Meas, Chautauqua County .....	35
Panama, Chautauqua County .....	35
Walrod, Chautauqua County .....	36
Leroy, Genesee County .....	36
Carthage, Jefferson County .....	37
McQuillen, Jefferson County .....	37
Mound, Jefferson County .....	37
Smith, Jefferson County .....	38
Croghan, Lewis County .....	38
Denmark Church, Lewis County .....	38
Elmer, Lewis County .....	39
Rock, Lewis County .....	39
Caledonia, Livingston County .....	40
Culley, Livingston County .....	40
Nunda, Livingston County .....	40
Retsof, Livingston County .....	41
Attica, Wyoming County .....	41
Carpenter, Wyoming County .....	41
Cobble, Wyoming County .....	42
Felch, Wyoming County .....	42
Perry, Wyoming County .....	42
Perry Center Church spire, Wyoming County .....	43
Meridian marks .....	43
Little Valley, Cattaraugus County .....	43
Mayville, Chautauqua County .....	43
Warsaw, Wyoming County .....	44
Primary traverse .....	44
Pennsylvania .....	47
Triangulation stations .....	47
Millerstown, Perry County .....	47
Newport, Perry County .....	48
Peters, Perry County .....	48
Spruce, Perry County .....	49
Beavertown, Snyder County .....	49
West Virginia .....	49
Triangulation stations .....	49
Egypt, Barbour County .....	50
Upton, Barbour County .....	50
Belington, Barbour-Randolph counties .....	50

## Atlantic section of topography—Continued.

Page.

## West Virginia—Continued.

## Triangulation stations—Continued.

Laurel, Barbour-Tucker counties .....	51
Singleton, Braxton County .....	51
Independence, Brooks County .....	51
Davis, Cabell County .....	52
Gebhardt, Cabell County .....	52
Arnett, Doddridge County .....	53
Grove, Doddridge County .....	53
McDougal, Doddridge County .....	54
Locust, Gilmer County .....	54
Miller, Gilmer County .....	54
Sinking Creek, Gilmer County .....	55
Allison, Hancock County .....	55
Bald, Harrison County .....	55
Childers, Harrison County .....	56
Mount Clare, Harrison County .....	56
Sardis, Harrison County .....	57
Melhorn, Jackson County .....	57
Bailey, Lewis County .....	58
Sugar Loaf, Lewis County .....	58
Pigeon, Lincoln County .....	59
Erwin, Marion County .....	59
Jackson, Marion County .....	59
Jones, Marion County .....	60
Rudy, Marion County .....	60
Riggs Knob, Marshall County .....	61
Rock Lick, Marshall County .....	61
Sherrard, Marshall County .....	61
Wilsons Knob, Marshall County .....	62
Finlay, Mason County .....	62
Kennard, Mason County .....	63
Halleck, Monongalia County .....	63
Nelson, Monongalia County .....	64
Tennant, Monongalia County .....	64
Wymp, Monongalia County .....	64
Clinton, Ohio County .....	65
West Alexander, Ohio County .....	65
West Liberty, Ohio County .....	66
Griffith, Pleasants County .....	66
McCullough, Pleasants County .....	66
Brown, Preston County .....	67
Funk, Preston County .....	67
Howesville, St. Joseph Church spire, Preston County .....	68
Kelley, Preston County .....	68
Limestone, Preston County .....	68
Piney Swamp, Preston County .....	69
Rock, Preston County .....	69
Derrick, Ritchie County .....	69
Freeman, Ritchie County .....	70
King, Ritchie County .....	70
Pullman, Ritchie County .....	71
Oak, Tyler County .....	71

	Page.
Atlantic section of topography—Continued.	
West Virginia—Continued.	
Triangulation stations—Continued.	
Owlshead, Tyler County .....	71
Shaver, Tucker County .....	72
Porter Knob, Wayne County .....	72
Turkey Knob, Wayne County .....	72
Cove, Wayne-Lincoln counties .....	73
Cornfield, Wetzel County .....	73
Evans, Wetzel County .....	73
Lavelle, Wetzel County .....	74
Littleton, Wetzel County .....	74
Smithfield, Wetzel County .....	74
Bear, Upshur County .....	75
Goff, Wood County .....	75
Mount Olive Church, Wood County .....	75
Pinnacle, Wood County .....	76
Wigal, Wood County .....	76
Tennessee-Alabama .....	77
Primary traverse .....	77
Central section of topography .....	81
Ohio .....	81
Triangulation stations .....	81
Bond, Athens County .....	81
Fulton, Athens County .....	82
Lyons, Athens County .....	82
Nebo, Athens County .....	82
Southland, Athens County .....	83
Townsend (2), Athens County .....	83
White, Athens County .....	84
Centennial, Belmont County .....	84
Clarks Hill, Belmont County .....	84
Galloway, Belmont County .....	85
Jacobsburg, Belmont County .....	85
Mount Pleasant, Belmont County .....	85
Myers, Belmont County .....	86
Barnesville Schoolhouse, Belmont County .....	86
Bryan, Belmont County .....	87
Flushing, Belmont County .....	87
Newcastle, Belmont County .....	87
Sewellsville, Belmont County .....	88
Steele, Belmont County .....	88
St. Clairsville Court-house, Belmont County .....	89
Carrollton, Carroll County .....	89
Kensington, Carroll County .....	89
Perryville, Carroll County .....	90
East Liverpool Chapel, Columbiana County .....	90
Hammond, Columbiana County .....	90
Widder, Coshocton County .....	91
Buck, Fairfield County .....	91
Pleasant (2), Fairfield County .....	92
Graham, Gallia County .....	92
Houck, Gallia County .....	93
Wagner, Gallia County .....	93



## Central section of topography—Continued.

Page.

## Ohio—Continued.

## Triangulation stations—Continued.

Claysville, Guernsey County .....	94
College, Guernsey County .....	94
Kennedy, Guernsey County .....	95
Midway, Guernsey County .....	95
Hall's Knob, Guernsey County .....	95
McBride, Guernsey County .....	96
Warehime, Guernsey County .....	96
Cadiz, Harrison County .....	97
Cadiz Court-house, Harrison County .....	97
Jefferson, Harrison County .....	97
Bowerston, Harrison County .....	98
Deersville, Harrison County .....	98
Prospect Hill, Harrison County .....	99
Runley, Harrison County .....	99
Tippecanoe, Harrison County .....	99
Barton, Hocking County .....	100
Boys' Industrial School chimney, Hocking County .....	100
Boys' Industrial School water tower, Hocking County .....	100
Brooks, Hocking County .....	101
Brown, Hocking County .....	101
Cook, Hocking County .....	102
McDaniel, Hocking County .....	102
Schultz, Hocking County .....	103
Davis, Jackson County .....	103
Elders, Jefferson County .....	104
Hopedale, Jefferson County .....	104
New Alexander, Jefferson County .....	105
Wintersville, Jefferson County .....	105
Wray, Lawrence County .....	105
Greenler, Meigs County .....	106
Leonard, Meigs County .....	106
McKnight, Meigs County .....	107
Beallsville, Monroe County .....	107
Calland, Monroe County .....	108
Jerusalem Schoolhouse, Monroe County .....	108
St. Johns, Monroe County .....	108
Dillon, Monroe County .....	109
High Knob, Monroe County .....	109
Tank, Monroe County .....	109
Wiedman, Monroe County .....	110
Woodsfield Court-house, Monroe County .....	110
Sago, Muskingum County .....	110
Coffey, Noble County .....	111
Correy, Noble County .....	111
Fulda, Noble County .....	111
Fulda Church spire, Noble County .....	112
Gregg, Noble County .....	112
Pleasant, Noble County .....	113
Summerfield Schoolhouse, Noble County .....	113
Tucker, Noble County .....	113
Baldwin, Tuscarawas County .....	114

## Central section of topography—Continued.

Page.

## Ohio—Continued.

## Triangulation stations—Continued.

Booth, Tuscarawas County	114
Gilmore, Tuscarawas County	114
Port Washington, Tuscarawas County	115
Stone Creek, Tuscarawas County	115
Uhrichsville, Tuscarawas County	116
Wainwright, Tuscarawas County	116
Wasen, Tuscarawas County	116
Lawler, Vinton County	117
Zaleski, Vinton County	117
Dovenbecker, Washington County	118
Laws, Washington County	118
Glass, Washington County	118
Moore, Washington County	119
Nolan, Washington County	119
Pinkerton, Washington County	120
Seffens, Washington County	120
Primary traverse	121
Alabama—Georgia	123
Primary traverse	123
Kentucky	125
Primary traverse	125
Mississippi	128
Primary traverse	128
Illinois	131
Primary traverse	131
Michigan	134
Primary traverse	134
Missouri	135
Primary traverse	135
Kansas	137
Primary traverse	137
North Dakota—Minnesota	141
Primary traverse	141
Rocky Mountain section of topography	144
Colorado—Wyoming	144
Triangulation stations	144
Colorado—Wyoming line	144
Colorado	144
Fort Collins, Larimer County	144
Horsetooth, Larimer County	145
Livermore, Larimer County	145
Maxwell, Larimer County	145
Pizen, Larimer County	146
Wyoming	146
County Road, Albany County	146
Crow, Albany County	147
Gale, Albany County	147
Greentop, Albany County	148
Horse, Albany County	148
Lindsey, Albany County	148
Mound, Albany County	149

Rocky Mountain section of topography—Continued.	Page.
Colorado-Wyoming—Continued.	
Triangulation stations—Continued.	
Wyoming—Continued.	
Pilot, Albany County.....	149
Quartzite, Albany County.....	149
Ragged, Albany County.....	150
"Rock S. E." Albany County.....	150
East Twin, Laramie County.....	150
Terry, Laramie County.....	151
Arizona.....	151
Triangulation stations.....	151
Bissel, Coconino County.....	151
Floyd, Coconino County.....	152
Kendrick, Coconino County.....	152
Middle, Coconino County.....	152
Red Butte, Coconino County.....	153
Rowe, Coconino County.....	153
Williams, Coconino County.....	154
Azimuth, Gila County.....	154
Blair, Gila County.....	154
Coal, Gila County.....	155
Kelvin, Gila County.....	155
Pioneer, Gila County.....	156
Pinnacle, Mohave County.....	156
Point Sublime, Mohave County.....	156
Shivas, Mohave County.....	157
Vishnu Temple, Mohave County.....	157
Ripsey, Pinal County.....	157
Azimuth, Yavapai County.....	158
Bald Mountain, Yavapai County.....	158
Camp Woods, Yavapai County.....	158
Carter, Yavapai County.....	159
East Antelope, Yavapai County.....	159
Error, Yavapai County.....	159
East Edge, Yavapai County.....	160
Faith, Yavapai County.....	160
Granite, Yavapai County.....	160
Kirkland, Yavapai County.....	161
Limestone, Yavapai County.....	161
Mineral, Yavapai County.....	161
North Mingus, Yavapai County.....	162
Picacho, Yavapai County.....	162
Simmons, Yavapai County.....	162
South Mingus, Yavapai County.....	162
West Edge, Yavapai County.....	163
Utah.....	163
Secondary triangulation stations.....	163
Pacific section of topography.....	164
Arizona-California.....	164
Triangulation stations.....	164
Arizona.....	164
Cone, Mohave County.....	164
Friant, Mohave County.....	165



Pacific section of topography—Continued.	Page.
Arizona-California—Continued.	
Triangulation stations—Continued.	
Arizona—Continued.	
Mellen, Mohave County	165
No. 2, Mohave County	166
Parker School, Mohave County	166
Powell, Mohave County	166
Red, Mohave County	167
Sphinx, Mohave County	167
Agency, Yuma County	168
Black, Yuma County	168
Chocolate, Yuma County	169
Clip, Yuma County	169
Ehrenburg, Yuma County	170
Gier, Yuma County	170
No. 13, Yuma County	171
No. 14, Yuma County	171
No. 15, Yuma County	172
No. 16, Yuma County	172
No. 24, Yuma County	173
Rho, Yuma County	173
Sugar Loaf, Yuma County	174
Tyson, Yuma County	174
Yuma Azimuth, Yuma County	175
California	175
No. 7, Colorado River Indian Reservation	175
No. 8, Colorado River Indian Reservation	175
Blythe, Riverside County	176
Hodges, Riverside County	176
Marie, Riverside County	177
Mule Wash, Yuma County, Ariz	177
No. 9, Riverside County	178
No. 10, Riverside County	178
No. 11, Riverside County	179
No. 12, Riverside County	179
Riverside, Riverside County	179
Riverside (2), Riverside County	180
Axtel, San Bernardino County	180
Hill, San Bernardino County	181
Knoll, San Bernardino County	181
Low Mesa, San Bernardino County	182
Monument, San Bernardino County	182
No. 1, San Bernardino County	183
No. 3, San Bernardino County	183
No. 4, San Bernardino County	184
No. 5, San Bernardino County	184
No. 6, San Bernardino County	185
Peak, San Bernardino County	185
Rocky, San Bernardino County	186
Whale, San Bernardino County	186
American, San Diego County	187
Delta, San Diego County	187
Fort Gass, San Diego County	187

Pacific section of topography—Continued.	Page.
Arizona-California—Continued.	
Triangulation stations—Continued.	
California—Continued.	
Hedges, San Diego County	188
Lava, San Diego County	188
No. 17, San Diego County	189
No. 18, San Diego County	189
No. 19, San Diego County	190
No. 20, San Diego County	190
No. 21, San Diego County	191
No. 22, San Diego County	191
No. 23, San Diego County	192
Picacho, San Diego County	192
Pilot, San Diego County	193
Quartz, San Diego County	193
Ridge, San Diego County	193
Triangulation stations	194
Hepsedam, San Benito County	194
Castle Mount, Monterey-Fresno counties	194
Oak Flat, Fresno County	195
Oil City, Fresno County	195
Kinney, Fresno County	196
Alcalde, Fresno County	196
Black Tank, Fresno County	197
Secondary triangulation stations	197
South Fork, Shasta County	197
Sugar Loaf, Shasta County	198
Shirt, Shasta County	198
Oregon	198
Triangulation stations	198
Inmaha, Baker County	198
Little Lookout, Baker County	199
Lookout, Baker County	200
Sparta, Baker County	200
China Cap, Union County	200
Craig, Union County	201
Emily, Union County	202
Fanny, Union County	202
Aneroid, Wallowa County	203
Brunback, Wallowa County	203
Hurricane, Wallowa County	203
Huckleberry, Wallowa County	204
Washington-Idaho	204
Triangulation stations	204
Washington	205
Anatone, Asotin County	205
White, Asotin County	205
Windmill, Asotin County	205
Cheney, Spokane County	206
Paradise, Spokane County	206
Plaza, Spokane County	206
Waverly, Spokane County	207
Valentine, Garfield County	207

Pacific section of topography—Continued.	Page.
Washington-Idaho--Continued.	
Triangulation stations—Continued.	
Washington—Continued.	
Bald, Whitman County .....	207
Colfax, Whitman County .....	208
Colton, Whitman County .....	208
Kamiak, Whitman County .....	208
Ladow, Whitman County .....	209
Pullman, Whitman County .....	209
Snake, Whitman County .....	209
Steptoe, Whitman County .....	210
Sunset, Whitman County .....	210
Wawawai, Whitman County .....	210
Idaho .....	211
Moscow, Latah County .....	211
Billy Creek, Nez Perces County .....	211
Index .....	213

---

## ILLUSTRATION.

---

PLATE I. Map showing condition of astronomic location and primary control .....	15
---	----



## LETTER OF TRANSMITTAL.

---

DEPARTMENT OF THE INTERIOR,  
UNITED STATES GEOLOGICAL SURVEY,  
*Washington, D. C., June 1, 1903.*

SIR: I have the honor to transmit herewith, in form for publication, the results of the primary triangulation and primary traverse executed by the United States Geological Survey during the fiscal year 1902-3.

The results were computed by Messrs. A. H. Thompson, George T. Hawkins, C. F. Urquhart, H. L. Baldwin, jr., R. H. Chapman, Sledge Tatum, E. L. McNair, J. R. Ellis, L. Scott Smith, and Gilbert Young, under the direction of Mr. S. S. Gannett, who likewise compiled them for publication.

Very respectfully,


R. U. GOODE,  
*Chairman Topographic Committee.*

Hon. CHARLES D. WALCOTT,  
*Director United States Geological Survey.*









MAP SHOWING CONDITION OF ASTRONOMIC LOCATION AND PRIMARY CONTROL.

to April 30, 1903

Areas tinted are controlled by triangulation or traverse

▲ Astronomic station

0 100 200 300 400 500 600 MILES

JULIUS BIEN & CO. LITH. N.Y.

# RESULTS OF PRIMARY TRIANGULATION AND PRIMARY TRAVERSE, FISCAL YEAR 1902-3.

By SAMUEL S. GANNETT.

## SUMMARY.

*Summary of published results, 1902-3: Triangulation, primary traverse, and meridian marks.*

Locality.	Triangulation stations.	Traverse stations.	Meridian marks.
ATLANTIC SECTION.			
Maine .....	23		
New Hampshire .....	9		
New York .....	39	112	3
Pennsylvania .....	5		
West Virginia .....	69		
Tennessee-Alabama .....		66	
CENTRAL SECTION.			
Ohio .....	96	53	
Alabama-Georgia .....		85	
Kentucky .....		95	
Mississippi .....		65	
Illinois .....		57	
Michigan .....		34	
Missouri .....		56	
Kansas .....		137	
North Dakota-Minnesota .....		34	
ROCKY MOUNTAIN SECTION.			
Colorado-Wyoming .....	19		
Arizona .....	34		
Utah .....	10		
PACIFIC SECTION.			
California-Arizona .....	64		
California .....	10		
Oregon .....	12		
Washington-Idaho .....	20		
Total .....	410	794	3



# ATLANTIC SECTION OF TOPOGRAPHY.

H. M. WILSON, *Geographer in charge*

## MAINE.

### TRIANGULATION STATIONS.

Mr. E. L. McNair, topographer, extended triangulation northward from Sabattus-Blue, United States Coast and Geodetic Survey stations, occupying 19 and locating 6 stations for the control of 11 fifteen-minute quadrangles in the Kennebec Valley. Positions are given on the U. S. standard datum.

#### SABATTUS, ANDROSCOGGIN COUNTY.

A station of the United States Coast and Geodetic Survey on Sabattus Hill in town of Wales,  $4\frac{1}{2}$  miles south of Leeds Junction.

Station mark: A copper bolt sunk in solid rock.

[Latitude  $44^{\circ} 08' 37.83''$ . Longitude  $70^{\circ} 04' 43.74''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Blue .....	162 10 18.59	341 59 13.88	4.8340499
Moose Hill .....	173 26 06.70	353 23 49.26	4.5801167
York .....	189 22 31.33	9 26 54.88	4.7077893
Quaker .....	216 39 30.16	36 52 13.48	4.6073824

#### BANNOCK, FRANKLIN COUNTY.

In town of Industry, on well-known hill of that name.

Station mark: A bronze tablet cemented in solid rock about 20 feet south of highest point of rock and 2 or 3 feet lower.

Reference marks: (1) Anchor bolt 8.10 feet distant; true azimuth  $34\frac{1}{2}^{\circ}$ . (2) Anchor bolt 8.25 feet distant; true azimuth  $129^{\circ}$ . (3) Anchor bolt 5.25 feet distant; true azimuth  $206^{\circ}$ .

[Latitude  $44^{\circ} 44' 02.70''$ . Longitude  $70^{\circ} 02' 24.11''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Moose Hill .....	14 58 01.34	194 54 05.13	4.4591095
Blue .....	88 32 15.06	268 19 28.61	4.3797228
New Portland .....	179 55 44.92	359 55 44.28	4.2057468
Jewett .....	227 00 01.05	47 10 16.74	4.4184434
Bigelow .....	275 12 31.98	95 25 43.35	4.3953903
York .....	341 03 26.83	161 06 13.61	4.2073497

## BLUE, FRANKLIN COUNTY.

A station of the United States Coast and Geodetic Survey on well-known mountain in town of Avon.

Station mark: An iron bolt originally standing 4 or 5 inches out of rock, but now broken off to surface of rock. Chisel mark around bolt.

[Latitude  $44^{\circ} 43' 41.44''$ . Longitude  $70^{\circ} 20' 33.16''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
New Portland .....	234 56 22.30	55 09 09.08	4.4650491
Bannock .....	268 19 28.61	88 32 15.06	4.3799228
York .....	296 24 29.69	116 40 01.98	4.5140188
Quaker .....	305 35 39.96	125 59 33.68	4.7447113
Moose Hill .....	328 29 22.86	148 38 11.41	4.5027541
Sabattus .....	341 59 13.88	162 10 18.59	4.6073824

## MOOSE HILL, FRANKLIN COUNTY.

A prominent bare hill in town of East Livermore, about 3 miles east of Livermore Falls. Land owned by F. H. Record & Bro.

Station mark: A bronze triangulation tablet cemented in solid rock.

Reference marks: (1) A hole drilled 1 inch deep in large boulder 38.5 feet distant; true azimuth  $292^{\circ} 43'$ . (2) A hole drilled 8 inches deep in solid ledge 51.8 feet distant; true azimuth  $305^{\circ} 16'$ .

[Latitude  $44^{\circ} 29' 01.78''$ . Longitude  $70^{\circ} 08' 00.47''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Blue .....	148 38 11.41	328 29 22.86	4.5027541
Bannock .....	194 54 05.13	14 58 01.34	4.4591095
York .....	225 10 42.76	45 17 25.10	4.2513055
Quaker .....	280 28 45.10	100 43 48.54	4.4625629
Sabattus .....	353 23 49.26	173 26 06.70	4.5801167

## YORK, FRANKLIN COUNTY.

On a bare hill, about 3 miles south of New Sharon, in New Sharon Township, on land owned by Harry B. York.

Station mark: A bronze triangulation tablet cemented in solid rock.

Reference marks: (1) A hole  $\frac{1}{2}$  inch in diameter drilled  $1\frac{1}{2}$  inches deep in solid ledge distant 23.65 feet; true azimuth  $176^{\circ} 46'$ . (2) A hole  $\frac{1}{2}$  inch in diameter drilled 2 inches deep in solid ledge distant 27.90 feet; true azimuth  $284^{\circ} 37'$ .

[Latitude 44° 35' 48.70". Longitude 69° 58' 26.87".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Sabattus .....	9 26 54.88	189 22 31.33	4.7077893
Moose Hill .....	45 17 25.10	225 10 42.76	4.2513055
Blue .....	116 40 01.98	296 24 29.69	4.5140188
Bannock .....	161 06 13.61	341 03 26.83	4.2073497
Bigelow .....	236 24 05.13	56 34 28.79	4.3700654
Quaker .....	318 27 37.50	138 35 59.68	4.3781818

## QUAKER, KENNEBEC COUNTY.

On Quaker Hill, in town of Sidney, about 6 miles east by road from Belgrade station.

Station mark: An iron ring bolt in solid rock. (Ring above surface.)

[Latitude 44° 26' 08.81". Longitude 69° 46' 30.61".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Sabattus .....	36 52 13.48	216 39 30.16	4.6073824
Moose Hill .....	100 43 48.54	280 28 45.10	4.4625629
Blue .....	125 59 33.68	305 35 39.96	4.7447113
York .....	138 35 59.68	318 27 37.50	4.3781818
Bigelow .....	186 57 19.39	6 59 19.47	4.4923970

## BAKER, PISCATAQUIS COUNTY.

A high, timbered mountain east of Lily Bay, Moosehead Lake. Reached by log roads from Lily Bay House, a 10-mile walk.

Station mark: A bronze triangulation tablet cemented in irregular-shaped boulder.

[Latitude 45° 34' 16.28". Longitude 69° 23' 39.98".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Squaw .....	68 50 52.90	248 37 17.0	4.42531
Kineo .....	118 27 30.00	298 12 58.1	4.47728
Big Spencer .....			4.34061
Barren .....	353 55 42.75	173 56 43.0	4.23972

## BALD, PISCATAQUIS COUNTY.

(Not occupied.)

A high, bald mountain, about 10 miles west of Blanchard. Can be best reached by going from Forks of Kennebec River over log road (6 miles) to Moxie Pond, thence by boat to Merrills Camp, at Mosquito Narrows. A walk of two and one-fourth hours from Moxie Pond. No trail. Merrills Camp can also be reached by walk of 7 miles over old road from Pleasant Pond.

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude  $45^{\circ} 15' 50.46''$ . Longitude  $69^{\circ} 46' 20.47''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Moxie .....			4.06021
Squaw .....			4.39678
Russell .....			4.10953

## BARREN, PISCATAQUIS COUNTY.

A rough mountain, having a bare, rocky summit, about 4 miles north of Onawa station. Take rowboat to foot of mountain. No trail.

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude  $45^{\circ} 24' 56.89''$ . Longitude  $69^{\circ} 22' 15.50''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Russell .....	43 15 11.58	223 04 47.89	4.4459388
Squaw .....	106 02 42.19	285 48 07.13	4.4432271
Baker .....	173 56 43.00	353 55 42.75	4.2397200
Guilford .....	357 34 12.67	177 34 41.57	4.3204474

## BIG SPENCER, PISCATAQUIS COUNTY.

(Not occupied.)

Situated on the west end of Big Spencer Mountain, east of Moosehead Lake. Summit timbered. Good view.

Station mark: A hole  $1\frac{1}{2}$  inches deep drilled in solid rock.

[Latitude  $45^{\circ} 45' 41.80''$ . Longitude  $69^{\circ} 28' 01.58''$ .]

To station—	Azimuth	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Squaw .....			4.55944
Baker .....			4.34061

## BOARSTONE, PISCATAQUIS COUNTY.

(Not occupied.)

On highest point of a steep, bare, rocky peak, just north of the Canadian Pacific Railway, and about 2 miles from Onawa station.

Station mark: A hole drilled 1 inch deep in solid rock.

[Latitude  $45^{\circ} 22' 38.60''$  Longitude  $69^{\circ} 24' 15.03''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Russell.....			4.36273
Guilford.....			4.23016

## GUILFORD, PISCATAQUIS COUNTY.

On rocky point of timbered mountain, about 4 miles north of Guilford. Reached by driving to farm of Charles Howard, then walking from his house.

Station mark: A bronze triangulation tablet cemented in solid rock on highest part of hill.

[Latitude  $45^{\circ} 13' 40.03''$  Longitude  $69^{\circ} 21' 34.85''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Stickney.....	39 00 49.07	218 48 20.34	4.5658139
Russell.....	91 36 31.97	271 25 40.43	4.3016147
Barren.....	177 34 41.57	357 34 12.67	4.3204474

## KINEO, PISCATAQUIS COUNTY.

(Not occupied.)

Situated on the well-known mountain of that name on Moosehead Lake. Highest part of hill is timbered and view is cut off to the north.

Station mark: A bronze tablet cemented in solid rock.

[Latitude  $45^{\circ} 41' 57.69''$  Longitude  $69^{\circ} 43' 59.47''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Baker.....	298 12 58	118 27 30	4.47728
Squaw.....	356 02 48	176 03 42	4.37946



## RUSSELL, PISCATAQUIS COUNTY.

A well-known mountain in town of Blanchard, about 4 miles southwest of Blanchard station. Road to Tyler's farm within forty-five minutes' walk of top of mountain.

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude  $45^{\circ} 13' 57.22''$ . Longitude  $69^{\circ} 36' 52.58''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Stickney .....	5 58 34.54	185 56 55.86	4.4672024
Foss .....			4.2631400
Fletcher .....	50 15 46.48	230 01 53.98	4.5241413
Moxie .....	82 41 08.14	262 29 13.63	4.3453459
Bald .....			4.1095300
Squaw .....	164 46 07.49	344 41 57.87	4.4624148
Barren .....	223 04 47.89	43 15 11.58	4.4459388
Guilford .....	271 25 40.43	91 36 31.97	4.3016147

## SQUAW, PISCATAQUIS COUNTY.

A well-known mountain about 4 miles west of Greenville Junction. Take boat to Squaw Brook (5 miles) and stop at Hatchery or Shaw's lumber camp, thence by log roads to near top of mountain.

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude  $45^{\circ} 29' 03.48''$ . Longitude  $69^{\circ} 42' 43.41''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Bald .....			4.3967800
Moxie .....	24 54 34.00	204 46 47.49	4.5312302
Kineo .....	176 03 42.00	356 02 47.70	4.3794600
Big Spencer .....			4.5594400
Baker .....	248 37 17.00	68 50 52.90	4.4253100
Barren .....	285 48 07.13	106 02 42.19	4.4432271
Russell .....	344 41 57.87	164 46 07.49	4.4624148

## BIGELOW, SOMERSET COUNTY.

Situated on a prominent and well-known cleared hill  $3\frac{1}{2}$  miles south of Skowhegan.

Station mark: An iron bolt in solid ledge of rock.

Reference marks: (1) A hole drilled 2 inches deep in solid rock distant  $81\frac{1}{2}$  feet; true azimuth  $307^{\circ} 28'$ . (2) A hole drilled 2 inches deep in solid rock distant  $51\frac{1}{2}$  feet; true azimuth  $17^{\circ} 18'$ .

[Latitude  $44^{\circ} 42' 48.06''$ . Longitude  $69^{\circ} 43' 39.65''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Quaker .....	6 59 19.47	186 57 19.39	4.4923970
York .....	56 34 28.79	236 24 05.13	4.3700654
Bannock .....	95 25 43.35	275 12 31.98	4.3953903
New Portland .....	126 42 01.50	306 28 48.48	4.4886529
Jewett .....	164 43 07.16	344 40 10.34	4.3199458
Stickney .....	191 37 06.09	11 40 14.80	4.4644220
Fogg .....	210 14 54.43	30 18 53.15	4.1698850

## FLETCHER, SOMERSET COUNTY.

A timbered mountain in town of Concord, about 4 miles west of Bingham.

Station mark: A bronze tablet cemented in boulder.

Reference marks: (1) A hole drilled 2 inches deep in highest boulder on mountain, distant 41.18 feet; true azimuth  $156^{\circ} 38'$ . (2) Stump of spruce tree  $22\frac{1}{2}$  feet high, distant 44.6 feet; true azimuth  $232^{\circ} 20'$ .

[Latitude  $45^{\circ} 02' 23.26''$ . Longitude  $69^{\circ} 56' 27.12''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
New Portland .....	23 41 05.81	203 36 52.91	4.2912680
Moxie .....	191 09 52.28	11 11 51.26	4.2770157
Russell .....	230 01 53.98	50 15 46.48	4.5241413
Foss .....	258 32 58.00	78 43 44.00	4.3088370
Stickney .....	288 45 01.11	108 57 13.18	4.3794348
Jewett .....	324 53 02.64	144 59 07.68	4.2945517

## FOGG, SOMERSET COUNTY.

Situated in town of Cornville, on a bare hill about 6 miles northeast on Skowhegan, on land owned by C. M. Fogg.

Station mark: A bronze tablet cemented in solid rock.

[Latitude  $44^{\circ} 49' 41.74''$ . Longitude  $69^{\circ} 31' 00.57''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Bigelow .....	30 18 53.15	210 14 54.43	4.1698850
Jewett .....	119 43 41.16	299 36 44.97	4.1734321
Stickney .....	174 20 16.93	354 19 26.58	4.1998577

## FOSS, SOMERSET COUNTY.

On a bare rocky mountain, about 2 miles east of Brighton, on land owned by Mr. Foss.

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude  $45^{\circ} 04' 33.20''$ . Longitude  $69^{\circ} 41' 14.69''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Fletcher .....	78 43 44	258 32 58	4.308837
Moxie .....			4.339000
Russell .....			4.263140
Stickney .....	347 06 01	167 07 28	4.081205

## JEWETT, SOMERSET COUNTY.

On a bare hill with lone birch tree, about 10 miles north of Skowhegan, in Madison Township.

Station mark: A bronze tablet cemented in solid rock.

[Latitude  $44^{\circ} 53' 40.81''$ . Longitude  $69^{\circ} 47' 50.57''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Bannock .....	47 10 16.74	227 00 01.05	4.4184434
New Portland .....	84 46 12.70	264 35 55.59	4.2849545
Fletcher .....	144 59 07.68	324 53 02.64	4.2945517
Stickney .....	233 32 44.76	53 38 51.08	4.1501819
Fogg .....	299 36 44.97	119 43 41.16	4.1734321
Bigelow .....	344 40 10.34	164 43 07.16	4.3199458

## MOXIE, SOMERSET COUNTY.

A well-known mountain, about 15 miles north of Bingham. Can be reached from Pleasant Pond via log roads by walking 8 or 9 miles. Can be reached also by leaving road up Kennebec River at Berrys, about 8 miles above Bingham, and going over Kate Hill.

Station mark: A bronze tablet cemented in solid rock.

Reference mark: A hole drilled 2 inches deep in solid ledge 63.7 feet distant; true azimuth  $121^{\circ} 06'$ .

[Latitude 45° 12' 24.64". Longitude 69° 53' 39.21".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Fletcher .....	11 11 51.26	191 09 52.28	4.2770157
Squaw .....	204 46 47.49	24 54 34.00	4.5312302
Bald .....			4.0602100
Russell .....	262 29 13.63	82 41 08.14	4.3453459
Foss .....			4.3390000
Stickney .....	324 07 20.15	144 17 34.38	4.5109590

## NEW PORTLAND, SOMERSET COUNTY.

In town of New Portland, about 2 miles east of New Portland post-office, on a high, bare hill owned by C. A. McKenny.

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude 44° 52' 42.97". Longitude 70° 02' 25.02".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Blue .....	55 09 09.08	234 56 22.30	4.4650491
Fletcher .....	203 36 52.91	23 41 05.81	4.2912680
Jewett .....	264 35 55.59	84 46 12.70	4.2849545
Bigelow .....	306 28 48.48	126 42 01.50	4.4886529
Bannock .....	359 55 44.28	179 55 44.92	4.2057468

## STICKNEY, SOMERSET COUNTY.

Situated in town of Athens, about 3½ miles north of Athens village.

Station mark: A bronze tablet cemented in solid rock.

[Latitude 44° 58' 12.49". Longitude 69° 39' 11.90".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Bigelow .....	11 40 14.80	191 37 06.09	4.4644220
Jewett .....	53 38 51.08	233 32 44.76	4.1501819
Fletcher .....	108 57 13.18	288 45 01.11	4.3794348
Moxie .....	144 17 34.38	324 07 20.15	4.5109590
Foss .....	167 07 28.00	347 06 01.00	4.0812050
Russell .....	185 56 55.86	5 58 34.54	4.4672024
Guilford .....	218 48 20.34	39 00 49.07	4.5658139
Fogg .....	354 19 26.58	174 20 16.93	4.1998577

## NEW HAMPSHIRE.

## TRIANGULATION STATIONS.

Two fifteen-minute quadrangles in the southern portion of the State, covering portions of Hillsboro and Rockingham counties, were controlled by Mr. George T. Hawkins, who occupied six triangulation stations and located three others by intersections in May, 1903.

This work is based upon the positions of Unkonoonuc and Mason, United States standard datum of the Coast and Geodetic Survey.

## FEDERAL, HILLSBORO COUNTY.

In the town of Milford, on the north slope of Federal Hill,  $2\frac{1}{4}$  miles south of village of Milford, on land owned by Mr. Jewett and one-fourth mile east of his residence. The highest part of the hill is about 500 feet south of station and covered with high pine timber. Station located on north slope in order to see other signals.

Station mark: A bronze triangulation tablet cemented in solid ledge of granite.

[Latitude  $42^{\circ} 48' 21.09''$ . Longitude  $71^{\circ} 37' 55.12''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Mason .....	68 18 46.9	248 11 24.9	4.20218
Mount Vernon .....	163 19 21.9	343 17 51.9	4.01970
Unkonoonuc .....	190 08 54.6	10 10 40.6	4.30159
Turkey .....	233 54 48.6	53 59 07.9	4.02994

## HUDSON, HILLSBORO COUNTY.

Is in town of Hudson, 4 miles northeast of Nashua, on bald hill (except for growth of pines on west end which prevents sight to Nashua), on land owned by Mr. A. C. Cross, and 200 yards southwest of his residence.

Station mark: A bronze triangulation tablet set in granite ledge.

[Latitude  $42^{\circ} 47' 07.24''$ . Longitude  $71^{\circ} 23' 35.20''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Turkey .....	128 20 48.6	308 15 23.2	4.14157
Derry .....	185 34 45.9	5 35 23.7	4.11220



## MANCHESTER, HILLSBORO COUNTY.

(Not occupied.)

A stone observatory in a park in northeast part of the city of Manchester.

Station mark: Center of observatory.

[Latitude  $43^{\circ} 00' 04.3''$ . Longitude  $71^{\circ} 26' 21.1''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Unkonoonuc .....	80 47 50.7	260 41 43.6	4.09187
Derry .....	335 37 56.2	155 40 27.1	4.08553

## MASON, HILLSBORO COUNTY.

A triangulation station of the United States Coast and Geodetic Survey south of Mason village on a hill locally known as "Barrett Hill."

Station mark: A hole drilled in solid rock around which is drilled a triangle.

[Latitude  $42^{\circ} 45' 09.81''$ . Longitude  $71^{\circ} 48' 45.96''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Mount Vernon .....	216 27 34.9	36 33 27.4	4.29670
Federal .....	248 11 24.9	68 18 46.9	4.20218
Nashua .....	268 00 51.9	88 14 39.0	4.44278

## MOUNT VERNON, HILLSBORO COUNTY.

(Not occupied.)

A flag pole on dome of large summer hotel in town of Mount Vernon and a short distance east of village of same name.

[Latitude  $42^{\circ} 53' 45.8''$ . Longitude  $71^{\circ} 40' 07.4''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Mason .....	36 33 27.4	216 27 34.9	4.29670
Unkonoonuc .....	214 02 28.9	34 03 58.6	4.06739
Turkey .....	287 38 37.9	107 43 32.9	4.08779
Federal .....	343 17 51.9	163 19 21.9	4.01968

## NASHUA, HILLSBORO COUNTY.

(Not occupied.)

The highest smokestack in the city of Nashua and about one-fourth mile west from business portions of the city.

Station mark: Center of smokestack.

[Latitude  $42^{\circ} 45' 39.1''$ . Longitude  $71^{\circ} 28' 27.6''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>° ' "</i>	<i>° ' "</i>	<i>Meters.</i>
Mason .....	88 14 39.0	268 00 51.90	4.44278
Unkonoonic .....	159 19 22.7	339 14 42.6	4.42189

## TURKEY, HILLSBORO COUNTY.

On a bald hill  $1\frac{1}{2}$  miles west of the village of Merrimack, in town of Merrimack.

Station mark: The small pine signal tree 8 inches in diameter marked "U. S." near base.

[Latitude  $42^{\circ} 51' 45.50''$ . Longitude  $71^{\circ} 31' 33.79''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>° ' "</i>	<i>° ' "</i>	<i>Meters.</i>
Federal .....	53 59 07.93	233 54 48.63	4.02994
Mount Vernon .....	107 43 32.90	287 38 37.90	4.08779
Unkonoonic .....	159 07 43.20	339 05 09.60	4.15668
Derry .....	250 25 30.20	70 31 33.70	4.10925
Hudson .....	308 15 23.20	128 20 48.60	4.14157

## UNKONOONUC, HILLSBORO COUNTY.

A triangulation station of the United States Coast and Geodetic Survey, in Goffstown, 10 miles west of Manchester, on the easterly summit of Unkonoonic Mountain.

Station mark: A hole drilled in solid rock.

[Latitude  $42^{\circ} 58' 59.86''$ . Longitude  $71^{\circ} 35' 19.38''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>° ' "</i>	<i>° ' "</i>	<i>Meters.</i>
Federal .....	10 10 40.6	190 08 54.6	4.30159
Mount Vernon .....	34 03 58.6	214 02 28.9	4.06739
Manchester .....	260 41 43.6	80 47 50.7	4.09187
Derry .....	297 46 53.6	117 55 31.1	4.28958
Turkey .....	339 05 09.6	159 07 43.2	4.15668

## DERRY, ROCKINGHAM COUNTY.

In town of Londonderry, 3 miles a little north of west from village of Derry, 270 feet south of schoolhouse No. 8 on northwest of slope of hill. The summit, which is about 400 feet southeast of station, is covered by dense growth of pine.

Station mark: A bronze triangulation tablet cemented in large granite boulder.

[Latitude  $42^{\circ} 54' 04.85''$ . Longitude  $71^{\circ} 22' 39.72''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Hudson .....	5 35 23.7	185 34 45.9	4.11220
Turkey .....	70 31 33.7	250 25 30.2	4.10925
Unkonoonic .....	117 55 31.1	297 46 53.6	4.28958
Manchester .....	155 40 27.1	335 37 56.2	4.08553

## NEW YORK.

## TRIANGULATION STATIONS.

Mr. A. H. Thompson, geographer, extended triangulation westward from the vicinity of Olean nearly to the western border of the State, controlling 4 quadrangles in Cattaraugus and Chautauqua counties and he also located by triangulation 5 stations for the control of 2 quadrangles in Wyoming and Livingston counties.

Mr. Oscar Jones, topographer, controlled by triangulation the Carthage quadrangle in Lewis County by locating 5 stations from the line Elmer-Rock.

Mr. McNair controlled 2 fifteen-minute quadrangles in Genesee County by locating 5 stations from Conesus, Perry, and Scottsville. Positions are given on the U. S. standard datum.

## DAVIS, ALLEGANY COUNTY.

Located in the northern part of Centerville Township about 2 miles north of Centerville village on land owned by Milton Davis.

Station mark: A bronze triangulation tablet cemented in solid rock under center of signal.

[Latitude  $42^{\circ} 31' 02.22''$ . Longitude  $78^{\circ} 14' 36.23''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Carpenter .....	176 40 39.24	356 40 09.55	4.2363363
Felch .....	227 29 55.55	47 38 39.19	4.3784343
Nunda .....	258 10 54.79	78 25 47.18	4.4878673

## FOSTER, CATTARAUGUS COUNTY.

Situated in the southern part of Mansfield Township, on a high hill about  $1\frac{1}{2}$  miles a little east of north from the village of Little Valley, on land owned by A. Forster.

Station mark: A sandstone post 40 by 6 by 6 inches set under center of signal 36 inches in the ground, with bronze triangulation tablet cemented in top of post.

[Latitude  $42^{\circ} 15' 57.91''$ . Longitude  $78^{\circ} 47' 23.60''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Shutt .....	27 47 17.15	207 45 45.85	3.8248931
Tuy .....	104 24 10.02	284 18 42.06	4.0618700
McCarty .....	278 32 59.92	98 37 03.83	3.9246544
Townsend .....	334 32 40.94	154 36 17.21	4.2356988

## LEARN, CATTARAUGUS COUNTY.

Situated in Ischua Township, 3 miles west of Bennett Creek post-office on land owned by Mr. Learn.

Station mark: A copper bolt sunk in granite post 4 feet long; bolt marked "U. S. G. S. 478 N. Y."

[Latitude  $42^{\circ} 14' 13.27''$ . Longitude  $78^{\circ} 25' 53.77''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Flatiron .....	2 37 16.90	182 36 45.90	4.3683237
Townsend .....	61 05 16.40	240 54 26.5	4.4047580
McCarty .....	95 23 17.70	275 12 54.38	4.3293244
Mullaly .....	110 05 03.20	289 54 18.15	4.3689371

## M'CARTY, CATTARAUGUS COUNTY.

Situated near the north line of Great Valley Township on a high hill  $1\frac{1}{2}$  miles a little west of north of Ellicottville village on land owned by Daniel McCarty.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, and having a bronze triangulation tablet cemented in its top.

[Latitude  $42^{\circ} 15' 17.24''$ . Longitude  $78^{\circ} 41' 20.91''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Townsend .....	3 44 43.06	183 44 15.72	4.1558183
Shutt .....	67 52 46.09	247 47 11.02	4.0914180
Foster .....	98 37 03.83	278 32 59.92	3.9246544
Mullaly .....	173 05 56.29	353 05 34.88	3.7830230
Learn .....	275 12 54.38	95 23 17.70	4.3293244

## MULLALY, CATTARAUGUS COUNTY.

Situated on a high hill about  $2\frac{1}{2}$  miles a little west of north from the village of Ellicottville, Ellicottville Township, on land owned by P. Mullaly.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, and having a bronze triangulation tablet cemented in its top.

[Latitude  $42^{\circ} 18' 32.42''$ . Longitude  $78^{\circ} 41' 52.74''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Shutt .....	45 05 04.96	224 59 51.10	4.1794295
Tuy Hill .....	84 15 23.73	264 06 06.09	4.2751144
Learn .....	289 54 18.15	110 05 03.20	4.3689371
McCarty .....	353 05 34.88	173 05 56.29	3.7830230

## PINE HILL, CATTARAUGUS COUNTY.

Situated in lot 36 in Randolph Township, 4 miles south of the village of Randolph, on a high hill known as Pine Hill. Land owned by C. B. Bartlett.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground and having a bronze triangulation tablet cemented in its top.

[Latitude  $42^{\circ} 06' 17.90''$ . Longitude  $78^{\circ} 59' 26.35''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Walrod .....	96 17 22.90	276 12 20.07	4.0185994
Highland .....	131 52 02.68	311 45 06.34	4.2811005
Tuy .....	194 33 14.35	14 35 52.35	4.3313226
Shutt .....	228 17 48.54	48 24 22.49	4.2560628
Townsend .....	264 17 50.31	84 29 30.93	4.3823034
Read .....	295 26 28.45	115 27 19.07	3.2836340



## READ, CATTARAUGUS COUNTY.

Situated in the southern part of Randolph Township, in lot 10 of the Holland Company land survey, on a high hill known locally as "Mount Tuy." It is 5 miles south of village of East Randolph on land owned by B. Read.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 42° 05' 51.14". Longitude 78° 58' 40.84".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Pine .....	115 27 19.07	295 26 28.45	3.2836340
Shutt .....	222 27 45.78	42 33 28.58	4.2399748
Townsend .....	261 46 44.90	81 57 34.84	4.3520529

## SHUTT, CATTARAUGUS COUNTY.

Situated in the eastern part of Napoli Township close to the Napoli and Little Valley Township line and about 4 miles southwest of Little Valley Village, on a high hill owned by John Shutt, known locally as Shutt's Hill.

Station mark: A stone post 40 by 6 by 6 inches set under center of signal 36 inches in the ground, in center of top of which is cemented a bronze triangulation tablet.

[Latitude 42° 12' 46.31". Longitude 78° 49' 39.40".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Foster .....	207 45 45.85	27 47 17.15	3.8248931
Read .....	42 33 28.58	222 27 45.78	4.2399748
Pine Hill .....	48 24 22.49	228 17 48.54	4.2560628
Tuy Hill .....	137 26 37.30	317 22 40.81	4.0760509
Mullaly .....	224 59 51.10	45 05 04.96	4.1794295
McCarty .....	247 47 11.02	67 52 46.09	4.0914180
Townsend .....	312 27 23.39	132 32 30.71	4.1538723

## TOWNSEND, CATTARAUGUS COUNTY.

Situated in Salamanca Township on what is locally known as "Townsend's Hill," about 3 miles southeast of Salamanca. There is a private road from the village of Salamanca to the station.

Station mark: Iron bench mark post marked "U. S. Geological Survey B. M. 480."

Theodolite elevated 15 feet.

[Latitude 42° 07' 34.25". Longitude 78° 42' 01.62".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Read .....	81 57 34.84	261 46 44.90	4.3520529
Pine .....	84 29 30.93	264 17 50.31	4.3823034
Shutt .....	132 32 30.71	312 27 23.39	4.1538723
Foster .....	154 36 17.21	334 32 40.94	4.2356988
McCarty .....	183 44 15.72	3 44 43.06	4.1558183
Learn .....	240 54 26.50	61 05 16.40	4.4047580

## TUY HILL, CATTARAUGUS COUNTY.

Situated in the western part of New Albion Township, about 2 miles west of the village of New Albion, on a high hill known locally as Tuy Hill.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground under center of signal; in center of top of post is cemented a bronze triangulation tablet.

[Latitude 42° 17' 30.59". Longitude 78° 55' 31.11".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Foster .....	284 18 42.06	104 24 10.02	4.0618700
Mullaly .....	264 06 06.09	84 15 23.73	4.2751144
Pine .....	14 35 52.25	194 33 14.35	4.3313326
Walrod .....	38 49 59.78	218 42 18.39	4.4007680
Highland .....	67 50 11.25	247 40 35.99	4.3260574
Shutt .....	317 22 40.81	137 26 37.30	4.0760509

## BATES, CHAUTAUQUA COUNTY.

Located in the northwestern part of Harmony Township on a commanding hill owned by George C. Bates, about one-fourth mile from the road between Sherman and Harmony townships.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $42^{\circ} 08' 24.02''$ . Longitude  $79^{\circ} 31' 24.55''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	$\circ$ $'$ $''$	$\circ$ $'$ $''$	<i>Meters.</i>
Clymer .....	29 53 24.01	209 50 37.21	4.0600192
Dewey .....	77 07 15.77	257 05 29.53	3.5717872
Caselar .....	158 49 07.99	338 48 11.00	3.7317280
Haynes .....	235 16 22.46	55 22 58.15	4.2159901
Highland .....	253 26 35.25	73 35 06.77	4.4923832
Meas .....	270 06 18.84	90 18 08.34	4.3853254
Panama .....	356 56 53.53	176 57 05.88	3.9004001

## BUSTI, CHAUTAUQUA COUNTY.

Located in the southeastern corner of Busti Township, about 2 miles a little east of south from the village of Busti, on a commanding ridge on land owned by C. Meredith.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $42^{\circ} 06' 32.55''$ . Longitude  $79^{\circ} 16' 25.26''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	$\circ$ $'$ $''$	$\circ$ $'$ $''$	<i>Meters.</i>
Panama .....	108 08 36.83	287 58 46.96	4.3286072
Meas .....	194 05 59.78	14 07 45.77	4.1734905
Highland .....	201 20 39.98	21 25 02.32	4.4000139
Walrod .....	227 50 04.10	47 56 24.17	4.2451027

## CASELAR, CHAUTAUQUA COUNTY.

Located in the southwestern corner of Chautauqua Township, on land owned by Mr. Caselar.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $42^{\circ} 11' 06.96''$ . Longitude  $79^{\circ} 32' 49.45''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	$\circ$ $'$ $''$	$\circ$ $'$ $''$	<i>Meters.</i>
Dewey .....	16 03 44.36	196 02 55.06	3.7851533
Haynes .....	254 18 23.71	74 25 56.60	4.2057444
Bates .....	338 48 11.00	158 49 07.99	3.7317280

## CLYMER, CHAUTAUQUA COUNTY.

(Not occupied.)

About 3 miles northwest of the village of Clymer.

Station mark: A tall oak tree standing alone and in full view from all the surrounding country.

[Latitude  $42^{\circ} 03' 01.31''$ . Longitude  $79^{\circ} 35' 33.37''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Dewey .....	192 49 38.79	12 50 39.43	3.9712038
Bates .....	209 50 37.21	29 53 24.01	4.0600192
Panama .....	251 47 45.19	71 50 43.22	3.8107174

## DEWEY, CHAUTAUQUA COUNTY.

Located in Sherman Township, about 2 miles southeast of Sherman village, on land owned by Mr. Dewey.

Station mark: An aluminum bolt buried 16 inches in the ground; surface mark, a large boulder over bolt.

[Latitude  $42^{\circ} 07' 57.04''$ . Longitude  $79^{\circ} 34' 02.91''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Clymer .....	12 50 39.43	192 49 38.79	3.9762038
Caselar .....	196 02 55.06	16 03 44.36	3.7851533
Bates .....	257 05 29.53	77 07 15.77	3.5717872

## HAYNES, CHAUTAUQUA COUNTY.

In the northern part of Ellery Township, about 3 miles north of Ellery Center and one-eighth mile east of road leading from Ellery Center to Stockton. Land owned by Mrs. Eliza Haynes.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground.

[Latitude  $42^{\circ} 13' 27.20''$ . Longitude  $79^{\circ} 21' 35.28''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Bates .....	55 22 58.15	235 16 22.46	4.2159901
Caselar .....	74 25 56.60	254 18 23.71	4.2057444
Highland .....	271 43 57.27	91 51 53.50	4.2111548

## HIGHLAND, CHAUTAUQUA COUNTY.

Located in the western part of Ellington Township, 3 miles directly west of Ellington village, on Highland farm owned by Morril Hoag. Commands view of whole country except directly north.

Station mark: A stone post 36 by 6 by 6 inches set 36 inches in the ground under center of signal.

[Latitude 42° 13' 10.66". Longitude 79° 09' 46.40".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Busti .....	21 25 02.32	201 20 39.98	4.4000139
Meas .....	31 44 22.96	211 41 41.49	4.0211111
Bates .....	73 35 06.77	253 20 35.25	4.4923832
Haynes .....	91 51 53.50	271 43 57.27	4.2111548
Tuy .....	247 40 35.99	67 50 11.25	4.3260574
Pine .....	311 45 06.34	131 52 02.68	4.2811005
Walrod .....	341 31 39.63	161 33 32.85	4.0873636

## MEAS, CHAUTAUQUA COUNTY.

Located near the center of Ellicott Township on a high ridge about 3 miles north of the city of Jamestown and one-third mile south of the Jamestown and Ross Mills road. Land owned by P. A. Melquist.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in ground and having a bronze triangulation tablet cemented in top.

[Latitude 42° 08' 21.22". Longitude 79° 13' 47.09".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Busti .....	14 07 45.77	194 05 59.78	4.1734905
Panama .....	71 53 22.33	251 41 45.66	4.4002458
Bates .....	90 18 08.34	270 06 18.84	4.3853254
Highlands .....	211 41 41.49	31 44 22.96	4.0211111
Walrod .....	285 49 02.01	105 53 36.45	3.9898545

## PANAMA, CHAUTAUQUA COUNTY.

In the western part of Harmony Township 2 miles a little south of west from Panama village on land owned by J. Brooker.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.



[Latitude  $42^{\circ} 04' 06.70''$ . Longitude  $79^{\circ} 31' 06.14''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Clymer .....	71 50 43.22	251 47 45.19	3.8107174
Bates .....	176 57 05.88	356 56 53.53	3.9004001
Meas .....	251 41 45.66	71 53 22.33	4.4002458
Busti .....	287 58 46.96	108 08 36.83	4.3286072

## WALROD, CHAUTAUQUA COUNTY.

Located near the center of Poland Township on a low, bluff-like hill, south of Conewango Creek and about 2 miles south of Kennedy village on land owned by P. Walrod. View not good to southeast but fine in all other directions.

Station mark: A stone post 40 by 6 by 6 inches set under center of signal 36 inches in ground, having a bronze triangulation tablet cemented in its top.

[Latitude  $42^{\circ} 06' 54.72''$ . Longitude  $79^{\circ} 06' 57.95''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Busti .....	47 56 24.17	227 50 04.10	4.2451027
Meas .....	105 53 36.45	285 49 02.01	3.9898545
Highland .....	161 33 32.85	341 31 39.63	4.0873636
Tuy Hill .....	218 42 18.39	38 49 59.78	4.4007680
Pine Hill .....	276 12 20.07	96 17 22.90	4.0185994

## LEROY, GENESEE COUNTY.

(Not occupied.)

Station mark: Center of standpipe.

[Latitude  $42^{\circ} 58' 37.1''$ . Longitude  $77^{\circ} 59' 47.5''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Attica .....			4.40362
Conesus .....			4.60530
Scottsville .....			4.37105

## CARTHAGE, JEFFERSON COUNTY.

(Not occupied.)

Station mark: Center of water-supply standpipe.

[Latitude  $43^{\circ} 59' 02.38''$ . Longitude  $75^{\circ} 36' 16.95''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Croghan .....	295 24 55.6	115 33 44.7	4.27491
Rock .....	318 58 20.2	139 08 21.7	4.47068

## M'QUILLEN, JEFFERSON COUNTY.

Station on a bare, rocky hill known as Mount McQuillen, 1 mile northeast of Carthage, on property of Mrs. Anna Harvey, who lives 500 yards west of station. Good view in all directions.

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude  $43^{\circ} 59' 49.70''$ . Longitude  $75^{\circ} 35' 27.82''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Smith .....	45 43 45.3	225 40 38.9	3.92225
Mound .....	296 00 10.3	116 03 55.6	3.90571
Croghan (new station) .....	300 57 28.2	121 05 43.2	4.26850
Denmark Church .....	355 22 06.2	175 22 34.3	4.04878

## MOUND, JEFFERSON COUNTY.

(Not occupied.)

A well-defined granite mound sometimes known as Mount Tom, 5 miles southeast of Carthage, about one-fourth mile to the north of the Forest City or State road. The Carthage city electric-light pole line passes almost over the mound and near the residence of James Dalton.

Station mark: Center of mound.

[Latitude  $43^{\circ} 57' 55.26''$ . Longitude  $75^{\circ} 30' 03.34''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Smith .....	80 09 40.3	260 02 48.9	4.12776
McQuillen .....	116 03 55.6	296 00 10.3	3.90571

## SMITH, JEFFERSON COUNTY.

On the east side of an east-and-west timbered ridge 4 miles southwest of Carthage, one-half mile north of outlet of Pleasant Lake. Property of William Smith, who lives one-fourth mile south of station. View cut off from north  $70^{\circ}$  west around by north to north  $45^{\circ}$  east.

Station mark: Center of elm tree 12 inches in diameter, about which is piled a mound of stones. Tree in center of field, 300 feet from timber.

[Latitude  $43^{\circ} 56' 40.52''$ . Longitude  $75^{\circ} 39' 56.28''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Mound .....	260 02 48.9	80 09 40.3	4.12776
Croghan .....	279 33 43.7	99 45 04.7	4.34658
Elmer .....	335 44 13.5	155 47 08.0	4.13634

## CROGHAN, LEWIS COUNTY.

(New station.)

Croghan Church, located by Mr. Sledge Tatum, topographer, in 1900, destroyed by fire.

The new station is on south end of a rocky ridge, 1 mile north of the village of Croghan, west side of Beaver River, on property of Christopher Parquet, who lives one-fourth mile east of station.

Station mark: A bronze triangulation tablet set in solid rock.

[Latitude  $43^{\circ} 54' 39.80''$ . Longitude  $75^{\circ} 23' 34.64''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Elmer .....	61 49 24.3	241 49 24.3	4.26717
Denmark Church .....	84 01 45.2	263 53 58.7	4.17885
Smith .....	99 45 04.7	279 33 43.7	4.34658
Carthage .....	115 33 44.7	295 24 55.6	4.27491
McQuillen .....	121 05 43.2	300 57 28.2	4.26850
Rock .....	350 35 27.7	170 36 40.7	4.15885

## DENMARK CHURCH, LEWIS COUNTY.

(Not occupied.)

A large, white, square tower on church in the village of Denmark. Station mark: Center of tower.

[Latitude  $43^{\circ} 53' 48.38''$ . Longitude  $75^{\circ} 34' 47.34''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
McQuillen-----	175 22 34.3	355 22 06.2	4.04878
Croghan-----	263 53 58.7	84 01 45.2	4.17885

## ELMER, LEWIS COUNTY.

Seven miles northwest of Lowville, N. Y., in the town of Harrisburg, 1 mile south of Harrisburg post-office, on land owned by E. G. Elmer, who lives 300 yards north of station.

Station mark: A marble post 48 by 8 by 8 inches set 36 inches in the ground, and in the center of top is cemented a bronze triangulation tablet.

[Latitude  $43^{\circ} 49' 56.12''$ . Longitude  $75^{\circ} 35' 44.54''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Smith-----	155 47 08.0	335 44 13.5	4.13634
Croghan (new station)-----	241 40 58.5	61 49 24.3	4.26717
Rock-----	286 14 32.9	106 24 11.0	4.28901

## ROCK, LEWIS COUNTY.

On a high, rocky ridge, in Watson Township, 8 miles east of Lowville, on land owned by George Venatti.

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude  $43^{\circ} 46' 58.98''$ . Longitude  $75^{\circ} 21' 49.26''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Gum-----	32 23 03.2	212 18 07.9	4.25241
Elmer-----	106 24 11.0	286 14 32.9	4.28901
Carthage-----	139 08 21.7	318 58 20.2	4.47068
Croghan-----	170 36 40.7	350 35 27.7	4.15885

## CALEDONIA, LIVINGSTON COUNTY.

(Not occupied.)

Station mark: Center of standpipe.

[Latitude  $42^{\circ} 58' 29.8''$ . Longitude  $77^{\circ} 51' 59.9''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Scottsville .....			4.11607
Conesus .....			4.52169

## CULLEY, LIVINGSTON COUNTY.

About 2 miles northwest of Lakeville, on low knoll with timber on northeast side, on land owned by R. H. Culley. Station is on east and west fence line, 7 feet west of north and south fence line and 30 feet west of center of road.

Station mark: A small round bowlder set 1 foot below surface of ground. In top of bowlder is drilled a hole one-fourth inch deep. Over the bowlder is set a bronze triangulation tablet which is covered with earth and a stone on the surface.

[Latitude  $42^{\circ} 51' 2.48''$ . Longitude  $77^{\circ} 44' 18.18''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Perry .....			4.42857
Conesus .....			4.20339

## NUNDA, LIVINGSTON COUNTY.

Situated in the town of Nunda on the highest part of what is locally known as East Hill.

Station mark: A bowlder 30 inches in diameter sunk flush with ground. In center of top is cemented a triangulation tablet. Station number, 514.

[Latitude  $42^{\circ} 34' 24.22''$ . Longitude  $77^{\circ} 52' 47.36''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Davis .....	78 25 47.18	258 10 54.79	4.4878673
Carpenter .....	109 34 18.32	289 18 54.91	4.5179208
Felch .....	128 32 12.16	308 26 02.46	4.2013176
Perry .....	147 23 40.42	327 16 44.05	4.4136080
Ridge .....	165 22 48.65	345 21 19.84	4.0730232



RETSEF, LIVINGSTON COUNTY.

(Not occupied.)

Station mark: Center of tallest brick chimney at the salt works.

[Latitude 42° 50' 5.1". Longitude 77° 53' 00.0'.]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Culley -----			4.07855
Retsef -----			4.36686

ATTICA, WYOMING COUNTY.

Situated in town of Attica, about 1 mile east of Attica Center on bare hill, on land owned by Charles H. Weber. Date post-office. Outlook good except to north.

Station mark: A triangular sandstone 8 inches thick and about 2 feet on each edge in top of which is cemented a bronze triangulation tablet. The stone is buried 1 foot below surface of ground.

Reference marks: (1) A round boulder containing about 1 cubic foot at west edge of stone pile. Hole drilled 2 inches deep in top. Distance, 166 feet. True azimuth, 239½°. (2) A hole drilled 1½ inches deep in top of irregular-shaped boulder embedded in ground. Surface exposed about 30 by 18 by 6 inches. Distance, 167½ feet. True azimuth, 47¼°. (3) A hole drilled 1½ inches deep in boulder embedded in ground, about 12 by 12 by 4 inches exposed. Distance, 50 feet. True azimuth, 117½°.

[Latitude 42° 48' 48.83". Longitude 78° 12' 45.94'.]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Cobble -----	1 58 10.52	181 57 59.70	4.0232432
Leroy -----			4.40362
Scottsville -----			4.66248
Conesus -----			4.68021
Perry -----	289 42 24.00	109 49 08.00	4.15762

CARPENTER, WYOMING COUNTY.

Located in Weathersfield Township, about 2½ miles northwest of the village of Hermitage, on land owned by B. H. Carpenter on a high, gravelly knoll one-eighth mile south of road leading from Gainesville to North Java.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in ground with bronze triangulation tablet cemented in top.

[Latitude  $42^{\circ} 40' 19.74''$ . Longitude  $78^{\circ} 15' 20.09''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Davis .....	356 40 09.55	176 40 39.24	4.2363363
Perry .....	237 27 30.84	57 35 59.21	4.3055437
Felch .....	273 14 00.52	93 23 14.66	4.2706937
Nunda .....	289 18 54.91	109 34 18.32	4.5179208

#### COBBLE, WYOMING COUNTY.

On a high, rocky knoll, locally known as Cobble Knoll, in lot 11, Orangeville Township,  $1\frac{1}{2}$  miles southwest of the crossroads known as Orangeville Center.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground; in the top is cemented a bronze triangulation tablet.

[Latitude  $42^{\circ} 43' 07.18''$ . Longitude  $78^{\circ} 13' 01.86''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Perry .....	247 42 28.64	67 49 23.48	4.1766165
Attica .....	181 57 59.70	1 58 10.52	4.0232422

#### FELCH, WYOMING COUNTY.

Located in Castile Township, on land owned by William Felch, about 2 miles northeast of Castile village, on a small rocky knoll about one-eighth mile east of the Castile and Perry road.

Station mark: A bronze triangulation tablet cemented in solid rock under center of signal.

[Latitude  $42^{\circ} 39' 44.84''$ . Longitude  $78^{\circ} 01' 42.47''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Nunda .....	308 26 02.46	128 32 12.16	4.2013176
Davis .....	47 38 39.19	227 29 55.55	4.3784343
Carpenter .....	93 23 14.66	273 14 00.52	4.2706937
Perry .....	172 34 57.57	352 34 11.18	4.0801722

#### PERRY, WYOMING COUNTY.

Situated in the town of Perry, 2 miles northwest of Perry Center, on the top of a small hill on the farm of Alfred McWethey. The

geodetic point is near the north line fence dividing the farms of Mr. McWethey and Mr. William Fish.

Station mark: A cut stone post 30 by 6 by 6 inches, set 27 inches in the ground. In center of top is cemented a bronze triangulation tablet.

Station number, 513.

[Latitude  $42^{\circ} 46' 11.35''$ . Longitude  $78^{\circ} 02' 50.76''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Ridge -----	313 17 28.44	133 22 56.22	4.1793698
Nunda -----	327 16 44.05	147 23 40.42	4.4136080
Felch -----	352 34 11.18	172 34 57.51	4.0801722
Carpenter -----	57 35 59.21	237 27 30.84	4.3055437
Cobble -----	67 49 23.48	247 42 28.64	4.1766165
Attica -----	109 49 08.00	289 42 24.00	4.1576200
Perry Center -----	305 38 49.38	125 40 26.73	3.6034672

#### PERRY CENTER CHURCH SPIRE, WYOMING COUNTY.

[Latitude  $42^{\circ} 44' 55.57''$ . Longitude  $78^{\circ} 00' 27.38''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Perry -----	125 40 26.73	305 38 49.38	3.6034672
Ridge -----	316 03 45.00	136 07 35.82	4.0472403

#### MERIDIAN MARKS.

##### LITTLE VALLEY, CATTARAUGUS COUNTY.

Location of station: In the court-house grounds, near the southwest corner of same.

Station mark: A stone post 48 by 8 by 8 inches set 40 inches in the ground, in the center of top of which is cemented a bronze meridian tablet.

Distant mark: North of station 456 feet, near the northeast corner of grounds a stone post similar to station mark set 40 inches in the ground.

##### MAYVILLE, CHAUTAUQUA COUNTY.

Location of station: In schoolhouse grounds, near the southwestern line.

Station mark: A stone post 50 by 8 by 8 inches set 40 inches in the ground, 125 feet from street line. In the center of top of post is cemented a bronze meridian tablet.

Distant mark: North of station 369.8 feet a stone post 50 by 8 by 8 inches set 40 inches in the ground, 25 feet from street line. In center of top of post is cemented a bronze meridian tablet.

#### WARSAW, WYOMING COUNTY.

Location of station: In the western side of the public school grounds.

Station mark: A stone post 48 by 8 by 8 inches set 40 inches in the ground, in the center of top of which is cemented a bronze meridian tablet.

Distant mark: North of station 598.2 feet, a stone post similar to station mark set 40 inches in the ground.

#### PRIMARY TRAVERSE.

The following geographic positions for control of the Highmarket and Orwell quadrangles were obtained by primary traverse run in 1902 by Mr. Oscar Jones, topographer. The line starts at Gum triangulation station and follows highways westward to Lowrey triangulation station, thence southward via Thomas triangulation station to Florence triangulation station, and finally eastward and northward to the starting point.

*Geographic positions along highways between Gum and Lowrey triangulation stations.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Gum triangulation station .....	43	38	49.5	75	28	56.6
Road to right .....	43	39	25.0	75	29	08.7
Turin and Martinsburg, township line between .....	43	39	56.5	75	29	54.0
Crossroads and railroad crossing .....	43	40	32.5	75	29	44.8
Road right .....	43	41	23.7	75	28	52.5
Road right .....	43	41	15.0	75	30	12.0
Schoolhouse, road left at .....	43	42	32.8	75	29	35.3
Road corners .....	43	42	32.4	75	30	54.9
Road east and west .....	43	43	23.3	75	31	10.2
Road forks .....	43	43	35.4	75	32	22.9
Road east and west .....	43	44	09.5	75	32	32.6
Road left .....	43	44	04.3	75	33	55.5
Road left .....	43	43	59.9	75	35	14.5
Road right .....	43	43	59.3	75	35	25.7
Widow Williams, opposite residence of .....	43	43	52.9	75	37	26.3
Highmarket and Montague, town line between .....	43	43	57.3	75	38	24.8
Road right .....	43	44	00.1	75	38	39.0
Road crossing .....	43	43	53.4	75	41	20.3
Creek right .....	43	43	02.0	75	41	14.1

*Geographic positions along highways between Gum and Lowrey triangulation stations—Continued.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Branch right .....	43	42	45.5	75	42	08.6
Salmon River road .....	43	42	31.6	75	43	58.4
Salmon River, center of bridge .....	43	41	39.4	75	44	33.5
Creek right .....	43	40	30.4	75	45	13.2
Montague and Highmarket, town line between .....	43	39	26.9	75	46	07.1
Oswego and Jefferson, county line between .....	43	39	21.8	75	46	13.1
Creek right .....	43	39	17.3	75	46	18.3
Creek left .....	43	38	57.7	75	46	40.9
Salmon River .....	43	39	09.9	75	48	51.5
Creek left .....	43	38	57.1	75	50	14.9
Greenboro post-office, road at .....	43	38	37.5	75	53	20.8
Sandy Creek, road on left .....	43	39	11.1	75	53	58.7
Redfield and Boylston, town line between .....	43	39	11.8	75	53	59.2
Crossroads .....	43	39	56.5	75	54	40.7
Road left .....	43	40	56.8	75	55	23.2
Road left, leave State road, run west .....	43	41	45.9	75	56	03.2
Crossing county line and State road .....	43	42	00.0	75	56	13.1
Road left .....	43	41	23.7	75	58	20.2
North Boylston church, road corner at .....	43	41	01.2	76	00	06.6
Boylston triangulation station, flag on stump .....	43	40	43.1	76	00	03.8
Lowrey triangulation station (spur line from station 245) .....	43	41	47.4	75	59	55.9

*Geographic positions along highways between Boylston and Thomas triangulation station.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Crossroads .....	43	40	19.4	75	58	16.4
Crossroads .....	43	39	36.2	75	57	53.0
Smartville post-office, crossroads at .....	43	38	28.9	75	57	44.9
Road left .....	43	37	28.9	75	58	27.2
Road right .....	43	37	14.5	75	58	25.5
Boylston and Orwell, town line between .....	43	36	35.3	75	58	21.9
Crossroads .....	43	36	03.5	75	58	19.6
Road right .....	43	35	27.7	75	58	17.4
Orwell and Redfield square, junction of roads .....	43	34	33.7	75	58	10.0
Thomas triangulation station .....	43	34	36.4	75	58	54.1



*Geographic positions along highways between Thomas and Florence triangulation stations.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Schoolhouse, road on left at .....	43	34	26.8	75	57	45.0
Road forks .....	43	33	33.0	75	55	08.9
Crossroads .....	43	33	06.3	75	55	01.6
Creek right .....	43	33	08.3	75	53	59.4
Orwell and Redfield, town line between .....	43	33	05.4	75	53	28.1
Creek right .....	43	32	32.9	75	52	34.9
Schoolhouse, road on left at .....	43	32	14.6	75	51	28.2
Salmon River, center of bridge .....	43	32	05.3	75	51	04.4
Road right .....	43	31	59.8	75	50	50.3
Redfield, crossroads at .....	43	31	59.0	75	49	18.5
Road right .....	43	31	54.5	75	49	03.5
Road forks .....	43	31	43.0	75	48	39.0
Schoolhouse, road right at .....	43	31	29.8	75	47	51.0
Salmon River, center of bridge .....	43	31	27.0	75	47	14.4
Oswego and Lewis county line, road to right on .....	43	31	02.9	75	45	35.4
Road forks .....	43	31	57.9	75	44	50.8
Road right .....	43	31	54.4	75	44	03.1
Road forks .....	43	31	50.2	75	43	05.4
Road right .....	43	31	12.6	75	43	10.7
Osceola, crossroads at .....	43	30	00.7	75	43	21.0
Road right .....	43	29	23.7	75	43	26.5
Road left .....	43	29	05.4	75	43	28.9
Crossroads .....	43	28	14.3	75	43	36.2
Lewis and Oneida county line, road to left on .....	43	27	49.7	75	43	40.2
Creek left .....	43	27	00.0	75	44	06.8
Road left .....	43	26	38.6	75	44	15.8
Road forks .....	43	26	23.2	75	44	54.9
Florence, road forks at .....	43	26	18.3	75	45	00.7
Road left .....	43	24	51.7	75	43	26.8
Road left .....	43	24	15.8	75	43	04.3
Crossroads .....	43	23	33.0	75	42	26.1
Road forks .....	43	23	43.8	75	42	04.0
East Florence, road right .....	43	23	48.4	75	41	21.2
Florence triangulation station .....	43	23	14.5	75	39	36.3

*Geographic positions along highways from Osceola, via Highmarket, to Gum triangulation station.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Road right.....	43	29	57.7	75	42	38.7
Branch right.....	43	30	28.8	75	41	45.6
Creek right.....	43	30	30.8	75	40	46.5
Creek right.....	43	29	44.7	75	39	31.0
Osceola and Lewis, town line between.....	43	29	33.3	75	39	19.5
Salmon River right.....	43	29	21.4	75	39	06.2
Lischers Mill, road right at.....	43	29	07.8	75	38	18.4
Schoolhouse, forks of road at.....	43	27	44.4	75	36	12.4
Road forks.....	43	26	56.8	75	34	57.1
Creamery, forks of road at.....	43	26	57.3	75	34	49.2
Road forks.....	43	26	58.0	75	34	27.8
Branch left.....	43	28	07.2	75	33	45.9
Road forks.....	43	29	01.1	75	33	21.1
West Leyden, road right to.....	43	29	19.9	75	33	07.9
Road forks.....	43	30	54.7	75	31	51.6
Fish Creek, crossroads at.....	43	31	14.9	75	32	06.7
Road right.....	43	31	34.2	75	31	36.0
Road left.....	43	31	59.0	75	31	17.0
Road left.....	43	32	57.6	75	30	44.7
Barnes Corners, crossroads at.....	43	33	09.2	75	30	32.0
Road left.....	43	34	38.2	75	31	21.1
Highmarket post-office, forks of road at.....	43	35	06.5	75	31	08.1
Creamery, forks of road at.....	43	35	20.8	75	31	36.3
Road forks.....	43	36	20.0	75	31	49.4
Branch left.....	43	37	32.5	75	31	40.3
Road forks.....	43	38	13.5	75	31	27.9
Road forks.....	43	37	55.3	75	30	44.6
Gum triangulation station.....	43	38	49.5	75	28	56.6

## PENNSYLVANIA.

### TRIANGULATION STATIONS.

Mr. Sledge Tatum, topographer, extended triangulation westward from stations Berries and Little Mahanoy, so as to control 2 fifteen-minute quadrangles in Perry, Juniata, and Snyder counties. Five new stations were selected and occupied in September and October, 1902.

### MILLERSTOWN, PERRY COUNTY.

A dome-shaped hill, 2 miles north of Millerstown and  $\frac{3}{4}$  mile east of Juniata River. Summit is bald and very stony. A prominent point locally, though not as high as surrounding timbered ridges.

Station mark: A bronze triangulation tablet countersunk in solid rock 1 foot below surface of ground.

[Latitude  $40^{\circ} 34' 05.1''$ . Longitude  $77^{\circ} 10' 00.9''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Beavertown .....	188 42 24	8 43 34	4.22242
Little Mahanoy .....	235 23 23	55 36 28	4.53567
Spruce .....	293 00 34	113 04 59	4.01864
Newport .....	347 02 41	217 36 06	4.03919

#### NEWPORT, PERRY COUNTY.

Situated on timbered ridge 2 miles south of Newport. Summit cleared of timber, and a lone oak tree 8 inches in diameter left standing on highest point. Can be reached by following Duncannon road  $1\frac{1}{2}$  miles south from Newport to old sawmill site, thence southwest by trail to summit.

Station mark: Center of lone signal tree.

[Latitude  $40^{\circ} 27' 11.6''$ . Longitude  $77^{\circ} 07' 56.4''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Millerstown .....	167 04 02	347 02 41	4.11684
Spruce .....	217 36 06	37 39 10	4.03919
Peters .....	4 54 14	184 53 30	4.26888

#### PETERS, PERRY COUNTY.

Situated on Peters Mountain, about 4 miles west of Duncannon; about 2 acres cleared of timber and lone pine tree 24 inches in diameter left standing for signal.

Station mark: A copper bolt cemented in solid rock.

Reference mark: The lone signal tree, true azimuth  $331^{\circ} 09'$ , 4 feet distant.

[Latitude  $40^{\circ} 21' 52.7''$ . Longitude  $77^{\circ} 04' 19.9''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Newport .....	152 35 57	332 33 37	4.04464
Spruce .....	184 53 30	4 54 14	4.26888

## SPRUCE, PERRY COUNTY.

(Not occupied.)

A tall spruce tree, 30 inches in diameter, on highest point of ridge, 4 miles west of Liverpool. Lower branches of tree removed, leaving tuft in top—a conspicuous object.

Station mark: Center of spruce tree.

[Latitude  $40^{\circ} 31' 52.6''$ . Longitude  $77^{\circ} 03' 12.7''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Newport .....	37 39 10	217 36 06	4.03919
Millerstown .....	113 04 59	293 00 34	4.01864
Beavertown .....	161 04 51	341 01 36	4.33770

## BEAVERTOWN, SNYDER COUNTY.

Situated on Black Log Mountain, about 4 miles south-southeast of Beavertown. Can be reached from Beavertown by following road south from Beavertown railway station to John Nepp's house, about 1 mile; take right hand and follow same to old sawmill site, about one-fourth mile; then take left hand, an abandoned log road, used as bridle trail; follow trail about  $2\frac{1}{2}$  miles to signal. (Trail leads from Beavertown to Richland.)

Station mark: A sandstone post, 30 by 10 by 10 inches, with copper bolt set in top and post set flush with surface of ground.

Reference mark: A pine tree 12 inches in diameter, sawed off 20 feet above ground and used for tripod. True azimuth of tree  $177^{\circ} 31'$ , 4 feet distant.

[Latitude  $40^{\circ} 42' 59.8''$ . Longitude  $77^{\circ} 08' 13.2''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Millerstown .....	8 43 34	188 42 24	4.22242
L. Mahanoy .....	263 21 40	83 33 36	4.41336
Berries .....	320 24 59	140 33.00	4.43606
Spruce .....	341 01 36	161 04 51	4.33770

## WEST VIRGINIA.

## TRIANGULATION STATIONS.

Positions published herewith result from the field work of Mr. Sledge Tatum in 1901 and 1902 and from that of Mr. S. S. Gannett in 1902. Previous to the latter date positions depended upon Maryland Heights

and Sugar Loaf stations of the United States Coast and Geodetic Survey near Harpers Ferry, W. Va., but during the season of 1902 Mr. Gannett extended a belt of triangulation from Wray-Gebhardt stations in the transcontinental belt of United States Coast and Geodetic Survey near Huntington, W. Va., up the Ohio River, and connected with previous work near Parkersburg. The discrepancy in latitude and longitude was distributed arbitrarily so as not to disturb figure adjustments, and has been applied so as to reduce all positions to the U. S. standard datum as derived from Wray-Gebhardt.

## EGYPT, BARBOUR COUNTY.

Situated on a high, flat-topped hill, locally known as Egypt Hill, 1 mile north of Pepper post-office and one-half mile east of Clarksburg, on Philippi pike.

Station mark: A large green oak tree 3 feet in diameter. A dead oak tree stands about 10 feet south.

[Latitude 39° 12' 27.99". Longitude 80° 10' 21.54'.]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Bear .....	31 15 21.23	211 10 54.77	4.2914810
Mount Clare .....	91 36 03.45	271 29 58.25	4.1419390
Bald .....	157 56 02.38	337 53 29.74	4.1867375

## UPTON, BARBOUR COUNTY.

Situated in a pasture on a high, dome-shaped hill, 5 miles east of Philippi, on land owned by Alva Upton, 1,000 feet south of his house.

Station mark: A marble post 36 by 6 by 6 inches, set flush with top of ground, in center of top of which a bronze triangulation tablet is cemented.

[Latitude 39° 09' 27.5". Longitude 79° 59' 37.9'.]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Nelson .....	188 22 42	8 24 56	4.53803
Laurel .....	268 54 43	89 01 01	4.15776

## BELINGTON, BARBOUR-RANDOLPH COUNTIES.

A high, bald knob on Laurel Ridge on land owned by Henry Moore, 4 miles east of Belington. It can be reached from Belington by following-county road to Moore's farm, thence by trail to summit.

Station mark: Center of cairn 7 feet high.



[Latitude  $39^{\circ} 01' 43.9''$ . Longitude  $79^{\circ} 52' 36.4''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Limestone.....	218 52 15	39 00 07	4.45623
Shaver.....	261 08 17	81 17 24	4.32481

## LAUREL, BARBOUR-TUCKER COUNTIES.

A high knob on Laurel Ridge, about 15 miles east of Philippi and 12 miles west of Parsons, 0.25 mile north of Philippi-Parson road on line between Barbour and Tucker counties. One-half mile from A. S. Phillips's house and store. Land owned by Shaffer estate.

Station mark: An aluminum bolt set in solid rock 2 feet northwest of chestnut signal tree.

[Latitude  $39^{\circ} 09' 35.7''$ . Longitude  $79^{\circ} 49' 39.1''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Upton.....	89 01 01	268 54 42	4.15776
Nelson.....	164 40 54	344 36 48	4.54583
Brown.....	210 43 11	30 49 52	4.47230
Limestone.....	240 37 54	60 43 55	4.19614
Shaver.....	304 14 10	124 21 26	4.30300

## SINGLETON, BRAXTON COUNTY.

A high timbered hill on land owned by Sam Singleton, about 7 miles southwest of Burnsville and one-half mile west of Singleton's house. Two acres cleared, giving good view in all directions except southeast.

[Latitude  $38^{\circ} 47' 20.8''$ . Longitude  $80^{\circ} 42' 36.4''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Sinking Creek.....	152 28 18.1	332 22 26.4	4.46450
Sugar Loaf.....	204 57 55.1	25 03 23.1	4.47749

## INDEPENDENCE, BROOKS COUNTY.

Situated 2 miles southwest of the village of Independence, Pa., on a grass hill, on land owned by Mr. Gest. There is a small bunch of locust trees on south side of hill, also a short line of locust trees on east side near summit.

Station mark: A cut marble post 40 by 6 by 6 inches sunk 30 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $40^{\circ} 15' 06.03''$ . Longitude  $80^{\circ} 32' 27.92''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
West Liberty .....	33 01 42.51	212 59 23.54	3.9704538
Mount Pleasant .....	58 27 33.56	238 17 59.54	4.3938130
New Alexander .....	106 07 03.27	286 01 22.01	4.1133566
Cross Creek .....	232 43 06.69	52 47 51.53	4.1163183
West Middleton .....	276 28 07.59	96 31 51.88	3.9168898
Claysville .....	323 06 27.65	143 11 59.18	4.3069361

#### DAVIS, CABELL COUNTY.

A triangulation station of the United States Coast and Geodetic Survey on the ridge dividing the headwaters of Davis Creek from those of Four Mile Creek.

Station mark: A pottery pyramid buried 3 feet below ground, and over this is placed a pier of concrete 1 foot square rising 10 inches above the surface.

[Latitude  $38^{\circ} 21' 06.23''$ . Longitude  $82^{\circ} 21' 12.31''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Piney .....	248 11 16.20	68 22 16.65	4.4436451
Pigeon .....	298 26 01.30	118 36 40.96	4.4556412
Turkey Knob .....	347 31 21.76	167 33 02.24	4.2618030

#### GEBHARDT, CABELL COUNTY.

A station in the transcontinental belt of the United States Coast and Geodetic Survey on Union Ridge, 4 miles east of Lesage, on land owned by William Gebhardt. Timber on northern slope of hill cuts off view northward; an unobstructed view can be had in other directions. Lines of sight were cut out toward Wray and Houck.

Station mark: A section of drain tile pipe 24 inches long, 6 inches in diameter, filled with concrete, set 22 inches in the ground.

Reference marks: Drain tile pipes 24 inches long, 4 inches in diameter, filled with concrete, buried 22 inches in the ground. One north, 5.95 feet distant; one south, 6.08 feet; one east, 5.95 feet; one west, 5.92 feet.

[Latitude  $38^{\circ} 31' 45.66''$ . Longitude  $82^{\circ} 15' 11.05''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Wray .....	112 00 33.64	291 52 47.45	4.2904979
Houck .....	158 15 28.36	338 02 32.74	4.2608573
Kennard .....	216 28 26.76	36 34 35.94	4.3810159

## ARNETT, DODDRIDGE COUNTY.

Situated about 5 miles northeast of West Union and 2 miles north of Smithburg on a cleared dome-shaped hill with scattering fruit trees on top. Land owned by Absalom Arnett.

Station mark: A marble post 48 by 8 by 8 inches set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 18' 22.76''$ . Longitude  $80^{\circ} 42' 15.84''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Grove .....	19 13 18.05	199 10 51.27	4.2284800
McDougal .....	59 44 41.10	239 37 37.75	4.2689572
Childers .....	300 19 29.26	120 25 48.43	4.2213046

## CROVE, DODDRIDGE COUNTY.

Situated about 9 miles south of West Union and 1 mile northeast of Grove post-office, on a high, sharp knob cleared of timber, but with scattering scrubby trees on southwest slope.

Station mark: A sandstone post 36 by 8 by 8 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 09' 44.65''$ . Longitude  $80^{\circ} 46' 07.89''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
King .....	81 18 18.75	261 07 27.08	<sup>a</sup> 4.3994097
Pullman .....	92 41 08.17	272 33 08.60	<sup>a</sup> 4.2612224
McDougal .....	122 13 55.29	302 09 19.26	<sup>a</sup> 4.0929776
Arnett .....	199 10 51.27	19 13 18.05	4.2284800
Childers .....	249 09 26.47	69 18 11.71	4.3289945
Bailey .....	281 18 57.96	101 27 35.60	4.3029196
Sugar Loaf .....	308 38 53.20	128 46 38.97	4.3568815

<sup>a</sup> Values from Beallsville-Galloway, through Ohio triangulation

## M'DOUGAL, DODDRIDGE COUNTY.

Situated 4 miles south of toll gate, on a high cleared hill, known locally as McDougal Hill.

Station mark: A sandstone post 36 by 8 by 8 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 13' 18.68''$ . Longitude  $80^{\circ} 53' 24.69''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Pullman .....	53 20 29.86	233 17 06.04	3.9845751
Oak .....	179 27 43.34	359 27 40.78	4.0139852
Arnett .....	239 37 37.75	59 44 41.10	4.2689752
Grove .....	302 09 19.26	122 13 55.29	4.0929776

## LOCUST, GILMER COUNTY.

A knob about 7 miles northwest of Burnsville; cleared on summit and partially timbered on west slope; owned by George Amos. Can be reached from Glenville by following Burnsville pike to Stouts Mill; take left-hand road to top of divide 3 miles to Smith's store, and then take right-hand road one-half mile.

Station mark: A copper bolt set in solid rock.

Reference mark: The lone-oak signal tree; true azimuth  $81^{\circ} 13' 17''$ ; distance, 5.95 feet from station mark.

[Latitude  $38^{\circ} 53' 42.63''$ . Longitude  $80^{\circ} 40' 57.06''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Miller .....	85 10 45.43	265 02 46.35	4.2662086
Sinking Creek .....	131 35 17.75	311 28 23.30	4.3263473
Sugar Loaf .....	213 39 32.72	33 44 01.59	4.2654511

## MILLER, GILMER COUNTY.

A high, cleared knob, on land owned by George Miller, one-half mile east of Letter Gap post-office. Can be reached from Glenville by taking Letter Gap road 6 miles to George Miller's house, thence by trail one-half mile to summit.

Station mark: A copper bolt cemented in top of sandstone post 36 by 8 by 8 inches set flush with surface of ground.

[Latitude 38° 52' 51.46". Longitude 80° 53' 40.08".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Pullman .....			4.5173111
Sinking Creek .....	189 05 25.88	9 06 31.23	4.1994330
Grove .....			4.5194893
Locust .....	265 02 46.35	85 10 45.43	4.2662086
Sugar Loaf .....	239 12 52.69	59 25 21.32	4.5229039

## SINKING CREEK, GILMER COUNTY.

Situated about 10 miles northwest of Glenville at the head of Sinking Creek. Summit cleared on east, west, and south sides with an oak tree left standing for signal.

Station mark: Center of oak signal tree.

[Latitude 39° 01' 18.46". Longitude 80° 51' 56.16".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Bailey .....	247 23 01.61	67 35 17.95	4.4828367
Sugar loaf .....	266 52 52.65	87 04 16.97	4.4179104
Locust .....	311 28 23.30	131 35 17.75	4.3263473
Miller .....	9 06 31.23	189 05 25.88	4.1994330

## ALLISON, HANCOCK COUNTY.

Situated 3 miles south of the village of East Liverpool on a cleared hill on land owned by Mr. Allison.

Station mark: A cut marble post 48 by 6 by 6 inches sunk 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 40° 35' 42.41". Longitude 80° 34' 00.49".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Elders .....	89 54 31.77	269 43 49.10	4.3659427
Hammond .....	133 48 37.93	313 44 30.76	4.0918031
East Liverpool .....	172 45 31.96	352 45 16.88	3.6354340
Cow Pasture .....	209 41 34.97	29 43 00.50	3.7946464

## BALD, HARRISON COUNTY.

Situated about 7 miles northeast of Clarksburg and one-half mile south of McAlpin post-office, on a dome-shaped hill in pasture owned by L. A. Righter.



Station mark: A sandstone post 48 by 8 by 8 inches set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 20' 09.89''$ . Longitude  $80^{\circ} 14' 22.72''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Bear .....	8 00 03.12	187 58 08.70	4.4952570
Mount Clare .....	30 13 00.61	210 09 27.55	4.2053374
Sardis .....	83 27 02.21	263 19 29.24	4.2364032
Jones .....	143 07 25.27	323 02 42.79	4.2486797
Rudy .....	237 58 14.68	58 05 11.02	4.2675001
Egypt .....	337 53 29.74	157 56 02.38	4.1867375

#### CHILDERS, HARRISON COUNTY.

Situated on a high cleared hill in pasture about 7 miles south of Salem. Land is owned by P. M. Childers, who lives one-half mile southwest of station.

Station mark: A sandstone post 36 by 8 by 8 inches, set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 13' 49.79''$ . Longitude  $80^{\circ} 32' 16.84''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Bailey .....	1 19 35.49	181 19 28.47	4.0619538
Sugar Loaf .....	5 50 01.85	185 49 03.44	4.3404851
Grove .....	69 18 11.71	249 09 26.47	4.3289945
Arnett .....	120 25 48.43	300 19 29.26	4.2213046
Sardis .....	221 29 14.05	41 33 01.70	4.1140825
Mount Clare .....	276 51 15.05	96 59 01.57	4.2511139

#### MOUNT CLARE, HARRISON COUNTY.

Situated on a sharp peak in a cultivated field one-half mile southeast of Mount Clare post-office and one-fourth mile east of railroad on land owned by Mr. Hazleton.

Station mark: A sandstone post 36 by 8 by 8 inches, set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 39° 12' 40.16". Longitude 80° 19' 59.25".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Sugar Loaf .....	45 30 53.59	225 22 09.65	4.4470601
Bailey .....	62 30 24.65	242 22 31.63	4.3070570
Childers .....	96 59 01.57	276 51 15.05	4.2511139
Sardis .....	142 41 38.09	322 37 38.74	4.1745799
Jones .....	174 43 03.16	354 41 54.41	4.4496889
Bald .....	210 09 27.55	30 13 00.61	4.2053374
Egypt .....	271 29 58.25	91 36 03.45	4.1419390
Bear .....	347 40 14.46	167 41 52.60	4.2432856

## SARDIS, HARRISON COUNTY.

Situated on a high dome-shaped hill about 7 miles northwest of Clarksburg and one-half mile west of Sardis post-office on land owned by William Strother.

Station mark: A marble post 48 by 6 by 6 inches, set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 39° 19' 05.54". Longitude 80° 26' 17.28."']

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Childers .....	41 33 01.70	221 29 14.05	4.1140825
Jones .....	201 44 58.89	21 47 50.06	4.2405631
Bald .....	263 19 29.24	83 27 02.21	4.2364032
Mount Clare .....	322 37 38.74	142 41 38.09	4.1745779

## MELHORN, JACKSON COUNTY.

A bald hill in Grant district 2 miles east of Muses Bottom and 6 miles south of Belleville. Land owned by J. R. Snodgrass, who lives 200 yards northeast of station. An extensive view can be had in all directions, although it is somewhat limited to the southeast.

Station mark: A dressed sandstone post 36 by 8 by 8 inches, set 30 inches in the ground. In the center of top is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 03' 54.96''$ ;  $\alpha 39^{\circ} 03' 55.01''$ . Longitude  $81^{\circ} 45' 12.57''$ ;  $81^{\circ} 45' 12.70''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	$\circ$ $'$ $''$	$\circ$ $'$ $''$	Meters.
Finlay .....	33 30 24.62	213 23 06.74	4.4833310
Greenler .....	279 28 14.79	99 41 07.07	4.4750063
Bond .....	155 53 06.15	335 49 20.01	4.3227202
Lyons .....	170 55 16.63	350 53 46.66	4.3354363
Wigal .....	205 43 32.53	25 46 22.69	4.1734691

α From Finlay-Greenler.

## BAILEY, LEWIS COUNTY.

Situated about 10 miles northwest of Weston and  $3\frac{1}{2}$  miles north of Trumansburg on a sharp cleared peak. Land owned by W. G. Bailey.

Station mark: A sandstone post 48 by 12 by 12 inches, set 44 inches in the ground, in top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 07' 35.90''$ . Longitude  $80^{\circ} 32' 28.00''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	$\circ$ $'$ $''$	$\circ$ $'$ $''$	Meters.
Sugar Loaf .....	10 48 37.94	190 47 46.60	4.0188594
Sinking Creek .....	67 35 15.00	247 22 59.00	4.4828100
Grove .....	101 27 35.60	281 18 57.96	4.3029196
Childers .....	181 19 28.47	1 19 35.49	4.0619538
Mount Clare .....	242 22 31.63	62 30 24.65	4.3070570
Bear .....	289 29 08.13	109 38 38.41	4.3629902

## SUGAR LOAF, LEWIS COUNTY.

Situated about 10 miles southwest of Weston at head of Murphys Creek. Summit of hill cleared of timber with lone tree left standing for signal.

Station mark: Center of lone signal tree.

[Latitude  $39^{\circ} 02' 03.24''$ . Longitude  $80^{\circ} 33' 49.49''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	$\circ$ $'$ $''$	$\circ$ $'$ $''$	Meters.
Sinking Creek .....	87 04 19.00	266 52 55.00	4.4178800
Grove .....	128 46 38.97	308 38 53.20	4.3568815
Childers .....	185 49 03.44	5 50 01.85	4.3404851
Bailey .....	190 47 46.60	10 48 37.94	4.0188594
Mount Clare .....	225 22 09.65	45 30 53.59	4.4470601
Bear .....	263 48 44.72	83 59 05.75	4.3773589

## PIGEON, LINCOLN COUNTY.

A triangulation station of the United States Coast and Geodetic Survey on the land of Tom Huffman, at the head of Middle Creek, which flows into Mud River.

Station mark: A sandstone post 30 by 6 by 6 inches set 28 inches  
 U S  
 in the ground. Top of post marked +  
 C & G S

[Latitude 38° 13' 44.05". Longitude 82° 04' 00.02".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Table Rock .....	276 19 40.94	96 36 27.09	4.6002019
Ivy .....	313 55 13.01	134 16 28.69	4.8474083
Davis .....	118 36 40.96	298 26 01.30	4.4556412
Turkey Knob .....	78 49 50.72	258 40 52.54	4.3340906
Porter Knob .....	52 10 12.35	232 00 04.95	4.4822026
Cove .....	41 06 29.54	221 00 17.43	4.3488659

## ERWIN, MARION COUNTY.

Situated on a high knob about 2½ miles west of Fairmont, on land owned by J. E. Erwin. Knob is cleared of timber with the exception of a few sugar trees standing near summit.

Station mark: A sandstone post 36 by 8 by 8 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 39° 29' 04.93". Longitude 80° 11' 12.53".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Jones .....	81 20 49.47	261 14 05.66	4.1863712
Tennant .....	171 24 38.61	351 23 39.38	4.1718721
Waters .....	235 56 08.15	56 02 45.62	4.2550767
Halleck .....	272 21 54.19	92 30 52.64	4.3066065
Rudy .....	300 57 57.28	121 02 53.44	4.1139602

## JACKSON, MARION COUNTY.

Situated about 7 miles northeast of Mannington and one-half mile northwest of Galletin, on land owned by Mr. Jackson.

Station mark: A sandstone post 36 by 10 by 10 inches set flush with top of ground, in center of top of which a bronze triangulation tablet is cemented.

[Latitude  $39^{\circ} 36' 43.44''$ . Longitude  $80^{\circ} 19' 27.03''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>o</i> <i>1</i> <i>"</i>	<i>o</i> <i>1</i> <i>"</i>	<i>Meters.</i>
Jones .....	11 32 52.77	191 31 23.18	4.2254500
Evans .....	64 11 05.70	244 03 54.54	4.2540991
Cornfield .....	95 35 30.49	275 27 45.01	4.2428447
Littleton .....	128 49 52.41	308 44 06.94	4.2189038

## JONES, MARION COUNTY.

Situated about 6 miles south of Mannington on a high, cleared knob, on land owned by Mr. Jones.

Station mark: A sandstone post 48 by 7 by 7 inches set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

Reference mark: The locust signal tree; distance from station mark, 1.8 feet; true azimuth from same,  $197^{\circ}$ .

[Latitude  $39^{\circ} 27' 49.52''$ . Longitude  $80^{\circ} 21' 47.56''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>o</i> <i>1</i> <i>"</i>	<i>o</i> <i>1</i> <i>"</i>	<i>Meters.</i>
Sardis .....	21 47 50.06	201 45 58.89	4.2405631
Tennant .....	217 13 18.63	37 19 03.77	4.3299984
Erwin .....	261 14 05.66	81 20 49.47	4.1863712
Rudy .....	279 19 41.91	99 31 21.55	4.4264067
Bald .....	323 02 42.79	143 07 25.27	4.2486797
Mount Clare .....	354 41 54.41	174 43 03.16	4.4496889

## RUDY, MARION COUNTY.

Situated on a high, bald hill about 9 miles southeast of Fairmont and 3 miles east of Nuzums Mills.

Station mark: A sandstone post 36 by 8 by 8 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 25' 27.77''$ . Longitude  $80^{\circ} 03' 26.42''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>o</i> <i>1</i> <i>"</i>	<i>o</i> <i>1</i> <i>"</i>	<i>Meters.</i>
Bald .....	58 05 11.02	237 58 14.68	4.2675001
Jones .....	99 31 21.55	279 19 41.91	4.4264067
Erwin .....	121 02 53.44	300 57 57.28	4.1139602
Tennant .....	148 04 00.55	327 58 04.77	4.4016097
Waters .....	192 42 44.43	12 44 25.20	4.2350883
Halleck .....	237 18 53.64	57 22 55.62	4.0340057



## RIGGS KNOB, MARSHALL COUNTY.

Situated 6 miles south of the town of Moundsville on the highest point of a cone-shaped hill, locally known as Riggs Knob.

Station mark: A lone locust tree 18 inches in diameter. Center of tree where first limb leaves trunk.

[Latitude  $39^{\circ} 50' 51.66''$ . Longitude  $80^{\circ} 45' 21.94''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Beallsville .....	89 53 56.89	269 45 19.11	4.2835700
Myers .....	164 43 47.81	344 41 46.06	4.2327314
Sherrard .....	199 18 53.15	19 21 27.57	4.2370223
Wilsons Knob .....	221 59 08.76	42 06 23.22	4.3802408
Rock Lick .....	263 41 30.14	83 50 12.37	4.2897152

## ROCK LICK, MARSHALL COUNTY.

Situated on a bare hill one-half mile south of the town of Rock Lick. A county road passes over north side of hill.

Station mark: A cut marble post 48 by 6 by 6 inches set 36 inches in the ground, in center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 52' 00.29''$ . Longitude  $80^{\circ} 31' 47.16''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Riggs .....	83 50 12.37	263 41 30.14	4.2897152
Sherrard .....	136 09 00.37	316 02 51.78	4.2936870
Wilsons Knob .....	168 13 59.48	348 12 30.92	4.2053434

## SHERRARD, MARSHALL COUNTY.

Situated 1 mile west of the village of Sherrard on a small hill in a cleared field on the farm of Mr. Joseph Koty, at the intersection of the Boggs Run and Benwood roads.

Station mark: A cut marble post 48 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 39° 59' 39.70". Longitude 80° 41' 21.36".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Riggs .....	19 21 27.6	199 18 53.2	4.2370223
Myers .....	91 09 22.4	271 04 45.8	4.0090858
Centennial .....	124 04 47.5	304 01 30.3	3.9432300
Mount Pleasant .....	151 39 31.5	331 35 42.4	4.2492017
Clinton .....	193 03 24.5	13 04 52.8	4.1578221
Liberty .....	199 57 09.7	20 00 34.7	4.3437009
West Alexander .....	230 23 48.2	50 30 02.1	4.2521000
Wilson Knob .....	261 30 28.4	81 35 08.9	4.0196571
Rock Lick .....	316 02 51.8	136 09 00.4	4.2936870

## WILSON KNOB, MARSHALL COUNTY.

Situated in Sand Hill district on the farm of Mr. G. H. Wilson, near the line fence between the lands of Mr. Wilson and Mr. Howard, where fence crosses summit of hill. The Moundsville and Washington pike passes over north side of hill.

Station mark: A cut marble post 48 by 6 by 6 inches set 40 inches in ground, in center of top of which is cemented a bronze triangulation tablet.

[Latitude 40° 00' 29.57". Longitude 80° 34' 05.11".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Riggs .....	42 06 23.22	221 59 08.76	4.3802408
Sherrard .....	81 35 08.88	261 30 28.43	4.0196571
Clinton .....	150 25 05.10	330 21 55.03	4.1567300
West Alexander .....	199 13 46.06	19 15 19.31	4.0179782

## FINLAY, MASON COUNTY.

A high cleared ridge in Cooper district 13 miles by road east of Point Pleasant;  $1\frac{1}{2}$  miles west of Chestnut post-office. Owner of land, David Hart. A fine view can be had in all directions, although there are a few trees 150 yards eastward.

Station mark: A sandstone post 38 by 18 by 18 inches set 36 inches in the ground, top dressed 8 inches square, and has a bronze triangulation tablet cemented in its center.

Reference mark: The chestnut signal tree; azimuth from station mark,  $25^{\circ} 53'$ ; distance, 29 feet.

[Latitude  $38^{\circ} 50' 11.56''$ . Longitude  $81^{\circ} 56' 49.23''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Kennard .....	39 51 27.72	219 46 08.18	4.2842014
Houck .....	62 53 22.49	242 38 56.49	4.5747505
Graham .....	105 26 39.74	285 15 10.50	4.4386594
Leonard .....	128 32 29.47	308 21 37.63	4.5039347
Greenler .....	157 19 00.37	337 13 28.07	4.5174129
Melhorn .....	213 23 06.74	33 30 24.62	4.4833310

## KENNARD, MASON COUNTY.

On a cultivated hill owned by Charles Kennard, in Clendenning district, 2 miles south of Arlee post-office; 12 miles by road southeast of Gallipolis, Ohio. An unobstructed view can be had in all directions.

Station mark: A sandstone post 36 by 6 inches, set 32 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

Reference marks: Spike driven in top of oak stump 7.9 feet northward. Spike driven in top of oak stump 6.2 feet eastward.

[Latitude  $38^{\circ} 42' 12.28''$ . Longitude  $82^{\circ} 05' 19.52''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Gebhardt .....	36 34 35.94	216 28 26.76	4.3810159
Houck .....	83 33 45.05	263 24 39.30	4.3270505
Finlay .....	219 46 08.18	39 51 27.72	4.2842014

## HALLECK, MONONGALIA COUNTY.

Situated one-half mile west of Halleck (post-office) in a cultivated field owned by J. Smith.

Station mark: A sandstone post 36 by 10 by 10 inches, set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 28' 36.97''$ . Longitude  $79^{\circ} 57' 05.70''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Rudy .....	57 22 55.62	237 18 53.64	4.0340057
Erwin .....	92 30 52.64	272 21 54.17	4.3066065
Waters .....	154 05 30.80	334 03 09.26	4.0845244

## NELSON, MONONGALIA COUNTY.

About 2 miles south of Halleck post-office, on land owned by the Nelson estate, on a high, flat-topped ridge in pasture.

Station mark: A bronze tablet countersunk in granite post 48 by 8 by 8 inches set flush with top of ground.

[Latitude  $39^{\circ} 27' 54.7''$ . Longitude  $79^{\circ} 56' 07.5''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Upton .....	8 24 56.0	188 22 42	4.53803
Rock .....	263 55 08.0	84 02 17	4.21057
Brown .....	288 52 26.9	109 03 16	4.41227
Laurel .....	344 36 48.0	164 40 54	4.54583

## TENNANT, MONONGALIA COUNTY.

Situated about halfway between Fairview and Center, in a cultivated field, on land owned by Enos Tennant.

Station mark: A granite post 48 by 8 by 8 inches set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 37' 01.19''$ . Longitude  $80^{\circ} 12' 45.59''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Jones .....	37 19 03.77	217 13 18.63	4.3299984
Morley .....	232 04 10.19	52 11 25.17	4.3132539
Waters .....	285 03 13.51	105 10 50.82	4.2487846
Rudy .....	327 58 04.77	148 04 00.55	4.4016097
Erwin .....	351 23 39.38	171 24 38.61	4.1718721

## WYMP, MONONGALIA COUNTY.

On high summit 1 mile southwest of Wymp Gap in Chestnut Ridge, about 9 miles air-line distant northeast of Morgantown, W. Va., and 16 miles south of Uniontown, Pa.

Station mark: A stone post 36 by 12 by 12 inches set flush with surface of ground, in the center of top of which is cemented a copper bolt.

[Latitude 39° 42' 57.71". Longitude 79° 45' 39.08".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Reed.....	25 47 12.2	205 44 55.7	4.0688994
Waters.....	54 18 28.5	234 08 48.4	4.4268308
St. Clair.....	78 48 54.2	358 42 43.2	4.1494319
Morley.....	94 13 55.6	274 03 51.4	4.3536430
Pondfield.....	214 23 09.0	34 25 25.3	3.9532404
Mellon.....	261 57 14.8	82 07 39.3	4.3709214
Kelley.....	300 28 58.6	120 36 35.7	4.2970427
Piney Swamp.....	309 23 23.6	129 32 53.4	4.4407570

CLINTON, OHIO COUNTY.

(Secondary station; not occupied.)

A lone tree at intersection of fences on highest point of hill near Clinton post-office.

Station mark: Center of tree.

[Latitude 40° 07' 13.93". Longitude 80° 39' 04.22".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Sherrard.....	13 04 52.8	193 03 24.5	4.1578221
Myers.....	44 17 53.0	224 11 47.7	4.2850889
Wilsons Knob.....	330 21 55.0	150 25 05.1	4.1567300

WEST ALEXANDER, OHIO COUNTY.

(Secondary station.)

Situated on a hill 1 mile west of the town of Alexander, Pa.

Station mark: A cut marble post 40 by 6 by 6 inches, set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

Reference marks: A maple tree 2 feet in diameter bears N. 85° 56' W., distant 72.1 feet. A butternut tree 10 inches in diameter bears S. 52° 25' E., distant 15 feet.

[Latitude 40° 05' 48.62". Longitude 80° 31' 40.14".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Wilsons Knob.....	19 15 19.31	199 13 46.06	4.0179782
Sherrard.....	50 30 02.08	230 23 48.15	4.2521001



## WEST LIBERTY, OHIO COUNTY.

Situated one-half mile north of the village of West Liberty, on the highest point of a bare hill. A county road passes along east side of hill.

Station mark: A cut marble post 48 by 6 by 6 inches set 40 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 40° 10' 52.03". Longitude 80° 36' 03.15".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Sherrard .....	20 00 34.66	199 57 09.72	4.3437009
Mount Pleasant .....	72 16 23.96	252 09 09.19	4.2241846
New Alexander .....	147 07 42.89	327 04 20.90	4.1338984
Independence .....	212 59 23.54	33 01 42.51	3.9704538
West Middleton .....	242 31 47.76	62 37 50.86	4.1755802
Garrett .....	259 11 49.03	79 22 34.74	4.3816589
Claysville .....	295 51 35.55	115 59 25.59	4.2830742

## GRIFFITH, PLEASANT COUNTY.

Situated 5 miles southwest of St. Marys on high, dome-shaped hill covered with small peach trees. Land owned by J. H. Griffith.

Station mark: Center of lone oak signal tree.

Reference mark: A sandstone post 48 by 8 by 8 inches set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet. Post is 2 feet northeast of tree.

[Latitude 39° 20' 46.94". Longitude 81° 14' 46.52".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Pinnacle .....	50 10 45.31	230 06 12.40	4.1286309
Pinkerton .....	110 57 40.75	290 46 50.36	4.4191325
Moore .....	174 57 55.01	354 57 28.03	4.0637096
Owlshead .....	247 28 13.79	67 39 14.62	4.4306899
McCullough .....	273 45 23.40	93 51 52.97	4.1687309

## M'CULLOUGH, PLEASANT COUNTY.

Situated 9 miles northwest of Pennsboro on a cleared hill owned by William McCullough, who lives 500 feet west of station.

Station mark: A sandstone post 48 by 8 by 8 inches set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 20' 15.14''$ . Longitude  $81^{\circ} 04' 32.03''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Freeman .....	12 12 49.86	192 11 22.94	4.1924485
Derrick .....	43 11 37.96	223 08 10.76	4.0591267
Griffith .....	93 51 52.97	273 45 23.40	4.1687309
Moore .....	128 34 48.44	308 27 51.47	4.3030833
Owlshead .....	222 08 51.38	42 13 22.20	4.1820996
Pullman .....	336 00 43.00	156 04 21.21	4.3088375

## BROWN, PRESTON COUNTY.

In a cultivated field owned by "Junior" Brown 7 miles southeast of Kingwood and 2 miles west of Amblersburg, the nearest railroad station. It is 0.25 mile south of Amblersburg and Kingwood road.

Station mark: An aluminum bolt set in solid rock 4.8 feet east of locust signal tree.

[Latitude  $39^{\circ} 23' 22.5''$ . Longitude  $79^{\circ} 39' 05.8''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Limestone .....	4 49 07	184 48 30	4.25191
Laurel .....	30 49 52	210 43 11	4.47230
Nelson .....	109 03 16	288 52 27	4.41227
St. Joseph Church .....	129 13 43	309 10 02	4.03270
Rock .....	140 42 17	320 38 38	4.11591
Reed .....	150 36 31	330 30 05	4.46982

## FUNK, PRESTON COUNTY.

(Not occupied.)

A tall dead chestnut tree standing in cluster of small timber surrounded by cultivated land in field owned by Mr. Funk. Can be reached by following county road to top of Laurel Ridge, thence along ridge to Funk's house. Tree is about 0.25 mile south of house.

Station mark: Center of tree.

[Latitude  $39^{\circ} 17' 57.9''$ . Longitude  $79^{\circ} 45' 54.9''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Rock .....	184 17 01	4 17 41	4.30472
Limestone .....	313 06 39	133 10 18	4.05638

## HOWESVILLE, ST. JOSEPH CHURCH SPIRE, PRESTON COUNTY.

Station mark: Center of church spire.

[Latitude 39° 27' 03.4". Longitude 79° 44' 55.1".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Rock.....	181 21 23	1 21 25	3.51703
Brown.....	309 10 02	129 13 43	4.03270

## KELLEY, PRESTON COUNTY.

On a bald knob locally known by that name, about 6 miles south of Brandonville and 8 miles north of Cranesville, W. Va.

Station mark: A copper bolt cemented in a stone post 36 by 12 by 12 inches set flush with surface of ground.

[Latitude 39° 37' 31.13". Longitude 79° 33' 43.03".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Wymp.....	120 36 35.7	300 28 58.6	4.2970427
Pondfield.....	145 36 58.1	325 31 36.8	4.3261837
Mellon.....	204 59 31.0	25 02 17.6	4.1674360
Piney Swamp.....	330 28 17.6	150 30 10.5	3.9334630

## LIMESTONE, PRESTON COUNTY.

On high point on Limestone Ridge, 7 miles north of St. George, on land owned by Thomas Fansler. Station is 0.25 mile south of Thomas Fansler's house, 500 feet west of county road.

Station mark: Center of lone maple signal tree.

[Latitude 39° 13' 45.1". Longitude 79° 40' 08.3".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Belington.....	39 00 07	218 52 15	4.45623
Laurel.....	60 43 55	240 37 54	4.19614
Funk.....	133 10 18	313 06 39	4.05638
Rock.....	166 21 04	346 18 05	4.45809
Brown.....	184 48 30	4 49 07	4.25191
Shaver.....	351 22 01	171 23 16	4.28398

## PINEY SWAMP, PRESTON COUNTY.

About 1 mile northwest of Cranesville, on Piney Swamp Knob.

Station mark: A stone post 36 by 12 by 12 inches set flush with surface of ground, in center of top of which is cemented a copper bolt.

[Latitude  $39^{\circ} 33' 29.03''$ . Longitude  $79^{\circ} 30' 45.90''$ .]

To station—	Azimuth	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Reed .....	104 54 36.5	284 42 51.1	4.4365044
Wymp .....	129 32 53.4	309 23 23.6	4.4407570
Kelley .....	150 30 10.5	330 28 17.6	3.9334630
Mellon .....	185 28 53.8	5 29 47.3	4.3198719
Accident .....	248 16 18.1	68 24 40.0	4.3057954
Roman Nose .....	305 25 13.3	125 30 37.5	4.1744346

## ROCK, PRESTON COUNTY.

Four miles west of Kingwood, 1,000 feet south of Morgantown and Kinkwood pike, on land owned by Frank Barlow.

Station mark: An aluminum bolt set in solid rock 20 feet square and 20 feet high.

Reference mark: The locust signal tree; true azimuth from station mark  $42^{\circ} 09' 17''$ , distance 30.5 feet.

[Latitude  $39^{\circ} 28' 50.1''$ . Longitude  $79^{\circ} 44' 51.8''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
St. Joseph Church .....	1 21 25	181 21 23	3.51703
Nelson .....	84 02 17	263 55 08	4.21057
Reed .....	158 14 09	338 11 23	4.22498
Piney Swamp .....	246 51 45	67 00 43	4.34167
Brown .....	320 38 38	140 42 17	4.11591
Limestone .....	346 18 05	166 21 04	4.45809

## DERRICK, RITCHIE COUNTY.

(Not occupied.)

Situated 1 mile south of Goose Creek on summit of a high timbered ridge.

Station mark: Center of oil derrick No. 1.

[Latitude  $39^{\circ} 15' 44.13''$ . Longitude  $81^{\circ} 09' 59.19''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
McCullough .....	223 08 10.76	43 11 37.96	4.0591267
Freeman .....	326 26 11.96	146 28 12.01	3.9158432

## FREEMAN, RITCHIE COUNTY.

Situated 3 miles southeast of Cairo on a high cleared knob, locally known as Freemans Knob. Land owned by Charley Freeman.

Station mark: A sandstone post 36 by 8 by 8 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 12' 01.48''$ . Longitude  $81^{\circ} 06' 49.38''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Derrick .....	146 28 12.01	326 26 11.96	3.9158432
McCullough .....	192 11 22.94	12 12 49.86	4.1924185
McDougal .....	262 53 51.00	83 02 19.71	4.2889691
Pullman .....	286 15 35.82	106 20 40.48	4.0812502
King .....	328 01 21.93	148 03 34.04	3.9771616

## KING, RITCHIE COUNTY.

(Not occupied.)

Situated about 7 miles south of Harrisville on a dome-shaped hill, locally known as King Knob. The hill is cleared of timber, but has small scattering peach trees near the summit.

Station mark: A standstone post 36 by 8 by 8 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 07' 40.44''$ . Longitude  $81^{\circ} 03' 20.21''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Freeman .....	148 03 34.04	328 01 21.93	3.9771616
Pullman .....	234 32 20.22	54 35 12.58	3.9055762
Grove .....	261 07 27.08	81 18 18.75	4.3994097



## PULLMAN, RITCHIE COUNTY.

Situated about 6 miles east of Harrisville and  $1\frac{1}{2}$  miles southeast of Pullman post-office on a high, sharp peak, cleared on top, with lone oak tree left for signal.

Station mark: Center of lone oak signal tree.

[Latitude  $39^{\circ} 10' 11.72''$ . Longitude  $80^{\circ} 58' 47.21''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
King .....	54 35 12.58	234 32 20.22	3.9055762
Freeman .....	106 20 40.48	286 15 35.82	4.0812502
McCullough .....	156 04 21.21	336 00 43.00	4.3088375
Owlshead .....	183 45 05.38	3 45 57.27	4.4762861
Oak .....	205 21 35.06	25 24 56.52	4.2507363
McDongal .....	233 17 06.04	53 20 29.86	3.9845751
Grove .....	272 33 08.60	92 41 08.17	4.2612224

## OAK, TYLER COUNTY.

Situated 1 mile northeast of Stanley post-office on a high, cleared hill in a cultivated field owned by J. C. Garner.

Station mark: A lone tree standing on highest point of hill.

[Latitude  $39^{\circ} 18' 53.55''$ . Longitude  $80^{\circ} 53' 28.72''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Pullman .....	25 24 56.52	205 21 35.06	4.2507363
Owlshead .....	157 41 32.90	337 39 02.83	4.1732622
McDongal .....	359 27 40.78	179 27 43.34	4.0139852

## OWLSHEAD, TYLER COUNTY.

Situated about 3 miles northeast of Wick on a prominent bare hill, locally known as Owls Head.

Station mark: The quadripod signal.

[Latitude  $39^{\circ} 26' 20.56''$ . Longitude  $80^{\circ} 57' 25.24''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
McCullough .....	42 13 22.20	222 08 51.38	4.1820996
Griffith .....	67 39 14.62	247 28 13.79	4.4306899
Moore .....	92 50 53.05	272 39 24.48	4.4140545
Oak .....	337 39 02.83	157 41 32.90	4.1732622

## SHAVER, TUCKER COUNTY.

A high, rocky mountain 2 miles south of Hendricks. Can best be reached by crossing river at Hendricks, thence by trail south about 1 mile, thence up rough, rocky mountain side 1 mile to signal.

Station mark: An aluminum bolt set in solid rock on highest bald summit.

[Latitude  $39^{\circ} 03' 28.6''$ . Longitude  $79^{\circ} 38' 08.3''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Laurel .....	124 21 26	304 14 10	4.30300
Limestone .....	171 23 16	351 22 01	4.28398

## PORTER KNOB, WAYNE COUNTY.

A very prominent knob of that name about 8 miles east of Dunlow and 3 miles southwest of Kiahsville, on land owned by Harrison Maynard, near Porter Knob schoolhouse. Summit was cleared of timber and signal erected on highest point.

Station mark: A copper bolt cemented in solid rock.

[Latitude  $38^{\circ} 03' 39.12''$ . Longitude  $82^{\circ} 20' 23.42''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Turkey .....	190 48 40.38	10 49 50.36	4.1674556
Pigeon .....	232 00 04.95	52 10 12.35	4.4822026
Cove .....	258 54 59.84	78 58 54.81	3.9760875

## TURKEY KNOB, WAYNE COUNTY.

A high, dome-shaped knob about 10 miles east of Wayne courthouse and  $2\frac{1}{2}$  miles southeast of Gilkerson, on land owned by Squire Skaggs. Summit timbered, with broad lines of sight cut out to other stations.

Station mark: A copper bolt cemented in top of sandstone post 36 by 8 by 8 inches set flush with top of ground.

[Latitude  $38^{\circ} 11' 27.56''$ . Longitude  $82^{\circ} 18' 30.08''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Davis .....	167 33 02.24	347 31 21.76	4.2618030
Pigeon .....	258 40 52.54	78 49 50.72	4.3340906
Cove .....	332 40 13.67	152 42 58.99	4.1526839
Porter Knob .....	10 49 50.36	190 48 40.38	4.1674556

## COVE ON LINE BETWEEN WAYNE AND LINCOLN COUNTIES.

A high, cleared knob about 1 mile south of Cove Gap on county-line ridge. It can be reached by following county road to top of divide in Cove Gap, thence southeast, by dim road along ridge, about 1 mile to station.

Station mark: A copper bolt cemented in solid rock.

Reference mark: The sassafras signal tree 4 inches in diameter; true azimuth from station mark  $196^{\circ} 12' 18''$ ; distance 37 feet.

[Latitude  $38^{\circ} 04' 37.96''$ . Longitude  $82^{\circ} 14' 02.35''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Porter Knob .....	78 58 54.81	258 54 59.84	3.9760875
Turkey .....	152 42 58.99	332 40 13.67	4.1526839
Pigeon .....	221 00 17.43	41 06 29.54	4.3488659

## CORNFIELD, WETZEL COUNTY.

Situated on a high knob in a cultivated field owned by Christv Brookover, about three-fourths mile northwest of Kodol.

Station mark: Center of lone walnut tree 10 inches in diameter.

[Latitude  $39^{\circ} 37' 38.07''$ . Longitude  $80^{\circ} 31' 36.98''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance
	° ' "	° ' "	Meters.
Lavelle .....	89 03 43.00	269 02 10.00	3.5416800
Littleton .....	207 21 24.11	27 23 24.52	3.9903050
Jackson .....	275 27 45.01	95 35 30.49	4.2428447
Jones .....	322 10 03.76	142 16 18.91	4.3610666
Evans .....	352 23 51.47	172 24 25.37	3.9824199

## EVANS, WETZEL COUNTY.

Situated in a pasture on a high dome-shaped hill about 1 mile southwest of Brink, on land owned by E. B. Evans, about one-half mile west of county line.

Station mark: A bronze triangulation tablet countersunk and cemented in a sandstone post 36 by 12 by 12 inches set flush with surface of ground.

[Latitude  $39^{\circ} 32' 29.41''$ . Longitude  $80^{\circ} 30' 43.77''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Cornfield .....	172 34 25.37	352 23 51.47	3.9824199
Littleton .....	190 02 57.60	10 04 27.81	4.2668805
Jackson .....	244 03 54.54	64 11 05.70	4.2540991

## LAVELLE, WETZEL COUNTY.

(Not occupied.)

A high, cleared knob about 4 miles west of Kodol on land owned by Anthony Lavelle.

Station mark: A lone tree on summit.

[Latitude  $39^{\circ} 37' 36.2''$ . Longitude  $80^{\circ} 34' 02.9''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Smithfield .....	0 01 00	180 01 00	4.21193
Cornfield .....	269 02 10	89 03 43	3.54168
Evans .....	333 18 35	153 20 42	4.02481

## LITTLETON, WETZEL COUNTY.

A high, dome-shaped hill in pasture 2 miles east of Littleton on land owned by Mrs. Meighen.

Station mark: A lone tree 9 inches in diameter, on the summit.

[Latitude  $39^{\circ} 42' 19.63''$ . Longitude  $80^{\circ} 28' 28.34''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Cornfield .....	27 23 24.52	207 21 24.11	3.9903050
Jackson .....	308 44 06.94	128 49 52.41	4.2189038

## SMITHFIELD, WETZEL COUNTY.

Situated about 2 miles west of Smithfield on cleared knob of land owned by H. E. Edgell. It can be reached by a trail from Smithfield.

Station mark: A bronze triangulation tablet cemented in top of a sandstone post 36 by 8 by 8 inches set flush with surface of ground.

[Latitude 39° 28' 47.9". Longitude 80° 34' 03.2".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Lavelle .....	180 01 00	0 01 00	4.21193
Evans .....	214 52 35	34 54 42	3.92057

## BEAR, UPSHUR COUNTY.

Situated 7 miles north of Buckhannon, on a sharp knob cleared of timber, with a lone oak tree left standing for signal.

Station mark: Center of lone oak signal tree.

[Latitude 39° 03' 35.41". Longitude 80° 17' 23.70".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Sugar Loaf .....	83 59 05.75	263 48 44.72	4.3773589
Bailey .....	109 38 38.41	289 29 08.13	4.3629902
Mount Clare .....	167 41 52.60	347 40 14.46	4.2432856
Bald .....	187 58 08.70	8 00 03.12	4.4952570
Egypt .....	211 10 54.77	31 15 21.23	4.2914810

## GOFF, WOOD COUNTY.

Situated on a high, cleared hill about 4 miles south of Parkersburg and one-half mile west of the Elizabeth pike. Land owned by Nathan Goff.

Station mark: A stone post 42 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 39° 13' 18.75". Longitude 81° 33' 14.81".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Wigal .....	69 50 00.78	249 45 17.54	4.0590737
Nolan .....	135 04 44.31	314 58 46.74	4.2822068

## MOUNT OLIVE CHURCH, WOOD COUNTY.

(Not occupied.)

A prominent church situated on a high ridge near Powers post-office.  
Station mark: Center of church spire.



[Latitude  $39^{\circ} 05' 38.17''$ . Longitude  $81^{\circ} 38' 37.84''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>o   '   ''</i>	<i>o   '   ''</i>	<i>Meters.</i>
Melhorn .....	71 29 19.8	251 25 11.0	4.0003208
Lyons .....			4.3483181
Wigal .....	163 40 18.4	343 38 59.5	4.0284663

## PINNACLE, WOOD COUNTY.

Situated on the summit of a high, sharp hill, known locally as "The Pinnacle," about 2 miles northwest of Deerwalk post-office. Land owned by W. E. Whitlatch.

Station mark: A stone post 36 by 6 by 6 inches, set 36 inches in the ground, in center of top of which is cemented a bronze triangulation tablet.

Reference mark: The tall, black-walnut signal tree standing a little below summit on north side of hill. Distance to center of signal tree, 40.85 feet. True azimuth to same,  $250^{\circ} 00'$ .

[Latitude  $39^{\circ} 16' 07.50''$ . Longitude  $81^{\circ} 21' 57.37''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>o   '   ''</i>	<i>o   '   ''</i>	<i>Meters.</i>
Goff .....	72 17 45.09	252 10 36.52	4.2319366
Seffens .....	112 47 04.89	292 39 17.80	4.2822967
Pinkerton .....	141 41 14.67	321 34 57.99	4.3601976
Moore .....	204 43 50.23	24 47 56.51	4.3462483
Griffith .....	230 06 12.40	50 10 45.31	4.1286309

## WIGAL, WOOD COUNTY.

A round, cleared knob, owned by J. F. Wigal, 2 miles southwest of Eli post-office, 12 miles by road southwest of Parkersburg. An extended view can be had in all directions excepting southeast, which is limited to 4 or 5 miles by higher knobs.

Station mark: A marble post 20 by 6 by 6 inches set 16 inches in a bed of concrete. In center of top of post is cemented a bronze triangulation tablet.

[Latitude  $39^{\circ} 11' 10.43''$ . Longitude  $81^{\circ} 40' 42.92''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>o   '   ''</i>	<i>o   '   ''</i>	<i>Meters.</i>
Melhorn .....	25 46 22.69	205 43 32.53	4.1734691
Bond .....	110 58 02.69	290 51 25.79	4.2074866
Lyons .....	128 49 58.11	308 45 37.51	4.1032825
Nolan .....	170 56 08.43	350 54 54.61	4.2486674
Goff .....	249 45 17.54	69 50 00.78	4.0590737

## TENNESSEE—ALABAMA.

## PRIMARY TRAVERSE.

Between November 15, 1902, and January 15, 1903, 154 miles of primary traverse were run by Mr. E. L. McNair, topographer, for the control of the Mannie sheet, embracing most of Wayne and a portion of Lawrence County. The line begins at Kelleys Landing, on the Tennessee River, a position determined by Mr. George T. Hawkins, topographer, in 1897, and runs south along country roads to the Alabama line; thence east near the State line to Iron City, Tenn., on the Louisville and Nashville Railway; thence north over country roads to Napier. A spur was also run from Iron City to Tuscumbia, Ala., along the Louisville and Nashville Railway; thence east along the Southern Railway to Tanyard triangulation station, near Town Creek.

This control was supplemented in March, 1903, by a line 32 miles in length run by Mr. Sledge Tatum, topographer, from a point near Abner post-office westward through Waynesboro across the quadrangle.

*Geographic positions between Kelleys Landing and Iron City, along country roads.*

Station.	Latitude.	Longitude.
Kelleys Landing, south azimuth mark (Hawkins, 1897) .....	35 31 50.2	87 58 29.9
Forks of road at creek crossing .....	35 30 36.8	87 57 41.3
White Oak Creek, southwest corner of Methodist Church on .....	35 28 12.9	87 57 20.2
Road northeast 0.75 mile north of Beech Creek crossing .....	35 26 08.8	87 57 35.7
Forks of road, 400 feet southwest of schoolhouse (road right to Glenkirk) .....	35 24 45.3	87 57 58.2
Clifton, Russ Hotel, corner Main and River streets, flagstaff on tower of .....	35 23 13.0	87 59 44.0
Clifton, 2.75 miles southeast of, road southwest .....	35 21 06.3	87 58 22.7
Huttons Branch, road east about three-fourths mile above mouth of .....	35 17 44.6	87 55 52.2
Forks of road, road southeast to Houston post-office .....	35 14 26.4	87 55 03.4
Martins Mills post-office, 600 feet southeast of, forks of road .....	35 12 34.6	87 57 10.9
Pinhook Church, southwest corner of .....	35 09 08.4	87 56 00.0
Pinhook Church, 2 miles southwest, of four corners, road west to Savannah .....	35 08 11.8	87 57 26.2
Forks of road .....	35 04 52.5	87 57 54.5
Stout post-office, 1 mile east of, southeast azimuth mark, a large nail in notched root of oak tree standing near middle of road, 62 feet south of chimney at east end of house .....	35 01 51.9	87 57 42.8

*Geographic positions between Kelleys Landing and Iron City, etc.—Continued.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Stout post-office, northwest azimuth mark 297 feet distant, a nail in notched root of oak tree $4\frac{1}{2}$ feet in circumference, which is 66 feet from southeast corner of store .....	35 01 52.7	87 57 46.2
Forks of road leaving valley of Second Creek .....	35 02 47.2	87 55 14.0
Forks of road .....	35 02 36.3	87 51 40.5
Cypress Inn post-office, 2 miles north of northeast corner of Masonic Hall .....	35 02 09.5	87 49 26.5
Holt's store, road east at .....	35 02 51.8	87 49 05.3
Forks of road, signboard "Iron City, 13 miles" .....	35 03 56.6	87 46 37.2
Pleasant Pines M. E. Church, southeast corner of .....	35 03 46.9	87 43 42.7
Four corners, bed of old railway grade .....	35 02 15.3	87 40 19.4
Iron City, $1\frac{1}{2}$ miles northwest of, forks of road .....	35 01 54.7	87 36 22.9

*Geographic positions along Mining Branch of Louisville and Nashville Railway from Iron City to Pinkney.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Wayland Spring station .....	35 03 37.2	87 34 09.9
Milepost 5, road crossing one-fourth mile south of .....	35 05 39.2	87 32 32.6
West Point station, center of track opposite .....	35 07 48.6	87 32 09.2
Pinkney Station, road crossing at .....	35 09 25.6	87 32 39.4

*Geographic positions along country roads between Pinkney and Napier.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Forks of road at crossing of Waterloo road and Aarons Branch of Chisholms Creek .....	35 12 58.1	87 32 02.0
Top of ridge, main road at south end of clearing, $1\frac{1}{4}$ miles south of Oak Grove schoolhouse .....	35 14 47.1	87 31 02.7
Oak Grove schoolhouse and church, southeast corner of .....	35 15 54.0	87 31 09.4
Abner post-office, four corners at .....	35 18 08.4	87 28 31.5
Forks of road, signboard "Napier, 8 miles" .....	35 19 19.0	87 28 12.4
Three corners, north side of fenced field .....	35 22 15.4	87 28 28.4
Napier station .....	35 26 38.7	87 28 33.9

*Geographic positions along Louisville and Nashville Railway between Iron City, Tenn., and Tusculmbia, Ala.*

Station.	Latitude.	Longitude.
Iron City station, $\frac{1}{4}$ mile southeast of, southwest azimuth mark $\pi$ 's chisel mark on capstone of bank abutments at northwest corner of 3-span truss bridge over Shoal Creek .....	35 01 14.6	87 34 47.0
Northeast azimuth mark 356.6 feet distant, chisel mark on capstone of bank abutment at northeast corner of same bridge .....	35 01 17.4	87 34 44.4
Tennessee-Alabama State line .....	35 00 12.4	87 36 28.3
ALABAMA.		
Pruittton station, northwest corner of station house .....	34 59 23.7	87 36 46.0
Hines post-office and store, road crossing near .....	34 56 56.9	87 38 53.9
Road crossing near section houses .....	34 55 38.0	87 38 52.8
Jacksonburg station, center of track on block of mail crane .....	34 53 25.8	87 39 50.0
Milepost 4, road crossing 600 feet north of .....	34 51 28.0	87 40 04.6
Road crossing near section houses .....	34 49 28.6	87 40 14.2
Florence station .....	34 48 15.5	87 39 24.8
Tennessee River railway and road bridge, north end of swing span .....	34 47 09.1	87 40 13.4
Sheffield, 2 miles east of Louisville and Nashville Railway and Alabama Northern Railway crossing .....	34 45 02.7	87 41 01.8

*Geographic positions along Southern Railway from Tusculmbia to Town Creek.*

Station.	Latitude.	Longitude.
ALABAMA.		
Tusculmbia, Southern Railway station, $\frac{1}{4}$ mile east of switch stand at junction of Louisville and Nashville unused track and Southern Railway .....	34 43 56.1	87 42 03.4
Southern Railway and Alabama Northern Railway crossing .....	34 43 09.5	87 39 34.1
Milepost 401, road crossing 1,000 feet east of .....	34 42 39.5	87 36 44.5
Milepost 398, road crossing at .....	34 42 34.0	87 33 51.6
Leighton station, road crossing at .....	34 42 07.3	87 31 44.2
Town Creek, west end of iron bridge over .....	34 41 44.3	87 27 05.8
Town Creek station, road crossing 360 feet west of .....	34 41 04.6	87 24 21.3
Tanyard triangulation station, U. S. Coast and Geodetic Survey .....	34 39 11.1	87 23 01.1

*Geographic positions along highways from a point 1 mile west of Abner post-office,  
westerly through Waynesboro.*

Station.	Latitude.	Longitude.
TENNESSEE.	°   '   "	°   '   "
Road fork .....	35 18 10.3	87 29 19.0
Crossroads .....	35 18 48.3	87 32 42.6
Road right (to Mannie) .....	35 19 23.4	87 35 05.9
Green River, center of .....	35 20 30.1	87 39 41.2
Road right, old Furnace .....	35 20 14.0	87 40 42.6
Road right .....	35 20 06.1	87 42 22.6
Waynesboro, court-house, southeast corner of .....	35 19 11.2	87 45 49.3
Road right .....	35 18 01.2	87 50 09.9
Road left .....	35 17 43.8	87 50 12.4
Road right (Leatherwood Church) .....	35 17 29.1	87 51 17.2
Road left .....	35 17 05.9	87 50 51.7
Road fork .....	35 14 21.4	87 53 31.5



# CENTRAL SECTION OF TOPOGRAPHY.

J. H. RENSHAWE, *Geographer in charge.*

## OHIO.

### TRIANGULATION STATIONS.

Positions in eastern Ohio published herewith result from the field work of Messrs. W. T. Griswold in 1900, A. H. Thompson in 1901, and G. T. Hawkins and S. S. Gannett in 1902.

Previous to the latter date positions depended upon Maryland Heights and Sugar Loaf stations of the United States Coast and Geodetic Survey, near Harpers Ferry, W. Va., but during the season of 1902 Mr. Gannett extended a belt of triangulation from Wray-Gebhardt stations in the transcontinental belt of United States Coast and Geodetic Survey near Huntington, W. Va., up the Ohio River and connected with previous work near Parkersburg, W. Va.

The discrepancy in latitude and longitude was distributed arbitrarily so as not to disturb figure adjustments, and has been applied so as to reduce all positions to the U. S. standard datum as derived from Wray-Gebhardt.

### BOND, ATHENS COUNTY.

On a flat ridge covered with fruit trees in Carthage Township, 7 miles southeast of Guysville. Station is on eastern edge of summit, about 4 feet lower and 200 feet east of highest point, on land owned by William Bond, who lives 300 yards south.

Station mark: A sandstone post 38 by 9 by 9 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 14' 17.07''$ . Longitude  $81^{\circ} 51' 10.74''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Fulton .....	106 34 55.98	286 28 31.40	4.1818210
White .....	129 06 44.67	308 58 43.68	4.3696920
Southland .....	179 06 54.47	359 06 47.89	4.2068403
Nolan .....	226 08 49.91	46 14 13.62	4.2298152
Lyons .....	247 00 38.53	67 02 55.00	3.7495497
Wigal .....	290 51 25.79	110 58 02.69	4.2074866
Melhorn .....	335 49 20.01	155 53 06.15	4.3227202

## FULTON, ATHENS COUNTY.

A bare hogback ridge in Lodi Township, 7 miles southeast of Athens. Land owned by William Fulton.

Station mark: A sandstone post 36 by 12 by 12 inches, dressed 8 inches square on top, set 34 inches in the ground; in the center of top is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 16' 37.29''$ . Longitude  $82^{\circ} 01' 18.47''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   ''	°   '   ''	Meters.
Townsend (2) .....	103 28 43.53	283 25 56.81	3.8121631
White .....	160 49 23.38	340 47 47.32	4.0432222
Southland .....	230 29 38.61	50 35 57.22	4.2678598
Bond .....	286 28 31.40	106 34 55.98	4.1818210

## LYONS, ATHENS COUNTY.

A bald hill in Troy Township, 1 mile north of Latrobe post-office (Coolville station). Land owned by Eli Lyons, who lives 200 yards southeast of station. A good view in nearly all directions excepting northward, which is limited to 2 miles.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 15' 28.16''$ . Longitude  $81^{\circ} 47' 35.04''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   ''	°   '   ''	Meters.
Bond .....	67 02 55.00	247 00 38.53	3.7495497
Nolan .....	216 30 09.55	36 33 16.71	4.0753794
Wigal .....	308 45 37.51	128 49 58.11	4.1032825
Melhorn .....	350 53 46.66	170 55 16.63	4.3354363

## NEBO, ATHENS COUNTY.

A small knob in Dover Township, 6 miles by road north of Athens, owned by the Hibbard heirs. Summit covered with a peach orchard (trees mostly dead). A fine view can be had in all directions excepting eastward. The station was selected and occupied by the United States Coast and Geodetic Survey in 1881.

Station mark: A marble post 30 by 6 by 6 inches set 30 inches in the ground over a square earthen pyramid 5 inches high. Top of post is marked,

U.	S.
C. &	G. S.

[Latitude  $39^{\circ} 24' 29.53''$ . Longitude  $82^{\circ} 05' 13.90''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Townsend (2) .....	2 55 47.28	182 55 29.61	4.1162949
McDaniel .....	83 24 56.70	263 16 04.46	4.3054151
Brooks .....	124 00 23.75	303 54 52.42	4.1770814
White .....	334 05 08.78	154 06 01.99	3.6620298

## SOUTHLAND, ATHENS COUNTY.

On a flat cultivated ridge owned by W. A. Wagoner, 2 miles north-east of Broadwell post-office, in eastern central part of the county, one-fourth mile west of the Washington County line.

Station mark: A sandstone post 44 by 8 by 8 inches set 40 inches in the ground, just south of fence about 60 yards east of brick house and on opposite side of road. In center of top of post is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 22' 59.09''$ . Longitude  $81^{\circ} 51' 21.13''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Fulton .....	50 35 57.22	230 29 38.61	4.2678598
White .....	85 47 06.32	265 39 11.18	4.2546960
Nolan .....	289 09 05.68	109 14 36.48	4.1212888
Bond .....	359 06 47.89	179 06 54.47	4.2068403

## TOWNSEND (2), ATHENS COUNTY.

In Athens Township, 3 miles by road south of Athens, on a flat cultivated ridge owned by Mary Townsend. Station about 50 yards east of a north and south road and 32 feet west of line fence.

Station mark: A limestone post 30 by 6 by 6 inches set 28 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 17' 26.25''$ . Longitude  $82^{\circ} 05' 41.78''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
McKnight .....	29 45 53.05	209 42 32.43	4.1858081
Zaleski .....	81 38 31.23	261 26 53.85	4.4264864
McDaniel .....	118 57 19.04	298 48 45.11	4.3458525
Nebo .....	182 55 29.61	2 55 47.28	4.1162949
White .....	196 40 59.96	16 42 10.77	3.9691971
Fulton .....	283 25 56.81	103 28 43.53	3.8121631
Greenler .....	359 42 36.35	179 42 39.02	4.3021055

## WHITE, ATHENS COUNTY.

On a small knob 4 miles northeast of Athens, near the corner of Athens, Canaan, Ames, and Dover townships. The station is in Canaan Township, on land owned by D. C. White, 5.5 feet east of the southeast corner of a private cemetery, which occupies the summit of knob.

Station mark: A sandstone post 36 by 14 by 7 inches set 34 inches in ground. In center of top is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 22' 15.58''$ . Longitude  $82^{\circ} 03' 50.06''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Townsend (2) .....	16 42 10.77	196 40 59.96	3.9691971
McDaniel .....	94 42 43.35	274 32 58.10	4.3453947
Nebo .....	154 06 01.99	334 05 08.78	3.6620298
Southland .....	265 39 11.18	85 47 06.32	4.2546960
Bond .....	308 58 43.68	129 06 44.67	4.3696920
Fulton .....	340 47 47.32	160 49 23.38	4.0432222

## CENTENNIAL, BELMONT COUNTY.

(Secondary station.)

Situated  $2\frac{1}{2}$  miles northwest of the city of Bellaire, on land owned by William Nichol.

Station mark: A lone pine tree on highest point of hill.

[Latitude  $40^{\circ} 02' 19.01''$ . Longitude  $80^{\circ} 46' 27.91''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Myers .....	31 55 37.0	211 54 17.4	3.7445933
Sherrard .....	304 01 30.3	124 04 47.5	3.9432353

## CLARKS HILL, BELMONT COUNTY.

Situated 1 mile east of Bannock station, south of the Cleveland, Lorain and Wheeling Railway, on the summit of a hill owned by the heirs of Mr. Samuel Clark.

Station mark: A cut marble post 6 by 6 inches on top and extending to 6 by 12 inches at bottom. It is 24 inches long, sunk 25 inches in the ground, and set in cement. In the center of the top is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 06' 18.28''$ . Longitude  $80^{\circ} 57' 45.02''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Galloway .....	4 07 10.89	184 06 50.55	4.0183310
Cadiz .....	170 13 03.93	350 11 27.43	4.3177623
Mount Pleasant .....	257 20 13.51	77 26 58.01	4.1827579

## GALLOWAY, BELMONT COUNTY.

Situated 4 miles southeast of Belmont and 2 miles south of Lewis Mills, on the summit of a bare hill owned by Mr. Galloway.

Station mark: A cut marble post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 00' 40.94''$ . Longitude  $80^{\circ} 58' 16.52''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Beallsville .....	2 29 55.83	182 29 34.33	4.2612655
Clarks Hill .....	184 06 50.55	4 07 10.89	4.0183311
Mount Pleasant .....	228 38 05.78	48 45 10.24	4.3180322
Myers .....	276 53 33.03	96 59 49.03	4.1453970
Jacobsburg .....	299 35 16.63	119 38 37.92	3.9318086
Newcastle .....	32 41 30.82	212 37 30.44	4.2166459
Bryan .....	60 34 11.06	240 30 53.45	3.9231502

## JACOBSBURG, BELMONT COUNTY.

Situated on the top of Mr. Robert C. McKelvey's house. Signal was placed on roof within railing. The center comes at edge of second layer of tin from south railing and in center of cupola east and west.

[Latitude  $39^{\circ} 58' 24.01''$ . Longitude  $80^{\circ} 53' 03.37''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Beallsville .....	30 28 36.52	210 24 54.13	4.2108474
Galloway .....	119 38 37.92	299 35 16.63	3.9318086
Myers .....	248 31 07.18	68 34 01.77	3.8405264

## MOUNT PLEASANT, BELMONT COUNTY.

Situated near Morningview post-office, on the north end of a bare hill on the west side of the Wheeling and Mount Pleasant pike, on land owned by Mr. Goff.



Station mark: A cut marble post 40 by 6 by 6 inches set 30 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 08' 06.07''$ . Longitude  $80^{\circ} 47' 16.28''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°   '   ''</i>	<i>°   '   ''</i>	<i>Meters.</i>
Myers.....	6 32 00.56	186 31 12.65	4.1908702
Gallaway.....	48 45 10.24	228 38 05.78	4.3180322
St. Clairsville.....	58 03 07.29	237 58 45.00	4.0555471
Clarks Hill.....	77 26 58.01	257 20 13.51	4.1827579
Cadiz Court-house.....	130 39 47.88	210 31 40.34	4.3715300
Cadiz.....	133 05 59.66	312 57 37.85	4.4004381
Hopedale.....	165 20 26.93	345 17 50.68	4.3534510
New Alexander.....	207 17 14.17	27 21 07.51	4.2700856
Independence.....	238 17 59.54	58 27 33.56	4.3938130
West Liberty.....	252 09 09.19	72 16 23.96	4.2241846
Sherrard.....	331 35 42.42	151 39 31.51	4.2492017

#### MYERS, BELMONT COUNTY.

Situated 4 miles southwest of the city of Bellaire, on a cleared knob on land owned by Mr. P. B. Myers.

Station mark: A cut marble post 48 by 6 by 6 inches set 40 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 59' 46.16''$ . Longitude  $80^{\circ} 48' 31.67''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°   '   ''</i>	<i>°   '   ''</i>	<i>Meters.</i>
Beallsville.....	41 39 03.80	221 32 26.97	4.3447990
Jacobsburg.....	68 34 01.77	248 31 07.18	3.8405264
Gallaway.....	96 59 49.03	276 53 33.03	4.1453970
Mount Pleasant.....	186 31 12.65	6 32 00.56	4.1908702
Centennial.....	211 54 17.38	31 55 36.99	3.7445900
Clinton.....	224 11 47.70	44 17 52.97	4.2850900
Sherrard.....	271 04 45.82	91 09 22.42	4.0090858
Riggs.....	344 41 46.06	164 43 47.81	4.2327314

#### BARNESVILLE SCHOOLHOUSE, BELMONT COUNTY.

(Not occupied.)

High school in village of Barnesville, Warren Township.  
Station mark: Center of cupola.

[Latitude  $39^{\circ} 59' 21.42''$ . Longitude  $81^{\circ} 10' 45.33''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Steele .....	80 40 36.44	260 38 36.77	3.6510482
Newcastle.....	322 02 20.19	142 06 20.66	4.1604334

## BRYAN, BELMONT COUNTY.

Situated on a high, partially cleared hill in Goshen Township, about 2 miles north of Hunter post-office and 4 miles a little east of south of Bethesda. Land owned by Mr. Patterson.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: The tall dead signal tree on highest part of hill. Distance from station mark, 6 feet; true azimuth  $355^{\circ} 13'$ .

[Latitude  $39^{\circ} 58' 27.33''$ . Longitude  $81^{\circ} 03' 23.94''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Newcastle.....	9 15 31.48	189 14 48.57	3.9944416
Steele .....	93 39 27.39	273 33 44.12	4.1738583
Gallaway .....	240 30 53.44	60 34 11.06	3.9231502
Beallsville.....	335 13 05.87	155 16 01.67	4.1914760

## FLUSHING, BELMONT COUNTY.

(Not occupied.)

In village of Flushing, in township of same name.

Station mark: Center of eupola on Dr. Burraclough's house.

[Latitude  $40^{\circ} 08' 58.90''$ . Longitude  $81^{\circ} 03' 50.24''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Sewellsville .....	65 25 32.21	245 19 39.26	4.1542888
Prospect Hill.....	126 53 21.86	306 47 57.45	4.1720159

## NEWCASTLE, BELMONT COUNTY.

Situated on a high, cleared hill in Wayne Township, about one-half mile southeast of the village of Newcastle. Land owned by Benjamin Pitman.

Station mark: A stone post 30 by 6 by 6 inches set 30 inches in the ground on solid rock, in center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: The tall poplar signal tree; distance from station mark, 8.15 feet; true azimuth  $67^{\circ} 49'$ .

[Latitude  $39^{\circ} 53' 11.37''$ . Longitude  $81^{\circ} 04' 30.75''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Wiedman .....	61 08 38.37	241 04 21.24	4.0370559
Steele .....	128 47 53.71	308 41 53.72	4.2323159
Bryan .....	189 14 48.57	9 15 31.48	3.9944416
Gallaway .....	212 37 30.44	32 41 30.82	4.2166459
Beallsville .....	298 18 11.29	118 21 49.78	3.9639688

#### SEWELLSVILLE, BELMONT COUNTY.

Situated on the summit of a high, sharp hill in the village of Sewellsville, Kirkwood Township. Land owned by J. R. Shepherd.

Station mark: A stone post 40 by 6 by 6 inches, set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 05' 46.19''$ . Longitude  $81^{\circ} 12' 57.88''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Steele .....	5 46 28.38	185 45 53.85	4.1023371
Warehime .....	43 11 35.43	223 05 20.85	4.3052324
McBride .....	112 07 52.73	292 03 17.71	4.0377941
Tippecanoe .....	167 35 37.71	347 33 48.12	4.2714644
Prospect Hill .....	184 05 36.80	4 06 05.81	4.1729676
Deersville .....	186 18 29.97	6 19 40.88	4.3730446
Cadiz ..	219 59 50.71	40 08 03.66	4.4482271

#### STEELE, BELMONT COUNTY.

Situated on a high, cleared hill in Warren Township, about 3 miles west of Barnesville and a few feet east of the Guernsey County line. Land owned by Isaac Steele.

Station mark: A stone post 36 by 6 by 6 inches set 30 inches in the ground and resting on solid rock. In center of top of post is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 58' 57.84''$ . Longitude  $81^{\circ} 13' 51.50''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Calland .....	21 39 25.88	201 35 53.45	4.3293954
Tucker .....	46 59 57.57	226 53 52.54	4.2667725
Warehime .....	80 21 27.72	260 15 48.06	4.1047692
McBride .....	152 07 18.16	332 03 18.01	4.2763262
Sewellsville .....	185 45 53.85	5 46 28.38	4.1023371
Bryan .....	273 33 44.12	93 40 27.39	4.1738583
Beallsville .....	305 01 44.45	125 11 13.00	4.4179181
Newcastle .....	308 41 53.72	128 47 53.71	4.2323159
Wiedman .....	346 36 44.38	166 38 26.80	4.2146469

## ST. CLAIRSVILLE COURT-HOUSE, BELMONT COUNTY.

(Not occupied.)

Station mark: Center of cupola on court-house.

[Latitude  $40^{\circ} 04' 50.90''$ . Longitude  $80^{\circ} 54' 04.27''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Mount Pleasant .....	237 58 45.00	58 03 07.29	4.0555471
Sherrard .....	297 53 05.27	118 01 16.04	4.3112543

## CARROLLTON, CARROLL COUNTY.

Situated  $2\frac{1}{2}$  miles east of the town of Carrollton, on the Seroggsfield road, on land owned by Mr. Campbell.

Station mark: A cut marble post 40 by 6 by 6 inches set 30 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 34' 35.51''$ . Longitude  $81^{\circ} 01' 47.82''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Kensington .....	204 06 05.89	24 09 27.05	4.2491471
Elders .....	262 50 29.70	82 57 51.91	4.2070630
Jefferson .....	340 45 32.78	160 48 24.64	4.2772402

## KENSINGTON, CARROLL COUNTY.

Situated 1 mile south of Kensington on the highest point of a wooded hill. A county road passes over the south side of the hill.

Theodolite elevated 60 feet.

Station mark: A cut marble post 48 by 6 by 6 inches, sunk 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 43' 20.61''$ . Longitude  $80^{\circ} 56' 39.07''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Carrollton .....	24 09 27.05	204 06 05.89	4.2491471
Hammond .....	283 34 21.24	103 44 59.61	4.3739205
Elders .....	328 26 39.02	148 30 40.69	4.2218375

#### PERRYVILLE, CARROLL COUNTY.

(Not occupied.)

Station mark: Center of church spire.

[Latitude  $40^{\circ} 27' 54.90''$ . Longitude  $81^{\circ} 05' 53.49''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Jefferson .....	294 32 31.88	114 38 03.15	4.1217691
Cadiz .....	337 39 22.36	157 43 02.21	4.3238587

#### EAST LIVERPOOL CHAPEL, COLUMBIANA COUNTY.

(Not occupied.)

Memorial Chapel in the cemetery at East Liverpool, Ohio.

Station mark: Cap on monument of soldier.

[Latitude  $40^{\circ} 38' 15.62''$ . Longitude  $80^{\circ} 34' 22.70''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Hammond .....	114 30 16.57	294 26 23.76	3.96492
Allison .....	353 41 30.73	173 41 45.23	3.67712

#### HAMMOND, COLUMBIANA COUNTY.

Situated 2 miles east of the village of Glasgow on the highest point of a knob, known locally as Hammonds Knob.

Station mark: A cut marble post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."



[Latitude  $40^{\circ} 40' 19.50''$ . Longitude  $80^{\circ} 40' 20.06''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Wintersville .....	9 29 54.97	189 27 36.41	4.4836287
Elders .....	58 57 24.93	238 50 48.93	4.2224370
Kensington .....	103 44 59.61	283 34 21.24	4.3739205
Allison .....	313 44 30.76	133 48 37.93	4.0918031

## WIDDER, COSHOCTON COUNTY.

On land owned by Mr. Charles Widder,  $2\frac{1}{2}$  miles nearly south of New Comerstown, 50 feet west of north and south road,  $1\frac{1}{2}$  miles west of Baptist Church, and 600 feet southwest of White schoolhouse.

Station mark: A sandstone post 36 by 6 by 6 inches set 36 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 14' 09.67''$ . Longitude  $81^{\circ} 36' 54.11''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Kennedy .....	32 21 19.42	212 17 49.89	4.1574000
Wasen .....	184 22 07.82	4 22 43.79	4.2359074
Stone Creek .....	198 41 15.69	18 43 44.26	4.2281117
Port Washington .....	226 23 39.00	46 27 45.00	4.0942600
Gilmore .....	245 08 36.06	65 15 18.37	4.2095562
Booth .....	283 15 05.76	103 17 39.33	3.7615799
Midway .....	337 39 01.10	157 42 44.98	4.3353514

## BUCK, FAIRFIELD COUNTY.

On the farm of Noah Seifert, 7 miles east-southeast of Lancaster, in the southwest part of section 13, Berne Township, on a small mound in a cleared field 100 feet north of the east and west road which crosses summit of hill. Timber obstructs view to the southwest.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground, over an earthenware pyramid.

[Latitude  $39^{\circ} 40' 44.49''$ . Longitude  $82^{\circ} 30' 07.18''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Brown .....	34 23 53.61	214 20 02.08	4.1858328
B. I. S. chimney .....	68 40 43.74	248 35 57.26	4.0607701
B. I. S. water tower .....			4.0605764
Pleasant (2) .....	122 42 18.23	302 38 44.12	3.9771162
Cook .....	318 30 42.80	138 36 43.24	4.3091667
Schultz .....	338 54 01.46	158 57 18.49	4.3120770


## PLEASANT (2), FAIRFIELD COUNTY.

On summit of a bluff, locally called Mount Pleasant, about 300 feet above and 1 mile north of Lancaster, Ohio. Immediately east of fair grounds, on land owned by F. J. Buschemeyer.

Station mark: Center of iron windmill near western end of summit.

Reference mark: A  $\triangle$  cut in sandstone ledge, with arrows cut on edge of bluff pointing to station.

Azimuth from  $\triangle$  to center of windmill,  $148^{\circ} 23'$ ; distance, 228 feet.



[Latitude  $39^{\circ} 43' 30.56''$ . Longitude  $82^{\circ} 35' 42.36''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	" "	" "	<i>Meters.</i>
B. I. S. chimney .....	16 17 55.39	196 16 42.49	3.9867933
B. I. S. water tower .....			3.9820877
Buck .....	302 38 44.12	122 42 18.23	3.9771162

## GRAHAM, GALLIA COUNTY.

A flat, partly timbered ridge 9 miles by road, north-northwest of Gallipolis,  $1\frac{1}{2}$  miles east of Evergreen post-office.

View eastward obstructed by timber, but in all other directions an extensive view can be had. Land owned by Charley Graham and rented by Mr. Sparrows.

Station mark: A marble post 30 by 6 by 6 inches, set 28 inches in the ground 7 feet east of signal tree and on south side of rail fence. In center of top is cemented a bronze triangulation tablet, "Ohio."

Reference mark: The oak signal tree on fence line on south side of road, azimuth from mark,  $99^{\circ} 11'$ ; distance, 7 feet.

[Latitude 38° 54' 07.25". Longitude 82° 15' 07.55".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Houck .....	15 43 53.36	195 40 54.83	4.4049004
Wagner .....	57 07 05.39	236 58 47.15	4.3584636
Davis .....	114 12 13.18	294 03 37.74	4.3352839
Leonard .....	186 38 36.75	6 39 15.03	4.1024633
Finlay .....	285 15 10.50	105 26 39.74	4.4386594

## HOUCK, GALLIA COUNTY.

In Harrison Township, on a bare hill owned by Noah Houck, 3 miles south of Lincoln and one-fourth mile north of Ruby post-office. A few locust trees still standing near summit of hill.

Station mark: A sandstone post 30 by 8 by 8 inches set 28 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: The locust signal tree, true azimuth from mark, 268° 05'; distance, 21.2 feet.

[Latitude 38° 40' 54.17". Longitude 82° 19' 52.51".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Wray .....	49 35 13.43	229 30 22.22	4.1709604
Wagner .....	134 25 23.87	314 20 05.14	4.2358550
Graham .....	195 40 54.83	15 43 53.36	4.4049004
Finlay .....	242 38 56.49	62 53 22.49	4.5747505
Kennard .....	363 24 39.30	83 33 45.05	4.3270505
Gebhardt .....	338 02 32.74	158 05 28.36	4.2608573

## WAGNER, GALLIA COUNTY.

A bald hill in Greenfield Township, 1½ miles northwest of Cadmus post-office; one-half mile south of the Gallia-Portsmouth pike, at a point 17 miles west of the former, on land owned by Jacob Wagner. A bunch of small locusts on southwest side of hill interferes with view in that direction; in all other directions an extended view can be had.

Station mark: A sandstone post 30 by 15 by 15 inches set 28 inches in the ground; top dressed 9 by 9 inches, having cemented in its center a bronze triangulation tablet, "Ohio."

[Latitude  $38^{\circ} 47' 24.58''$ . Longitude  $82^{\circ} 28' 21.88''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Davis .....	178 19 50.05	358 19 33.89	4.3278387
Leonard .....	219 25 58.48	39 34 55.56	4.5104457
Graham .....	236 58 47.15	57 07 05.39	4.3584636
Houck .....	314 20 05.14	134 25 23.87	4.2358550
Wray .....	357 15 02.72	177 15 29.58	4.3360952

## CLAYSVILLE, GUERNSEY COUNTY.

On a bald knob one-fourth mile northwest from village of Claysville.

Station mark: A bottle of ashes  $2\frac{1}{2}$  feet below surface, above which is a tile 30 by 4 by 4 inches set 30 inches in the ground.

[Latitude  $39^{\circ} 56' 25.33''$ . Longitude  $81^{\circ} 40' 43.04''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Sago .....	131 54 42.28	311 50 42.87	4.0746717
College .....	193 42 02.84	13 43 15.84	4.0557460
Midway .....	226 49 26.89	46 55 37.28	4.2725062
Warehime .....	264 12 48.08	84 24 23.41	4.4121452
Gregg .....	290 24 08.88	110 31 13.35	4.2245402

## COLLEGE, GUERNSEY COUNTY.

In a field about 400 feet southeast from white schoolhouse, on what is known locally as College Hill, 2.5 miles northwest of Cambridge.

Station mark: A limestone post 40 by 7 by 7 inches set 39 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 02' 23.47''$ . Longitude  $81^{\circ} 38' 49.47''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Claysville .....	13 43 15.84	193 42 02.84	4.0557460
Sago .....	74 54 42.29	254 49 29.58	4.0771353
Kennedy .....	152 47 17.23	332 45 02.42	4.0350419
Midway .....	260 51 24.41	80 56 22.09	4.0455896

## KENNEDY, GUERNSEY COUNTY.

On east slope of hill, in field owned by Mr. Kennedy, about 5 miles west of Kimbolton and 3 miles northwest of Hopewell village.

Station mark: A sandstone post 40 by 7 by 7 inches set 36 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 07' 36.01''$ . Longitude  $81^{\circ} 42' 18.85''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Sago .....	27 14 31.91	207 11 33.69	4.1566993
Widder .....	212 17 49.89	32 21 19.42	4.1574000
Booth .....	230 51 07.97	50 57 10.87	4.2342578
Midway .....	296 16 48.49	116 24 01.27	4.2495411
College .....	332 45 02.42	152 47 17.23	4.0350419

## MIDWAY, GUERNSEY COUNTY.

About 6 miles northeast of Cambridge and  $1\frac{1}{2}$  miles southeast of village of Midway, 200 feet west of north and south road and 300 feet northwest of schoolhouse, on a prominent bald hill.

Station mark: A limestone post 36 by 6 by 6 inches set 30 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 03' 20.47''$ . Longitude  $81^{\circ} 31' 06.84''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Claysville .....	46 55 37.28	226 49 26.89	4.2725062
College .....	80 56 22.09	260 51 24.41	4.0455896
Kennedy .....	116 24 01.27	296 16 48.49	4.2495411
Widder .....	157 42 44.98	337 39 01.10	4.3353514
Booth .....	172 07 03.12	352 05 52.54	4.2759110
Warehime .....	310 23 54.26	130 29 19.95	4.1983205
Gregg .....	353 48 09.85	173 49 04.63	4.2735701

## HALL'S KNOB, GUERNSEY COUNTY.

(Not occupied.)

A high knob in northern part of Millwood Township, locally known as Joe Hall's knob.

Station mark: Center of tobacco barn on highest part of knob.



[Latitude  $39^{\circ} 59' 57.14''$ . Longitude  $81^{\circ} 17' 15.25''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   ''	°   '   ''	Meters.
Sewellsville .....	209 31 02.83	29 33 48.43	4.0925218
Steele .....	290 41 37.89	110 43 48.80	3.7132089

## M'BRIDE, GUERNSEY COUNTY.

Situated on a cleared hill about 2 miles northeast of the village of Antrim, in Londonderry Township. Land owned by J. E. McBride.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 07' 59.22''$ . Longitude  $81^{\circ} 20' 04.72''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   ''	°   '   ''	Meters.
Warehime .....	11 05 17.55	191 03 37.47	4.2832082
Tippecanoe .....	203 13 59.21	23 16 45.07	4.1873542
Prospect Hill .....	226 01 54.41	46 06 58.83	4.1902726
Sewellsville .....	292 03 17.71	112 07 52.73	4.0377941
Steele .....	332 03 18.01	152 07 18.16	4.2763262

## WAREHIME, GUERNSEY COUNTY.

Situated on a high cleared hill in Richland Township, about  $2\frac{1}{2}$  miles southeast of Gibson station. Land owned by Albert Warehime.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 57' 48.36''$ . Longitude  $81^{\circ} 22' 40.22''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   ''	°   '   ''	Meters.
Tucker .....	5 11 30.20	185 11 04.50	4.0219463
Pleasant .....	17 43 25.93	197 40 49.35	4.2799538
Gregg .....	49 56 24.57	229 51 54.19	4.1165523
McBride .....	191 03 37.47	11 05 17.55	4.2832082
Sewellsville .....	223 05 20.85	43 11 35.43	4.3052324
Steele .....	260 15 48.06	80 21 27.72	4.1047692
Wiedman .....	310 06 46.06	130 14 07.62	4.3304252
Calland .....	345 08 11.50	165 10 18.15	4.2628296

## CADIZ, HARRISON COUNTY.

Situated  $1\frac{1}{8}$  miles north of the town of Cadiz on a hill locally known as the sand lot, on land owned by Louis Rider. At forks of road to Hanover and Rumley.

Theodolite elevated 52 feet.

Station mark: A cut marble post 48 by 6 by 6 inches sunk 36 inches in the ground, in center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 17' 22.36''$ . Longitude  $81^{\circ} 00' 14.58''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Jefferson .....	196 06 28.74	16 08 19.68	4.1631951
Hopedale .....	249 40 19.70	69 46 06.04	4.1295800
Mount Pleasant .....	312 57 37.85	133 05 59.66	4.4004381
Clarks Hill .....	350 11 27.43	170 13 03.92	4.3177623
Sewellsville .....	40 08 03.66	219 59 50.71	4.4482271
Deersville .....	97 22 22.94	277 15 19.98	4.1923301
Bowerston .....	124 38 35.25	304 31 25.13	4.2799048

## CADIZ COURT-HOUSE, HARRISON COUNTY.

(Not occupied.)

Station mark: Center of cupola on court-house.

[Latitude  $40^{\circ} 16' 22.39''$ . Longitude  $80^{\circ} 59' 52.62''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Hopedale .....	241 40 48.88	61 46 20.94	4.1388232
Mount Pleasant .....	310 31 40.34	130 39 47.88	4.3715307

## JEFFERSON, HARRISON COUNTY.

Situated on a bare hill one-fourth mile northwest of the town of Jefferson, between the forks of the New Philadelphia and Carrollton roads, on land owned by Samuel Meed.

Station mark: A cut marble post 42 by 6 by 6 inches sunk 36 inches in the ground, in center of top of which is cemented a bronze triangulation tablet, "Ohio."

Bull. 216—03—7

[Latitude  $40^{\circ} 24' 55.88''$ . Longitude  $80^{\circ} 57' 23.13''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Cadiz .....	16 08 19.68	196 06 28.74	4.1631951
Carrollton .....	160 48 24.64	340 45 32.78	4.2772402
Elders .....	206 09 16.01	26 13 45.61	4.3452306
Wintersville .....	274 33 35.99	94 42 21.10	4.2824762
Hopedale .....	317 18 11.04	137 22 06.82	4.1028039
Deersville .....	58 24 40.31	238 15 45.68	4.3594835
Bowerston .....	80 54 37.31	260 45 35.42	4.3003187

## BOWERSTON, HARRISON COUNTY.

Situated on a cleared hill in section 25, Monroe Township, about 2 miles south of the village of Bowerston, on land owned by J. E. Brown.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 23' 13.23''$ . Longitude  $81^{\circ} 11' 18.71''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Tippecanoe .....	24 21 54.23	204 19 00.04	4.1880466
Jefferson .....	260 45 35.42	80 54 37.31	4.3003187
Cadiz .....	304 31 25.13	124 38 35.25	4.2799048
Deersville .....	358 23 14.06	178 23 20.87	3.9461666

## DEERSVILLE, HARRISON COUNTY.

Situated in the village of Deersville, Franklin Township. Station is the spire or center of cupola of public school building in the eastern part of the village.

Station mark: Center of cupola.

[Latitude  $40^{\circ} 18' 26.93''$ . Longitude  $81^{\circ} 11' 08.13''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Sewellsville .....	6 19 40.88	186 18 29.97	4.3730446
Prospect .....	10 06 05.78	190 05 23.84	3.9417489
Tippecanoe .....	51 43 47.10	231 40 46.25	3.9252612
Bowerston .....	178 23 20.87	358 23 14.06	3.9461666
Jefferson .....	238 15 45.68	58 24 40.31	4.3594835
Cadiz .....	277 15 19.98	97 22 22.94	4.1923301

## PROSPECT HILL, HARRISON COUNTY.

Situated on the summit of a sharp hill, about 4 miles northeast of Freeport and just east of the Freeport and Cadiz road. The hill is known locally as Prospect Hill and is the highest point for miles around. Land owned by Robert Moore.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 13' 47.80''$ . Longitude  $81^{\circ} 12' 12.96''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°   '   ''</i>	<i>°   '   ''</i>	<i>Meters.</i>
Sewellsville .....	4 06 05.81	184 05 36.80	4.1729676
McBride .....	46 06 58.83	226 01 54.41	4.1902726
Tiptecanoe .....	123 45 44.31	303 43 25.52	3.7857938
Deersville .....	190 05 23.84	10 06 05.78	3.9417489
Flushing .....	306 47 57.00	126 53 22.00	4.1720159

## RUMLEY, HARRISON COUNTY.

(Not occupied.)

Station mark: Spire of Methodist Episcopal Church.

[Latitude  $40^{\circ} 24' 14.72''$ . Longitude  $81^{\circ} 02' 04.54''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°   '   ''</i>	<i>°   '   ''</i>	<i>Meters.</i>
Jefferson .....	259 02 14.82	79 05 17.47	3.8306382
Cadiz .....	348 24 50.50	168 26 01.90	4.1130606

## TIPECANOE, HARRISON COUNTY.

Situated on the summit of a high, cleared hill in Washington Township, about 2 miles southeast of the village of Tiptecanoe. Land owned by William Welch.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 15' 37.77''$ . Longitude  $81^{\circ} 15' 47.79''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°   '   ''</i>	<i>°   '   ''</i>	<i>Meters.</i>
McBride .....	23 16 45.07	203 13 59.21	4.1873542
Bowerston .....	204 19 00.04	24 21 54.23	4.1880466
Deersville .....	231 40 46.25	51 43 47.10	3.9252612
Prospect .....	303 43 25.52	123 45 44.31	3.7857938
Sewellsville .....	347 33 48.12	167 35 37.71	4.2714644

## BARTON, HOCKING COUNTY.

On a flat cultivated ridge, in section 18, Washington Township, owned by William Barton, who lives one-fourth mile west of station. Selected and occupied by the United States Coast and Geodetic Survey in 1884-85.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground over an earthenware pyramid. Top of post marked, 

U.	S.
C. &	G. S.

Reference marks: Three marble posts 30 by 4 by 4 inches, set as follows:

- (1) True azimuth,  $99^{\circ} 53'$ ; distance, 140.25 feet.
- (2) True azimuth,  $54^{\circ} 41'$ ; distance, 175.8 feet.
- (3) True azimuth,  $338^{\circ} 12'$ ; distance 437.75 feet.

[Latitude  $39^{\circ} 26' 22.32''$ . Longitude  $82^{\circ} 29' 46.50''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Brown .....	146 40 36.24	326 36 32.15	4.2220318
Schultz .....	222 46 20.65	42 49 24.02	4.0063768
Cook .....	228 57 23.90	49 03 10.28	4.2366543
Brooks .....	257 42 22.62	77 52 27.11	4.3666779
McDaniel .....	290 56 26.59	111 03 09.10	4.2107237
Zaleski .....	338 05 36.66	158 09 14.12	4.3433070

## BOYS' INDUSTRIAL SCHOOL CHIMNEY, HOCKING COUNTY.

(Not occupied.)

In sections 35 and 36, Hocking Township, 6 miles south of Lancaster. Station mark: Center of tall brick chimney.

[Latitude  $39^{\circ} 38' 28.64''$ . Longitude  $82^{\circ} 37' 36.53''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Pleasant (2) .....	196 16 42.49	16 17 55.39	3.9867933
Buck .....	248 35 57.26	68 40 43.74	4.0607701
Schultz .....	309 29 26.62	129 37 29.82	4.3707116
Brown .....	346 20 02.87	166 20 57.88	3.9405008

## BOYS' INDUSTRIAL SCHOOL WATER TOWER, HOCKING COUNTY.

(Not occupied.)

In sections 35 and 36, Hocking Township, 6 miles south of Lancaster. Station mark: Center of large white water tower.



[Latitude 39° 38' 32.48". Longitude 82° 37' 38.20".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Pleasant (2) .....			3.9820877
Buck .....			4.0605764
Schultz .....	309 39 00.95	129 47 05.22	4.3726735
Brown .....	346 15 44.39	166 16 40.48	3.9466564

## BROOKS, HOCKING COUNTY.

A station of the United States Coast and Geodetic Survey, on a wooded ridge near the northern line of section 19, Ward Township, about 3 miles north of Nelsonville.

Station mark: A marble post 29 by 6 by 6 inches, set 22 inches in the ground, above a square earthenware pyramid 5 inches high. Top of post marked

U.	S.
C. &	G. S.

Reference marks: (1) A marble post 30 by 4 by 4 inches set 28 inches in the ground; azimuth from mark, 74° 11'; distance, 110.75 feet. (2) A marble post 30 by 4 by 4 inches, set 28 inches in the ground; azimuth from mark, 336° 13'; distance, 275 feet. (3) A marble post 30 by 4 by 4 inches, set 28 inches in the ground; azimuth from mark, 200° 35'; distance, 185.4 feet.

[Latitude 39° 29' 01.86". Longitude 82° 13' 55.39".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
McDaniel .....	35 15 15.27	215 11 53.84	4.1188828
Barton .....	77 52 27.11	257 42 22.62	4.3666779
Schultz .....	99 07 21.22	279 00 19.77	4.2050498
Cook .....	123 23 44.62	303 19 26.03	4.0653816
Nebo .....	303 54 52.42	124 00 23.75	4.1770814

## BROWN, HOCKING COUNTY.

On the property of Isaac Brown, in the southeast quarter of section 30, Good Hope Township, 13 miles by road west of Logan, 13 miles south of Lancaster, 5 miles west of Rockbridge. Station is just east of a cemetery which occupies summit of hill and has a good view in nearly all directions.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground, over an earthenware pyramid.

[Latitude  $39^{\circ} 33' 53.90''$ . Longitude  $82^{\circ} 36' 10.23''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
B. I. S. water tower .....	166 16 40.48	346 15 44.39	3.9466564
B. I. S. chimney .....	166 20 57.88	346 20 02.87	3.9405008
Buck .....	214 20 02.08	34 23 53.61	4.1858328
Cook .....	276 38 41.55	96 48 32.74	4.3486753
Schultz .....	291 55 33.81	112 02 41.69	4.2383235
Barton .....	326 36 32.15	146 40 36.24	4.2220318

## COOK, HOCKING COUNTY.

On the estate of John Cook, in the northeast quarter of section 23, Green Township, 4 miles east of Logan. A good view can be had in all directions excepting north  $0^{\circ}$  east to north  $30^{\circ}$  east, which is interfered with by timber at north end of ridge. This station was also occupied by the United States Coast and Geodetic Survey in 1881.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground, immediately above an earthenware pyramid. Top of post

marked 

U.	S.
C. &	G. S.

[Latitude  $39^{\circ} 32' 29.14''$ . Longitude  $82^{\circ} 20' 41.83''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Barton .....	49 03 10.28	228 57 23.90	4.2366543
Schultz .....	57 44 19.75	237 41 36.70	3.8596674
Brown .....	96 48 32.74	276 38 41.55	4.3486753
Buck .....	138 36 43.24	318 30 42.80	4.3091667
Brooks .....	303 19 26.03	123 23 44.62	4.0653816
McDaniel .....	352 53 21.32	172 54 18.10	4.2371864

## M'DANIEL, HOCKING COUNTY.

Situated in the southern edge of the southwest quarter, section 7, Starr Township, on the estate of George McDaniel, 8 miles southwest of Nelsonville post-office, 15 miles southeast of Logan, and 2 miles east of Starr. The knob is quite prominent and has only a few trees on its southwest side to interfere with view. Selected and occupied by the United States Coast and Geodetic Survey in 1882-83.

Station mark: A marble post 26 by 6 by 6 inches set 25 inches in the ground immediately above a square earthenware pyramid. Top of

post marked 

U.	S.
C. &	G. S.

[Latitude  $39^{\circ} 23' 13.57''$ . Longitude  $82^{\circ} 19' 12.52''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Zaleski .....	25 29 15.51	205 26 11.15	4.2098137
Barton .....	111 03 09.10	290 56 26.59	4.2107237
Schultz .....	148 07 04.09	328 03 24.55	4.1939372
Cook .....	172 54 18.10	352 53 21.32	4.2371864
Brooks .....	215 11 53.84	35 15 15.27	4.1188828
Nebo .....	263 16 04.46	83 24 56.70	4.3054151
White .....	274 32 58.10	94 42 43.35	4.3453947
Townsend (2) .....	298 48 45.11	118 57 19.04	4.3458525

## SCHULTZ, HOCKING COUNTY.

A prominent knob 3 miles south of Logan on the estate of Daniel Schultz, in the west half of the northeast quarter of section 26, Falls Township. Summit has apple and peach trees which interfere somewhat with the view. This station was occupied by the United States Coast and Geodetic Survey in 1885.

Station mark: A marble post 30 by 6 by 6 inches set 28 inches in the ground immediately above an earthenware pyramid. Top of post

marked 

U.	S.
C. &	G. S.

[Latitude,  $39^{\circ} 30' 23.76''$ . Longitude,  $82^{\circ} 24' 58.05''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Barton .....	42 49 24.02	222 46 20.65	4.0033768
Brown .....	112 02 41.69	291 55 33.81	4.2383235
B. I. S. chimney .....	129 37 29.82	309 29 26.62	4.3707116
B. I. S. watertower .....	129 47 05.22	309 39 00.95	4.3726735
Buck .....	158 57 18.49	338 54 01.46	4.3120770
Cook .....	237 41 36.70	57 44 19.75	3.8596674
Brooks .....	279 00 19.77	99 07 21.22	4.2050498
McDaniel .....	328 03 24.55	148 07 04.09	4.1939372

## DAVIS, JACKSON COUNTY.

On a cultivated hill in Bloomfield Township, 12 miles eastward from Jackson,  $1\frac{1}{2}$  miles north of Orpheus post-office, 3 miles east of Winchester (Rocky Hill post-office). Land owned by Evan D. Davis who lives about 500 feet west, southwest of station. An unobstructed view can be had for many miles toward the north, northwest, and west, and comparatively few trees obstruct view southwest.

Station mark: Center of wild cherry signal tree about 500 feet east-northeast of Mr. Davis's residence and 13 feet south of an east and west fence.

[Latitude  $38^{\circ} 58' 54.17''$ . Longitude  $82^{\circ} 28' 47.63''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Lawler.....	200 26 28.47	20 28 23.27	4.0984524
Graham.....	294 03 37.74	114 12 13.18	4.3352839
Wagner.....	358 19 33.89	178 19 50.05	4.3278387

#### ELDERS, JEFFERSON COUNTY.

Situated one-half mile south of the village of Monroeville on land owned by Mr. Elder.

Station mark: A cut marble post 48 by 6 by 6 inches set 40 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 35' 40.04''$ . Longitude  $80^{\circ} 50' 28.10''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Jefferson.....	26 13 45.61	206 09 16.01	4.3452306
Carrollton.....	82 57 51.91	262 50 29.70	4.2070630
Kensington.....	148 30 40.69	328 26 39.02	4.2218375
Hammond.....	238 50 48.93	58 57 24.93	4.2224370
Allison.....	269 43 49.10	89 54 31.77	4.3659427
Wintersville.....	336 29 21.40	156 33 37.87	4.3683786

#### HOPEDALE, JEFFERSON COUNTY.

Situated 2 miles west of Bloomingdale on the north side of the Bloomingdale and Hopedale pike, on the highest point of hill in cleared field belonging to Mr. S. N. Beall.

Station mark: A cut marble post 24 by 4 by 4 inches sunk 24 inches in the ground. "U. S. G. S." marked on top of post.

[Latitude  $40^{\circ} 19' 53.80''$ . Longitude  $80^{\circ} 51' 19.20''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Cadiz C. H.....	61 46 20.94	241 40 48.88	4.1388232
Cadiz.....	69 46 06.04	249 40 19.70	4.1295800
Jefferson.....	137 22 06.82	317 18 11.04	4.1028039
Wintersville.....	233 31 31.07	53 36 19.99	4.1166735
New Alexander.....	290 17 09.61	110 23 39.92	4.1817202
Mount Pleasant.....	345 17 50.68	165 20 26.93	4.3534510

## NEW ALEXANDER, JEFFERSON COUNTY.

Situated 1 mile southwest of the village of New Alexander in a cleared field on west side of county road one-fourth mile beyond point at which it leaves the New Alexander and Bloomingdale pike.

Station mark: A cut marble post 24 by 6 by 6 inches sunk 2 feet under surface of the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference marks: A large tree, true bearing N.  $53^{\circ} 20'$  E., distant 272 feet. A small tree, true bearing S.  $1^{\circ} 36'$  W., distant 131 feet. An old stump in field, true bearing N.  $68^{\circ} 36'$  W., distant 14.7 feet.

[Latitude  $40^{\circ} 17' 02.55''$ . Longitude  $80^{\circ} 41' 15.83''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Mount Pleasant .....	27 21 07.51	207 17 14.17	4.2700856
Hopedale .....	110 23 39.92	290 17 09.61	4.1817202
Wintersville .....	164 08 12.73	344 06 30.92	4.1325490
Independence .....	286 01 22.01	106 07 03.27	4.1133566
West Liberty .....	327 04 20.90	147 07 42.89	4.1338982

## WINTERSVILLE, JEFFERSON COUNTY.

Situated 2 miles northwest of the village of Wintersville on a cone-shaped hill on land owned by Mr. Mayo. The Wintersville and New Richmond pike passes over east side of hill.

Station mark: A cut marble post 40 by 6 by 6 inches sunk 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 24' 05.70''$ . Longitude  $80^{\circ} 43' 53.11''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Hopedale .....	53 36 19.99	233 31 31.07	4.1166735
Jefferson .....	94 42 21.10	274 33 35.99	4.2824762
Elder .....	156 33 37.87	336 29 21.35	4.3682786
Hammond .....	189 27 36.41	9 29 54.97	4.4836287
New Alexander .....	344 06 30.92	164 08 12.73	4.1325490

## WRAY, LAWRENCE COUNTY.

A station in the transcontinental belt of the United States Coast and Geodetic Survey on Johnson Ridge,  $2\frac{1}{2}$  miles east of Marion (Aid post-office). Summit nearly cleared, giving a good view in all directions.



Station mark: A pottery pyramid buried 3 feet under ground (no surface mark 1902).

Reference marks: Drain tile pipes 4 inches in diameter, 2 feet long, filled with concrete and buried 22 inches in ground—one north, 5.93 feet distant; one south, 5.99 feet; one east, 5.98 feet; one west, 5.92 feet.

[Latitude  $38^{\circ} 35' 42.24''$ . Longitude  $82^{\circ} 27' 38.91''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Wagner .....	177 15 29.58	357 15 02.72	4.3360952
Houck .....	229 30 22.22	49 35 13.43	4.1709604
Gebhardt .....	291 52 47.45	112 00 33.64	4.2904979

#### GREENLER, MEIGS COUNTY.

On a cultivated ridge in Scipio Township,  $2\frac{1}{2}$  miles southeast of Harrisonville and 9 miles northwest of Pomeroy. Land owned by the widow Greenler. An extended view can be had in all directions.

Station mark: A stone post 30 by 8 by 8 inches set 28 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 06' 36.10''$ . Longitude  $82^{\circ} 05' 37.56''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Leonard .....	49 22 32.39	229 17 11.56	4.2078401
McKnight .....	131 06 34.33	311 03 11.43	4.0103602
Townsend (2) .....	179 42 39.02	359 42 36.35	4.3021055
Bond .....			4.4013817
Melhorn .....	279 28 14.79	99 41 07.07	4.4750063
Finlay .....	337 13 28.07	157 19 00.37	4.5174129

#### LEONARD, MEIGS COUNTY.

On a partly timbered ridge in Salem Township, 12 miles by road west of Middleport, 4 miles north of Eno post-office. Timber interferes with view northeast and southeast, but in other directions the view is particularly good. Land owned by W. H. Leonard, who lives 300 yards north.

Station mark: A sandstone post 36 by 8 by 8 inches set 34 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: The poplar signal tree at roadside. True azimuth from station mark,  $322^{\circ} 19'$ ; distance, 128.1 feet.

[Latitude  $39^{\circ} 00' 55.06''$ . Longitude  $82^{\circ} 14' 06.67''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   ''	°   '   ''	Meters.
Graham .....	6 39 15.03	186 38 36.75	4.1024633
Wagner .....	39 34 55.56	219 25 58.48	4.5104457
Lawler .....	115 35 43.20	295 28 23.01	4.2699658
Zaleski .....	151 46 12.85	331 39 56.21	4.4807510
McKnight .....	194 38 18.41	14 40 16.75	4.2510681
Greenler .....	229 17 11.56	49 22 32.39	4.2078401
Finlay .....	308 21 37.63	128 32 29.47	4.5039347

## M'KNIGHT, MEIGS COUNTY.

A cleared ridge in the northwestern part of Scipio Township, 2 miles east of Carpenter post-office and 5 miles south of Albany. Land owned by Thornton McKnight.

Station mark: A bluestone post 40 by 8 by 8 inches set 38 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 10' 14.34''$ . Longitude  $82^{\circ} 10' 59.00''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   ''	°   '   ''	Meters.
Leonard .....	14 40 16.75	194 38 18.41	4.2510681
Zaleski .....	116 35 39.29	296 27 23.36	4.3229316
Townsend (2) .....	209 42 32.43	29 45 53.05	4.1858081
Greenler .....	311 03 11.43	131 06 34.33	4.0103602

## BEALLSVILLE, MONROE COUNTY.

Situated 3 miles east of the town of Beallsville on the highest point of a bare hill on the farm of the Gale brothers.

Station mark: A cut marble post 48 by 6 by 6 inches set 40 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 50' 49.76''$ . Longitude  $80^{\circ} 58' 49.99''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   ''	°   '   ''	Meters.
Gallaway .....	182 29 34.33	2 29 55.83	4.2612655
Jacobsburg .....	210 24 53.13	30 28 36.52	4.2108474
Myers .....	221 32 26.97	41 39 03.80	4.3447990
Riggs .....	269 45 19.11	89 53 56.89	4.2835700
Wiedman .....	87 09 57.20	267 02 01.79	4.2471021
Newcastle .....	118 21 49.78	298 18 11.29	3.9639688
Steele .....	125 11 13.00	305 01 44.45	4.4179181
Bryan .....	155 16 01.67	335 13 05.87	4.1914760

## CALLAND, MONROE COUNTY.

Situated on a high cleared hill in Seneca Township, about 2 miles northeast of village of Summerfield, near the Noble-Monroe county line. Land owned by Mrs. Martha Calland.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 48' 14.31''$ . Longitude  $81^{\circ} 19' 22.61''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Fulda .....	53 35 25.20	233 32 02.90	3.9709420
Pleasant .....	87 36 24.91	267 31 42.37	4.0215172
Tucker .....	142 01 12.68	321 58 40.51	3.9625705
Warehime .....	165 10 18.15	345 08 11.50	4.2628296
Steele .....	201 35 53.45	21 39 25.88	4.3293954
Wiedman .....	251 29 17.30	71 34 31.64	4.0901708

## JERUSALEM SCHOOLHOUSE, MONROE COUNTY.

(Not occupied.)

Schoolhouse in Jerusalem, Sunbury Township.

Station mark: Center of cupola.

[Latitude  $39^{\circ} 50' 54.00''$ . Longitude  $81^{\circ} 06' 06.45''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Wiedman .....	81 59 06.96	261 55 51.27	3.8653255
Newcastle .....	208 14 14.47	28 15 15.85	3.6820293

## ST. JOHNS, MONROE COUNTY.

(Not occupied.)

St. John's Church, situated about one-half mile west of village of Miltonsburg.

Station mark: Center of church spire.

[Latitude  $39^{\circ} 50' 15.20''$ . Longitude  $81^{\circ} 10' 32.48''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Steele .....	163 40 24.15	343 38 16.46	4.2252598
Newcastle .....	237 40 56.39	57 44 48.27	4.0073924
Wiedman .....			2.9781631

## DILLON, MONROE COUNTY.

Station mark: The chimney on Mr. J. D. Dillon's residence, 1 mile south of Way post-office.

[Latitude  $39^{\circ} 37' 40.67''$ . Longitude  $81^{\circ} 10' 31.26''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Moore .....	19 50 50.56	199 47 41.01	4.3215874
Laws .....	65 40 13.26	245 36 29.65	3.9630466
Tank .....	216 55 13.70	36 57 28.00	3.9554300
High Knob .....	282 34 05.00	102 39 53.00	4.1253100
Glass .....	332 17 56.67	152 19 54.03	3.9758125

## HIGH KNOB, MONROE COUNTY.

(Not occupied.)

A high peak near Sisterville on Ohio side of Ohio River, having a red tank on summit, which was located by intersections.

Station mark: Center of tank.

[Latitude  $39^{\circ} 36' 06.2''$ . Longitude  $81^{\circ} 01' 25.3''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Glass .....	57 43 14	237 39 23	4.00930
Dillon .....	102 39 53	282 34 05	4.12531

## TANK, MONROE COUNTY.

On the highest knob 6 miles south of Woodsfield and 5 miles north-east of Graysville. There are two tanks on top of the knob. The one located is the farthest west and is painted white.

Station mark: Center of tank.

[Latitude  $39^{\circ} 41' 34.6''$ . Longitude  $81^{\circ} 06' 43.7''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Glass .....	3 48 12	183 47 44	4.19380
Dillon .....	36 57 28	216 55 14	3.95543
Laws .....	51 27 48	231 21 39	4.24646

## WIEDMAN, MONROE COUNTY.

Situated on a cleared hill in Malaga Township, about 2 miles southwest of village of Miltonsburg. Land owned by Mr. Wiedman.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 50' 20.74''$ . Longitude  $81^{\circ} 11' 11.82''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Calland .....	71 34 31.64	251 29 17.30	4.0901708
Tucker .....	100 57 09.79	280 49 22.91	4.2463136
Warehime .....	130 14 07.62	310 06 46.06	4.3304252
Steele .....	166 38 26.80	346 36 44.38	4.2146469
Newcastle .....	241 04 21.24	61 08 38.37	4.0370559
Beallsville .....	267 02 01.79	87 09 57.20	4.2471021

## WOODSFIELD COURT-HOUSE, MONROE COUNTY.

(Not occupied.)

Station mark: Center of court-house cupola.

[Latitude  $39^{\circ} 45' 53.10''$ . Longitude  $81^{\circ} 07' 04.01''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Wiedman .....	144 29 15.26	324 26 36.62	4.0061831
Beallsville .....	232 04 06.58	52 09 22.97	4.1730814

## SAGO, MUSKINGUM COUNTY.

On a bald hill 4 miles southwest of the village of Sago, on land owned by J. W. Carnes.

Station mark: A limestone post 40 by 7 by 7 inches set 39 inches in the ground, in the center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 00' 42.40''$ . Longitude  $81^{\circ} 46' 55.70''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Kennedy .....	207 11 33.69	27 14 31.91	4.1566993
College .....	254 49 29.58	74 54 42.29	4.0771353
Claysville .....	311 50 42.87	131 54 42.28	4.0746717



## COFFEY, NOBLE COUNTY.

Situated in Jefferson Township, about 2 miles east of Macksburg and near the Noble-Washington county line. It is on a knob at the southern end of what is locally known as Coffey Ridge. Land belongs to the Coffey Brothers. A house surrounded by a peach orchard occupies the whole summit of knob.

Station mark: A stone post 15 by 6 by 6 inches set 15 inches in the ground, with a cross cut on upper surface.

Reference mark: The south chimney of house; distance from station 69 feet; azimuth  $121^{\circ} 43'$ .

Subsurface mark: An aluminum bolt buried 2 feet below surface underneath station mark.

[Latitude  $39^{\circ} 38' 20.51''$ . Longitude  $81^{\circ} 25' 56.23''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Dovenbacker .....	21 34 03.43	201 32 41.16	3.9232258
Correy .....	134 02 58.60	313 58 36.21	4.1340788
Fulda .....	188 13 57.47	8 14 46.99	4.1102507
Laws .....	290 04 00.35	110 10 06.45	4.1639102

## CORREY, NOBLE COUNTY.

Situated in Olive Township on summit of hill known locally as Correy Knob. Land belongs to John Hughes and is covered with a peach orchard.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 43' 27.31''$ . Longitude  $81^{\circ} 32' 47.22''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Gregg .....	193 41 15.25	13 43 14.30	4.2709766
Pleasant .....	225 47 16.75	45 51 09.15	4.0813436
Fulda .....	254 08 13.79	74 13 26.06	4.0823867
Coffey .....	313 58 36.21	134 02 58.60	4.1340788
Dovenbecker .....	338 41 35.73	158 44 36.15	4.2675872
Fulda Church .....	270 09 40.00	90 14 41.00	4.0496191

## FULDA, NOBLE COUNTY.

Situated on a cleared hill in Enoch Township about 2 miles north of Fulda post-office. Land owned by Mr. Bates.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 45' 14.16''$ . Longitude  $81^{\circ} 24' 38.75''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Coffey .....	8 14 46.99	188 13 57.47	4.1102507
Dovenbecker .....	13 29 38.34	193 27 26.49	4.3249454
Correy .....	74 13 26.06	254 08 13.79	4.0823867
Pleasant .....	149 46 36.80	329 45 16.75	3.7718484
Tucker .....	188 18 59.48	8 19 49.89	4.1112795
Calland .....	233 32 02.90	53 35 25.20	3.9709420
Laws .....	326 17 40.64	146 22 57.69	4.3294759

#### FULDA CHURCH SPIRE, NOBLE COUNTY.

(Not occupied.)

In village of Fulda.

Station mark: Center of church spire.

[Latitude  $39^{\circ} 43' 26.01''$ . Longitude  $81^{\circ} 24' 56.52''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Correy .....	90 14 41.03	270 09 40.22	4.0496191
Fulda $\Delta$ .....	187 13 47.17	7 13 58.53	3.5265941

#### GREGG, NOBLE COUNTY.

Situated on a cleared hill in Wayne Township about 4 miles south of Senecaville and near the Noble-Seneca county line. Hill partly covered by an orchard. Land owned by Walter Gregg.

Station mark: A bowlder 20 by 10 by 8 inches set in the ground, and having a cross (+) cut on its upper surface.

Subsurface mark: A bronze triangulation tablet buried 2 feet below surface immediately underneath cross on bowlder.

[Latitude  $39^{\circ} 53' 15.23''$ . Longitude  $81^{\circ} 29' 41.50''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Correy .....	13 43 14.30	193 41 15.25	4.2709766
Warehime .....	229 51 54.19	49 56 24.57	4.1165523
Tucker .....	282 43 32.96	102 47 37.40	3.9679631
Pleasant .....	336 31 55.44	156 33 49.16	4.0254160

## PLEASANT, NOBLE COUNTY.

Situated on a high hill, with a few scattering trees on its summit, in Center Township, about 2 miles southeast of Sarahsville.

Station mark: A stone post 30 by 6 by 6 inches set 30 inches in the ground, in center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 47' 59.84". Longitude 81° 26' 43.92".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Correy .....	45 51 09.15	225 47 16.75	4.0813436
Gregg .....	156 33 49.09	336 31 55.44	4.0254169
Warehime .....	197 40 49.35	17 43 25.93	4.2799538
Tucker .....	212 14 38.28	32 16 48.80	3.9579200
Calland .....	267 31 42.37	87 36 24.91	4.0215172
Fulda .....	329 45 16.75	149 46 36.80	3.7718484

## SUMMERFIELD SCHOOLHOUSE, NOBLE COUNTY.

(Not occupied.)

Station mark: Center of schoolhouse in village of Summerfield.

[Latitude 39° 47' 55.47". Longitude 81° 20' 16.71".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Tucker .....	150 49 58.53	330 48 01.02	3.9516327
Calland .....	245 41 23.24	65 42 07.87	3.1498794

## TUCKER, NOBLE COUNTY.

Situated on a partly cleared hill in Seneca Township, about 3 miles northeast of Mount Ephraim post-office. Land owned by John Tucker.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 52' 08.72". Longitude 81° 23' 20.21".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
P easant .....	32 16 48.80	212 14 38.28	3.9579200
Gregg .....	102 47 37.40	282 43 32.96	3.9679631
Warehime .....	185 11 04.50	5 11 30.20	4.0219463
Steele .....	226 53 52.54	46 59 57.57	4.2667725
Calland .....	321 58 40.51	142 01 12.68	3.9625705
Fulda .....	8 19 49.89	188 18 59.48	4.1112795

## BALDWIN, TUSCARAWAS COUNTY.

About 7 miles northeast from Uhrichsville, on a bald hill 100 yards east of ridge road, on land owned by David Baldwin.

Station mark: A sandstone post 36 by 6 by 6 inches set 33 inches in the ground, in the center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 27' 01.37''$ . Longitude  $81^{\circ} 17' 28''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Wainwright.....	75 00 27.85	254 54 15.71	4.1462651
Bowerston.....	308 57 08.21	129 01 07.70	4.0493365
Uhrichsville.....	355 40 02.51	175 40 20.53	3.9386187

## BOOTH, TUSCARAWAS COUNTY.

On a sharp, bald knob, 5 miles southeast from New Comerstown, one-fourth mile south from Booth post-office, and 400 feet southeast of Mr. Walters's residence, on land owned by him.

Station mark: A sandstone post 36 by 7 by 7 inches set 34 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 13' 26.69''$ . Longitude  $81^{\circ} 32' 56.37''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Kennedy.....	50 57 10.87	230 51 07.97	4.2342578
Widder.....	103 17 39.33	283 15 05.76	3.7615799
Wasen.....	166 55 12.11	346 53 04.26	4.2784021
Stone Creek.....	179 22 08.98	359 22 03.72	4.2391088
Gilmore.....	228 11 04.90	48 15 13.50	4.0860014
Midway.....	352 05 52.54	172 07 03.12	4.2759110

## GILMORE, TUSCARAWAS COUNTY.

On a bald knob one-third mile north of the village of Gilmore, 300 feet from where road elbows to east going from Gilmore.

Station mark: A sandstone post 36 by 6 by 6 inches set 33 inches in the ground, in the center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 17' 50.02". Longitude 81° 26' 31.76".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Widder .....	65 15 18.37	245 08 36.06	4.2095562
Port Washington .....	107 14 03.00	287 11 28.00	3.7758800
Stone Creek .....	134 52 35.59	314 48 21.35	4.1164240
Wainwright .....	176 58 27.78	356 58 08.37	4.1267768
Uhrichsville .....	238 12 02.93	58 18 12.91	4.2004975
Tippecanoe .....	284 58 09.52	105 05 05.88	4.1973700
Booth .....	48 15 13.50	228 11 04.90	4.0860014

## PORT WASHINGTON, TUSCARAWAS COUNTY.

(Not occupied.)

A lone tree on prominent bald mound about 2 miles south of the village of Port Washington, on east side of river.

Station mark: Center of lone tree.

[Latitude 40° 18' 47.30". Longitude 81° 30' 33.18".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Widder .....	46 27 45	226 23 39	4.09426
Wasen .....	138 16 26	318 12 55	4.06184
Stone Creek .....	154 24 37	334 22 59	3.91720
Gilmore .....	287 11 28	107 14 03	3.77588

## STONE CREEK, TUSCARAWAS COUNTY.

On a bald mound 1¼ miles southeast of the village of Stone Creek, 100 yards east of road.

Station mark: A sandstone post 36 by 6 by 6 inches set 34 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 22' 48.92". Longitude 81° 33' 04.48".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Widder .....	18 43 44.26	198 41 15.69	4.2281117
Wasen .....	105 39 23.20	285 37 30.42	3.6297872
Wainwright .....	244 04 51.38	64 08 46.51	3.9781630
Gilmore .....	314 48 21.35	134 52 35.59	4.1164240
Port Washington .....	334 22 59.00	154 24 37.00	3.9172000
Booth .....	359 22 03.72	179 22 08.98	4.2391088



## UHRICHSVILLE, TUSCARAWAS COUNTY.

On a bald hill about  $\frac{1}{2}$  miles nearly east from Uhrichsville, 200 feet west of Ridge road, on land owned by Mr. Cox, and 200 yards north of his residence.

Station mark: The lone white oak signal tree 14 inches in diameter.

Reference mark: A sandstone post 36 by 6 by 6 inches set 30 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio." Distance from tree, 26.6 feet; true azimuth  $56^{\circ} 10' 30''$ .

[Latitude  $40^{\circ} 22' 20.70''$ . Longitude  $81^{\circ} 17' 00.20''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Gilmore.....	58 18 12.91	238 12 02.93	4.2004975
Wainwright.....	109 32 49.03	289 26 19.17	4.1775531
Baldwin.....	175 40 20.53	355 40 02.51	3.9386187
Bowerston.....	258 40 32.66	78 44 13.95	3.9146861
Tippecanoe.....	352 09 53.49	172 10 40.33	4.0986574

## WAINWRIGHT, TUSCARAWAS COUNTY.

In a field owned by the Wainwright Coal Company, and about  $1\frac{1}{2}$  miles west of the mine and post-office of same name.

Station mark: A sandstone post 36 by 6 by 6 inches set 34 inches in the ground, in the center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude  $40^{\circ} 25' 03.52''$ . Longitude  $81^{\circ} 27' 01.78''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Stone Creek.....	64 08 46.51	244 04 51.38	3.9781630
Wasen.....	76 42 24.37	256 36 36.39	4.1142974
Baldwin.....	254 54 15.71	75 00 27.85	4.1462651
Uhrichsville.....	289 26 19.17	109 32 49.03	4.1775531
Gilmore.....	356 58 08.37	176 58 27.78	4.1267768

## WASEN, TUSCARAWAS COUNTY.

About  $2\frac{1}{2}$  miles nearly west from the village of Stone Creek on high knob in field 400 feet southeast from Mr. Wasen's residence.

Station mark: A sandstone post 36 by 6 by 6 inches set 36 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet, "Ohio."

[Latitude 40° 23' 26.19". Longitude 81° 35' 58.61".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Widder .....	4 22 43.79	184 22 07.82	4,2359074
Wainwright .....	256 36 36.39	76 42 24.37	4,1142974
Stone Creek .....	285 37 30.42	105 39 23.20	3,6297872
Port Washington .....	318 12 55.00	138 16 26.00	4,0618406
Booth .....	346 53 04.26	166 55 12.11	4,2784021

## LAWLER, VINTON COUNTY, NEAR JACKSON COUNTY LINE.

A secondary station on a flat, partly timbered ridge 8 miles by road east-southeast of Wellston post-office. Land owned by Frank Lawler, but rented by Jim Kennison.

Station mark: South chimney on two-story house with red tin roof.


[Latitude 39° 05' 15.32". Longitude 82° 25' 45.35".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Davis .....	20 28 23.27	200 26 28.47	4,0984524
Leonard .....	295 28 23.01	115 35 43.20	4,2699658
Graham .....	323 15 25.71	143 22 07.04	4,4097687

## ZALESKI, VINTON COUNTY.

A knob locally well known as the Pinnacle, 1½ miles south of Zaleski railroad station. Nearly all timber was cut down and one chestnut tree left for signal. An extended view can be had in all directions, excepting north 30° east to north 55° east, which is limited by a flat timbered ridge 2 miles distant.

Station mark: A marble post 30 by 6 by 6 inches set 20 inches in the ground, top marked,



Reference mark: The chestnut signal tree; azimuth from station mark, 237° 08'; distance, 32.8 feet.

[Latitude 30° 15' 18.96". Longitude 82° 24' 03.47".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Barton .....	158 09 14.12	338 05 36.66	4,3433070
McDaniel .....	205 26 11.15	25 29 15.51	4,2098137
Townsend (2) .....	261 26 53.85	81 38 31.23	4,4264864
McKnight .....	296 27 23.36	116 35 39.29	4,3229316
Leonard .....	331 39 56.21	151 46 12.85	4,4807510

## DOVENBECKER, WASHINGTON COUNTY.

Situated about 5 miles southwest of Macksburg in pasture field on a high, cleared hill. Land owned by William Dovenbecker.

Station mark: A sandstone post 48 by 6 by 6 inches set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 34' 07.79". Longitude 81° 28' 05.23".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Correy .....	158 44 36.15	338 41 35.73	4.2675872
Fulda .....	193 27 26.49	13 29 38.34	4.3249454
Coffey .....	201 32 41.16	21 34 03.43	3.9232258
Laws .....	260 32 30.54	80 39 58.60	4.2307093
Moore .....	306 00 36.00	126 08 37.09	4.3492957

## LAWS, WASHINGTON COUNTY.

Situated on a high, cleared, flat-topped hill in Liberty Township, about three-quarters of a mile south of the village of Lebanon. Land owned by Mr. Laws.

Station mark: A dead oak tree.

Reference mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of the top of which is cemented a bronze triangulation tablet, "Ohio." Distance to center of tree, 1.4 feet; true azimuth, 170° 43'.

[Latitude 39° 35' 37.83". Longitude 81° 16' 21.98".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Pinkerton .....	50 51 42.70	230 41 51.34	4.4572810
Dovenbecker .....	80 39 58.60	260 32 30.54	4.2307093
Coffey .....	110 10 06.45	290 04 00.35	4.1639102
Fulda .....	146 22 57.69	326 17 40.64	4.3294759
Moore .....	355 27 25.12	175 27 58.83	4.2038199

## GLASS, WASHINGTON COUNTY.

On north end of ridge, 0.5 mile east of Glass post-office and 100 feet south of road.

Station mark: A sandstone post 36 by 8 by 8 inches set 36 inches in the ground, with cross cut in center of top.

Reference mark: Chimney on a small frame house owned by John Newell, 14 feet south of station mark.

[Latitude 39° 33' 09.09". Longitude 81° 07' 27.10".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Moore .....	45 26 59.54	225 21 53.00	4.2086840
Laws .....	109 48 40.00	289 42 59.25	4.1324413
Dillon .....	152 19 54.03	332 17 56.67	3.9758125
Tank .....	183 47 44.00	3 48 12.00	4.1938000
High Knob .....	237 39 23.00	57 43 14.00	4.0093000

## MOORE, WASHINGTON COUNTY.

Situated 4 miles north of Newport, Ohio, on a high cleared knob owned by Mr. Moore and known locally as Moore's Hill.

Station mark: A sandstone post 48 by 8 by 8 inches set 48 inches in the ground, and in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude 39° 27' 00.99". Longitude 81° 15' 29.00".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Pinnacle .....	24 47 56.51	204 43 50.23	4.3462483
Seffens .....	64 45 45.97	244 33 51.52	4.4743073
Pinkerton .....	84 46 38.67	264 36 14.56	4.3728093
Dovenbecker .....	126 08 37.09	306 00 36.00	4.3492957
Laws .....	175 27 58.83	355 27 25.12	4.2038199
Owlshead .....	272 39 24.48	92 50 53.05	4.4140545
McCullough .....	308 27 51.47	128 34 48.44	4.3030833
Griffith .....	354 57 28.03	174 57 55.01	4.0637096

## NOLAN, WASHINGTON COUNTY.

Situated in Dunham Township, about 2 miles west of Veto post-office and 4 miles southwest of Vincent railroad station. Summit of hill occupied by house surrounded by shade and fruit trees. Land owned by R. E. Sutton.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: Chimney on north end of house; distance from station mark, 34 feet; true azimuth from station mark, 142° 29' 20".

[Latitude  $39^{\circ} 20' 38.11''$ . Longitude  $81^{\circ} 42' 39.55''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Lyons .....	36 33 16.71	216 30 09.55	4.0753794
Bond .....	46 14 13.62	226 08 49.91	4.2298152
Southland .....	109 14 36.48	289 09 05.68	4.1212888
Goff .....	314 58 46.74	135 04 44.31	4.2822068
Wigal .....	350 54 54.61	170 56 08.43	4.2486674

## PINKERTON, WASHINGTON COUNTY.

Situated about 4 miles northwest of Marietta and 2 miles south of Churchtown on Pinkerton farm, 600 feet west of Pinkerton residence.

Station mark: A sandstone post 48 by 8 by 8 inches set 48 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

[Latitude  $39^{\circ} 25' 50.23''$ . Longitude  $81^{\circ} 31' 51.42''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Goff .....	4 55 52.16	184 54 59.34	4.3666186
Seffens .....	17 59 25.94	197 57 54.99	4.0458915
Nolan .....	58 13 59.25	238 07 08.00	4.0836942
Dovenbecker .....	199 23 14.85	19 25 38.76	4.2113735
Laws .....	230 41 51.34	50 51 42.70	4.4572810
Moore .....	264 36 14.56	84 46 38.67	4.3728093
Griffith .....	290 46 50.36	110 57 40.75	4.4191325
Pinnacle .....	321 34 57.99	141 41 14.67	4.3601976

## SEFFENS, WASHINGTON COUNTY.

Situated on the summit of a cleared hill in Dunham Township about 1 mile west of Constitution railroad station. Land owned by William Seffens.

Station mark: A stone post 30 by 8 by 8 inches set 30 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet, "Ohio."

Reference mark: The southern one of three trees which occupy the extreme summit of hill; distance from station mark, 3.1 feet; true azimuth from station mark,  $46^{\circ} 22'$ .



[Latitude 39° 20' 07.43". Longitude 81° 34' 14.77".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Nolan .....	94 31 08.23	274 25 48.26	4.0836942
Pinkerton .....	197 57 54.99	17 59 25.94	4.0458915
Moore .....	244 33 51.52	64 45 45.97	4.4743073
Pinnacle .....	292 39 17.80	112 47 04.89	4.2822967
Goff .....	353 29 10.61	173 29 48.59	4.1032735

## PRIMARY TRAVERSE.

The following geographic positions were determined from primary traverse run by J. R. Ellis in 1902. The line starts from Loveland, Baltimore and Ohio and Pennsylvania Railway crossing located by primary traverse in 1902 and follows the Pennsylvania Railway to Middletown Junction, thence along highways to Little Muddy Creek on Cincinnati, Lebanon and Northern Railway, following this road 3 miles, thence along highways to Red Lion, thence west through Blue Ball and Darton, west and south through Wood and Preston, thence south and east and connected with Madisonville station.

*Geographic positions along the Pennsylvania Railroad between Loveland and Middletown Junction.*

Station.	Latitude.	Longitude.
	°   '   "	°   '   "
Loveland railroad crossing .....	39 16 00.6	84 15 31.9
Road crossing north and south .....	39 16 51.3	84 15 35.1
Road crossing under trestle .....	39 18 27.7	84 15 23.5
Foster, road crossing at .....	39 19 19.0	84 15 03.4
Road crossing north and south .....	39 21 05.1	84 14 27.8
Road crossing northeast and southwest .....	39 22 17.2	84 14 42.3

*Geographic positions along highways.*

Station.	Latitude.	Longitude.
	°   '   "	°   '   "
Crossroads .....	39 23 30.0	84 14 52.9
Road crossing north and south .....	39 24 34.0	84 14 35.4
Road southeast .....	39 26 54.6	84 14 06.4
Bridge over creek south .....	39 28 06.1	84 14 16.2
Red Lion, T. 3 E., R. 4 N., center section 15 .....	39 29 28.2	84 14 55.4
T. road south .....	39 29 31.1	84 16 23.7
T. road north .....	39 29 35.7	84 17 32.2
Crossroads .....	39 29 36.6	84 19 00.1
Blue Ball, crossroads at .....	39 29 37.4	84 20 09.6

*Geographic positions along highways—Continued.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
T. road west .....	39	28	26.0	84	20	32.1
Middletown and Cincinnati Railroad at road crossing .....	39	28	30.0	84	21	49.1
T. 3 E., R. 4 N., corner secs. 20, 26, 25, 19 .....	39	28	34.5	84	23	44.8
Electric railway crossing .....	39	28	52.1	84	25	09.3
Trenton, crossing State street and Cincinnati, Hamilton and Dayton Railroad .....	39	28	52.6	84	27	09.9
Ts. 4 and 5 N., Rs. 3 and 4 E., corner of .....	39	28	51.0	84	28	35.8
Ts. 4 and 5 N., R. 3 E., corner secs. 1, 2, 35, 36 .....	39	28	49.8	84	29	43.5
Road crossing north and south .....	39	29	05.2	84	30	41.9
Road crossing north and south .....	39	29	30.9	84	31	58.7
T. 5 N., R. 3 E., corner secs. 28, 29, 32, 33 .....	39	29	40.2	84	33	06.7
Seven-mile station, crossing Pittsburgh, Cincinnati, Chicago and St. Louis Railroad, 1 mile northwest of .....	39	29	39.3	84	34	15.6
Road crossing north and south .....	39	29	28.0	84	36	30.5
T. road north .....	39	29	37.6	84	38	13.8
T. 5 N., R. 3 E., corner secs. 27, 28, 33, 34 .....	39	29	37.7	84	38	46.7
Road north and south .....	39	29	34.7	84	40	49.8
T. 5 N., Rs. 1 and 2 E., T. road east near corner secs. 30, 25, 36, 31 .....	39	29	36.6	84	41	47.2
Pike northwest and southeast .....	39	28	49.9	84	42	43.5
Wood, crossing of Cincinnati, Hamilton and Dayton Railroad, west of station .....	39	27	30.1	84	43	00.1
T. 4 N., R. 1 E., corner secs. 11, 12, 13, 14 .....	39	26	59.2	84	43	17.9
T. 4. N., R. 1 E., corner secs. 13, 14, 23, 24 .....	39	26	07.1	84	43	17.5
Road northwest and southeast .....	39	25	13.6	84	43	44.6
St. Charles T., road north at .....	39	23	30.6	84	44	30.3
T. 3 N., R. 1 E., corner secs. 2, 3, 10, 11 .....	39	22	40.5	84	44	21.3
T. 3 N., R. 1 E., corner secs. 10, 11, 14, 15 .....	39	21	48.4	84	44	21.6
Crossing Cold Wail Pike .....	39	20	16.5	84	44	22.8
T. road south (gravel) .....	39	19	00.8	84	43	50.4
Preston post-office, west end of bridge, one-half mile east of .....	39	16	33.8	84	43	51.9
T. 2 N., R. 1 E., corner secs. 14, 15, 22, 23 .....	39	15	41.8	84	44	25.2
T. 2 N., Rs. 1 and 2 E., corner secs. 7, 12, 13, 18 .....	39	16	33.9	84	42	11.4
Corner secs., numbers not given .....	39	16	33.8	84	41	03.9
Sater post-office, north end of iron bridge at .....	39	15	50.4	84	40	02.6
Sater post-office, corner sec. 1 mile southeast of .....	39	15	11.6	84	39	33.9
Barnesburg tollgate, crossroads at .....	39	13	58.5	84	37	41.4
Crossroads .....	39	13	15.6	84	36	04.9
Grossbeck, crossroads at .....	39	13	13.0	84	35	09.6
T. 3 N., R. 1 E., corner secs. 26, 32, 31, 25 .....	39	13	05.3	84	32	57.7
Carthage, crossing Fifth street and Cincinnati, Hamilton and Dayton Railroad .....	39	11	54.5	84	28	56.9
Madisonville station .....	39	09	26.0	84	23	49.0

## ALABAMA-GEORGIA.

## PRIMARY TRAVERSE.

The following geographic position were obtained from primary traverse run in 1902 by Mr. J. R. Ellis. The line starts from the adjusted position at Opelika, Ala., established in 1901, and follows the Western Railway of Alabama to Lagrange, Ga., thence along the Macon and Birmingham Railway to Harris, thence along the Central of Georgia Railway, via Columbus, to Opelika.

*Geographic positions along the Western Railway of Alabama between Opelika and West Point.*

Station.	Latitude.	Longitude.
ALABAMA.	° ' "	° "
Opelika, water tank, established in 1901 .....	32 38 25.5	85 23 23.6
Opelika, Central of Georgia Railway crossing .....	32 38 44.1	85 22 59.5
Forks of road, crossing at .....	32 39 18.8	85 22 28.4
Road crossing east and west .....	32 40 42.6	85 22 08.6
White, road crossing at .....	32 41 57.8	85 20 49.7
Road crossing east and west .....	32 43 11.2	85 19 47.2
Road crossing east and west .....	32 44 14.3	85 19 39.9
Road crossing east and west .....	32 45 07.5	85 19 42.5
Road crossing east and west .....	32 46 07.0	85 19 23.9
Cossetta station .....	32 47 03.1	85 18 27.4
Road crossing east and west .....	32 47 35.3	85 16 40.1
Road crossing east and west .....	32 48 25.9	85 15 16.4
Road crossing east and west .....	32 49 16.0	85 14 10.0
Road crossing east and west .....	32 49 42.1	85 13 18.3
Road crossing east and west .....	32 50 48.2	85 12 36.5
Chattahoochee Valley Railway crossing .....	32 51 16.1	85 11 31.3
Alabama-Georgia, State line, crossing of .....	32 52 14.7	85 11 08.8

*Geographic positions along the Atlanta and West Point Railroad between West Point and Lagrange.*

Station.	Latitude.	Longitude.
GEORGIA.	° ' "	° ' "
West Point station .....	32 52 31.8	85 11 01.6
Road crossing east and west .....	32 53 13.0	85 09 46.3
Road crossing east and west .....	32 54 38.5	85 08 40.0
Gabbettville station .....	32 56 41.6	85 08 02.0
Road crossing east and west .....	32 57 26.1	85 07 15.5
Road crossing north and south .....	32 57 56.5	85 06 19.6
Road crossing north and south .....	32 58 28.4	85 04 21.1
Road crossing northeast and southwest .....	32 58 57.1	85 03 54.6
Road crossing east and west .....	33 00 34.7	85 02 52.9
Lagrange station .....	33 02 08.1	85 01 46.4

*Geographic positions along the Macon and Birmingham Railway between Lagrange and Harris.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Road crossing east and west .....	33 02 36.1	85 00 27.8
Western Railway of Alabama crossing .....	33 02 38.1	84 59 40.3
Road crossing north and south .....	33 02 32.7	84 58 13.3
Road crossing north and south .....	33 02 29.7	84 56 53.0
Mutual, north and south road crossing at .....	33 03 13.1	84 55 24.5
Road crossing .....	33 02 24.1	84 53 21.8
Mountville station .....	33 02 24.5	84 52 34.3
Road crossing east and west .....	33 02 17.2	84 51 33.8
Road crossing north and south .....	33 01 58.0	84 50 33.6
Road crossing northeast and southwest .....	33 01 10.3	84 49 28.6
Road crossing north and south .....	33 00 31.4	84 48 55.7
Road crossing north and south .....	32 59 44.7	84 47 28.0
Road crossing north and south .....	32 58 49.7	84 45 30.1
Road crossing north and south .....	32 58 24.3	84 44 13.1
Harris, Central of Georgia Railway crossing .....	32 58 05.7	84 42 47.5

*Geographic positions along Central of Georgia Railway from Harris, Ga., via Columbus, to Opelika, Ala.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
GEORGIA.		
Road crossing north and south .....	32 56 21.2	84 43 46.0
Road crossing north and south .....	32 55 45.9	84 44 19.2
Stinson blacksmith shop, road crossing near .....	32 55 21.4	84 46 04.5
Road crossing east and west .....	32 54 18.5	84 47 31.7
Brandywine, north and south road crossing at .....	32 53 38.3	84 48 21.9
Road crossing north and south .....	32 52 56.6	84 49 19.1
Road crossing east and west .....	32 52 54.7	84 50 26.4
Chipley station .....	32 51 53.8	84 51 18.0
Road crossing east and west .....	32 51 06.9	84 50 49.2
Trestle, road crossing under .....	32 50 05.5	84 50 28.4
Tip Top, road crossing at .....	32 48 12.9	84 52 10.4
Road crossing east and west .....	32 46 49.6	84 53 16.5
Hamilton station .....	32 45 37.3	84 52 37.0
Road crossing north and south .....	32 44 42.5	84 52 15.0
Road crossing north and south .....	32 43 52.2	84 52 31.8
Road crossing east and west .....	32 42 36.5	84 52 31.4
Road crossing east and west .....	32 40 58.9	84 52 05.8

*Geographic positions along Central of Georgia Railway, etc.—Continued.*

Station.	Latitude.	Longitude.
GEORGIA—continued.		
Road crossing north and south .....	32 39 20.3	84 52 06.6
Mobley, road crossing at .....	32 38 43.8	84 52 49.7
Road crossing east and west .....	32 37 35.3	84 54 26.5
Forston, north and south road crossing at .....	32 36 26.7	84 56 13.0
Road crossing east and west .....	32 35 35.5	84 56 41.0
Trestle 9 B, road crossing under .....	32 34 38.0	84 56 49.2
Nankipoo, road crossing at .....	32 33 24.5	84 56 45.7
Road crossing east and west .....	32 32 27.0	84 57 25.1
Road crossing northeast and southwest .....	32 31 38.4	84 57 58.8
Road crossing .....	32 30 26.9	84 58 51.5
Columbus, First avenue crossing .....	32 28 39.1	84 59 29.8
Phoenix station .....	32 28 38.8	85 00 26.7
ALABAMA.		
Road crossing east and west .....	32 29 28.1	85 01 52.4
Road crossing north and south .....	32 29 59.0	85 03 00.1
Road crossing northwest and southeast .....	32 31 13.4	85 04 37.9
Smith station .....	32 32 12.9	85 05 40.8
Road crossing east and west .....	32 33 17.7	85 07 15.9
Road crossing north and south .....	32 34 48.3	85 10 01.2
Panstown, north and south road crossing at .....	32 35 04.7	85 11 02.5
Road crossing east and west .....	32 35 37.2	85 13 10.8
Salem station .....	32 35 49.6	85 14 18.8
Road crossing east and west .....	32 36 19.3	85 15 48.2
Road crossing over railway .....	32 37 23.3	85 17 19.7
Road crossing north and south .....	32 37 30.3	85 18 49.7
Chewachee station .....	32 37 12.3	85 20 14.8
Road crossing east and west .....	32 37 18.1	85 21 36.3

## KENTUCKY.

## PRIMARY TRAVERSE.

The following geographic positions were determined from primary traverse run in 1902 by Mr. J. R. Ellis. The line starts from the United States Coast and Geodetic Survey astronomic pier at Henderson and follows the Louisville and Nashville Railway to Elmwood, thence east and north along highways to Floral and connects with the line run in 1900.



*Geographic positions along the Louisville and Nashville Railway between Henderson and Elmwood.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Henderson astronomic pier	37	50	24.8	87	35	26.1
Henderson, Washington street, crossing of	37	49	45.6	87	34	32.0
Road crossing north and south	37	48	27.7	87	34	29.7
Road crossing east and west	37	47	01.7	87	34	35.4
Road crossing, private	37	46	06.2	87	34	25.3
Road crossing	37	44	18.4	87	33	59.2
Road crossing east and west	37	42	47.5	87	33	37.1
Road crossing, private	37	41	18.5	87	33	06.7
Robard station	37	40	33.3	87	32	46.1
Road crossing east and west	37	39	04.6	87	32	14.3
Road crossing	37	37	20.6	87	31	30.4
Sebree, Main street crossing of	37	36	30.1	87	31	47.3
Road crossing	37	35	54.0	87	31	50.2
Road crossing east and west	37	35	10.2	87	31	25.9
Road crossing east and west	37	33	48.2	87	31	31.4
Road crossing east and west	37	33	05.4	87	31	23.9
Elmwood, road, crossing at	37	31	42.7	87	29	24.8

*Geographic positions along highways between Elmwood and Floral.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Crossroads	37	30	47.2	87	29	46.2
Belcourt, road north at	37	31	54.4	87	28	40.4
T. road east	37	32	53.9	87	27	57.0
T. road east	37	33	05.9	87	27	06.4
Ashby's store, road south at	37	33	19.0	87	26	10.2
T. road south	37	32	38.2	87	25	20.5
Ashbyburg, Leodguard's store, road crossing at	37	32	02.9	87	22	01.8
Road north	37	31	43.2	87	20	45.1
Shutt's Chapel, road in front of	37	31	43.4	87	19	40.0
Road south	37	31	59.4	87	18	30.4
Three roads, junction of	37	31	17.1	87	17	00.2
Rumsey, road south at	37	31	50.5	87	15	37.1
Road south	37	30	35.7	87	13	09.5
Road south	37	30	23.5	87	12	07.5
Road north and south	37	30	04.7	87	09	56.2
Crossroads	37	30	04.9	87	09	12.9
Livermore; Sixth and Main streets, crossing of	37	29	31.0	87	08	05.5

*Geographic positions along highways between Elmwood and Floral—Continued.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Railway crossing .....	37	30	12.6	87	07	13.9
Nuckols, railway crossing at .....	37	31	26.0	87	06	54.6
Hillside schoolhouse, T. road, 900 feet north of .....	37	31	21.4	87	05	25.6
Crossroads .....	37	30	55.8	87	04	07.6
Schoolhouse, T. road, 400 feet south of .....	37	30	34.3	87	02	32.0
Crossroads .....	37	30	21.2	87	01	06.2
Heflin post office .....	37	30	25.6	87	00	25.7
Road north .....	37	29	57.9	86	58	58.0
Noe Creek post-office, road south at .....	37	28	58.1	86	58	10.1
T. road south .....	37	28	39.6	86	56	39.4
Hartford; Union and Market streets, corner of .....	37	27	07.5	86	54	29.6
Hayti schoolhouse T. road south at .....	37	27	25.0	86	53	42.3
T. road west .....	37	27	41.9	86	52	32.3
Crossroads .....	37	28	31.0	86	51	34.8
Road north .....	37	29	26.2	86	50	15.2
Jingo post-office, junction roads at .....	37	29	58.7	86	48	26.4
Road west .....	37	31	33.2	86	47	54.8
Sulphur Springs, crossroads at .....	37	32	10.9	86	46	33.4
Dundee, T. road west at .....	37	33	32.6	86	46	19.3
Road east .....	37	34	34.6	86	46	19.6
Bacham schoolhouse, crossroads at .....	37	35	19.8	86	46	23.0
Farmers' store, road southeast at .....	37	37	08.3	86	47	18.1
Friendship Church, crossroads at .....	37	38	33.1	86	46	24.0
Reynolds, railway crossing at .....	37	39	43.4	86	45	46.6
Haynesville, forks of road at .....	37	41	06.3	86	45	20.3
Lyonia, crossroads 1 mile west of .....	37	42	31.4	86	45	46.7
Catholic Church, crossroads northeast of .....	37	43	23.9	86	46	34.3
T. road east .....	37	44	18.1	86	47	36.4
Pellville, entrance to cemetery, T. road south at .....	37	45	13.8	86	48	32.0

*Line from the United States Coast and Geodetic Survey astronomic pier at Henderson along the Illinois Central Railway to Morganfield and Uniontown, across the Ohio River, to a land-survey corner in Indiana.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Henderson astronomic pier .....	37	50	24.8	87	35	26.1
Henderson, Madisonville road crossing .....	37	49	02.5	87	35	00.4
Road crossing under trestle .....	37	47	41.8	87	37	08.6
Cedar Grove, road crossing at .....	37	47	27.9	87	38	03.0

*Line from Henderson across Ohio River—Continued.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Wilson, road crossing at .....	37 46 52.4	87 39 19.6
Corydon, Negro Church, road crossing at .....	37 44 50.1	87 41 51.3
Dixie, road crossing at .....	37 44 08.4	87 42 03.0
Road crossing north and south .....	37 43 16.0	87 43 18.3
Highland station .....	37 43 17.2	87 44 34.4
Road crossing north and south .....	37 43 11.2	87 46 11.3
Road crossing north and south (telephone line) .....	37 42 55.0	87 48 19.7
Road crossing northwest and southeast .....	37 42 40.9	87 49 13.1
St. Vincent, road crossing at .....	37 42 22.8	87 50 21.3
Flournoy station .....	37 41 53.7	87 51 36.0
Road crossing northwest and southeast .....	37 41 41.4	87 52 49.9
Morganfield brickyard, road crossing at .....	37 41 25.5	87 54 26.3
Road crossing east and west .....	37 42 55.3	87 54 50.7
Road crossing east and west .....	37 44 00.3	87 55 15.1
Road crossing north and south .....	37 45 10.2	87 55 35.2
Uniontown, Mill street crossing of .....	37 46 06.2	87 55 53.9
INDIANA.		
T. 8 S., R. 14 W., $\frac{1}{4}$ corner between secs. 35 and 36 ..	37 47 01.9	87 56 46.9

*Line from the adjusted position at Nuckols along the Louisville and Nashville Railway to Owensboro, connecting with position determined by primary traverse in 1899.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Nuckols, railway crossing at .....	37 31 26.0	87 06 54.6
Road crossing north and south .....	37 32 34.8	87 06 25.4
Livia station .....	37 34 07.4	87 06 00.7
Road crossing east and west .....	37 34 41.3	87 05 50.7
Road crossing northeast and southwest .....	37 35 55.8	87 06 25.7
Road crossing east and west .....	37 37 18.2	87 07 11.2
Road crossing east and west .....	37 38 24.4	87 07 03.3
Sutherland, road crossing at .....	37 40 15.7	87 07 13.3
Road crossing east and west .....	37 41 36.6	87 07 10.2
Road crossing east and west .....	37 42 33.5	87 06 59.7
Owensboro, Hickman Park, road crossing at .....	37 44 29.2	87 06 23.7

## MISSISSIPPI.

## PRIMARY TRAVERSE.

The following geographic positions were determined from primary traverse by Mr. J. R. Ellis in 1902 and 1903. The line between Vicksburg and Jackson was run and duplicated, giving a double value for

Jackson which was based on United States Mississippi River Commission triangulation station Trinity Church spire. This line follows the Alabama and Vicksburg Railway. A spur line was run northward from Jackson along the Yazoo and Mississippi Valley Railway to Pocahontas. A spur line was also run southward from Jackson following the Illinois Central Railway to the line between Hinds and Copiah counties. Another line was run eastward from Jackson along the Alabama and Vicksburg Railway to range line between Rs. 3 and 4 E.

*Geographic positions along the Alabama and Vicksburg Railway between Vicksburg and Jackson.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Vicksburg, Trinity Church spire .....	32	20	49.2	90	52	49.5
Overhead road crossing north and south .....	32	20	24.2	90	50	58.5
Beechwoods, road crossing at .....	32	19	44.1	90	48	49.2
Overhead road crossing north and south .....	32	20	12.6	90	47	38.1
Newman, north and south road crossing at .....	32	20	43.9	90	46	15.3
Road crossing north and south .....	32	20	50.7	90	45	29.3
Bovina station .....	32	21	04.2	90	44	06.5
Road crossing east and west .....	32	20	42.3	90	42	52.0
T. 6 N., R. 5 W., corner secs. 22, 23, 26, 27 .....	32	20	31.7	90	41	23.3
Smith station .....	32	20	21.1	90	40	24.9
Road crossing north and south .....	32	20	07.3	90	39	19.7
Road crossing north and south .....	32	19	54.6	90	38	06.3
Edwards, Main street, crossing of .....	32	19	46.3	90	36	21.7
Road crossing northwest and southeast .....	32	19	55.1	90	34	58.2
T. 6 N., Rs. 4 and 3 W., corner secs. 19, 24, 25, 30 .....	32	20	29.0	90	33	22.1
T. 6 N., R. 3 W., $\frac{1}{4}$ corner between secs. 20, 21 .....	32	20	56.7	90	31	11.3
Sec. corner (no numbers) .....	32	20	56.6	90	29	07.5
Bolton station .....	32	20	50.2	90	27	29.1
Road crossing north and south .....	32	21	03.1	90	25	45.3
T. 6 N., R. 2 W., corner secs. 15, 16, 21, 22 .....	32	21	22.9	90	23	58.9
Stone culvert, U. S. Coast and Geodetic Survey bench mark on .....	32	20	50.1	90	20	19.9
T. 6 N., R. 1 W., corner secs. 19, 20, 29, 30 .....	32	20	29.3	90	19	50.3
Road crossing northeast and southwest .....	32	20	02.6	90	17	40.3
Dixon, north and south road crossing at .....	32	19	30.4	90	15	12.2
T. 6 N., R. 1 E., corner secs. 29, 30, 31, 32 .....	32	19	37.1	90	13	43.2
Jackson, north and south road crossing, 1 mile northwest of .....	32	19	05.9	90	12	39.0

*Geographic positions along the Illinois Central Railway from Jackson to line between Hinds and Copiah counties.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Jackson station .....	32 18 01.3	90 11 30.6
Jackson, Illinois Central and Alabama and Vicksburg railways, crossing of .....	32 17 54.9	90 11 30.0
T. 5 N., R. 1 E., corner secs. 3, 4, 9, 10 .....	32 17 48.2	90 11 35.6
Road crossing east and west .....	32 16 19.3	90 12 26.3
Road crossing east and west .....	32 14 51.6	90 12 38.8
Pearl, road crossing east and west at .....	32 13 12.2	90 13 12.2
Road crossing east and west .....	32 11 45.3	90 13 47.5
Byram station .....	32 10 44.7	90 14 41.4
Road crossing east and west .....	32 09 30.5	90 15 26.4
Road crossing east and west .....	32 07 13.8	90 16 15.3
Road crossing east and west .....	32 06 03.7	90 17 14.6
Terry station .....	32 05 38.8	90 17 38.0
Road crossing east and west .....	32 04 52.5	90 18 21.3
Road crossing east and west .....	32 04 02.3	90 19 08.3
Ts. 2 and 3 N., R. 1 W., corner secs. 5, 6, 31, 32 .....	32 02 56.3	90 19 52.8
Hinds and Copiah county line, crossing of .....	32 02 54.9	90 20 04.9

*Geographic positions along the Alabama and Vicksburg Railway from Jackson eastward to line between ranges 3 and 4.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Road crossing east and west .....	32 16 31.6	90 09 59.2
Road crossing north and south .....	32 15 33.3	90 09 12.0
Pearson, road crossing at .....	32 14 48.8	90 07 56.4
Road crossing north and south .....	32 14 33.1	90 06 47.4
Road crossing north and south .....	32 14 06.0	90 05 33.1
Road crossing north and south .....	32 14 09.5	90 04 22.5
Greenfield, road crossing east and west at .....	32 14 53.9	90 03 13.7
Rice, station-board .....	32 15 59.0	90 02 18.7
Road crossing north and south .....	32 16 43.5	90 00 17.9
Brandon station .....	32 17 08.0	89 59 44.4
Road crossing north and south .....	32 17 28.6	89 58 39.3
T. 5 N., Rs. 3 and 4 E., $\frac{1}{4}$ corner between secs. 7 and 12 .....	32 17 25.4	89 56 15.4



*Geographic positions along the Yazoo and Mississippi Valley Railway from Jackson northeastward.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Road crossing east and west .....	32 19 33.9	90 11 15.3
Road crossing northeast and southwest .....	32 20 24.3	90 11 54.1
T. 6 N., R. 1 E., corner secs. 16, 17, 20, 21 .....	32 21 19.4	90 12 37.4
Road crossing northeast and southwest .....	32 22 00.0	90 13 15.5
Road crossing north and south .....	32 23 09.9	90 14 01.4
Cynthia, road crossing at .....	32 24 03.6	90 14 55.2
Greene Crossing, road east and west .....	32 26 12.6	90 16 00.3
Road crossing east and west .....	32 27 22.5	90 16 46.3
Pocahontas station .....	32 28 19.5	90 17 16.9
Hinds and Madison county line, crossing of .....	32 29 13.1	90 17 19.0
Ts. 7 and 8 N., R. 1 W., corner secs. 2, 3, 34, 35 .....	32 29 13.7	90 16 43.3

## ILLINOIS.

## PRIMARY TRAVERSE.

The following geographic positions were determined by primary traverse run in 1902 by Mr. J. R. Ellis. Starting from adjusted position of the Chicago, Peoria and St. Louis Railway station at Havana, the line follows that railway to a point about 3.5 miles northeast of Parkland, thence east along wagon roads to southeast corner of Peoria quadrangle, thence north to Morton, thence north on Vandalia Railway to Farmdale, thence north and west through Peoria, thence west and south by wagon roads to Reed City, thence east by Toledo, Peoria and Western Railway to Pekin, thence southwest to point where line first left railway over Chicago, Peoria and St. Louis Railway.

*Geographic positions along the Chicago, Peoria and St. Louis Railway.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Havana station .....	40 17 37.2	90 03 56.0
Road crossing north and south (private) .....	40 29 51.3	89 43 07.1

*Geographic positions along highways.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
T. 24 N., R. 5 W., corner secs. 29, 30, 31, and 32 .....	40 29 37.0	89 42 07.7
T. 24 N., R. 5 W., corner secs. 28, 29, 32, and 33 .....	40 29 38.7	89 40 58.3
T. 24 N., R. 5 W., corner secs. 26, 27, 34, and 35 .....	40 29 39.9	89 38 41.2
T. 24 N., R. 5 W., corner secs. 25, 26, 35, and 36 .....	40 29 40.4	89 37 32.7

*Geographic positions along highways—Continued.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Ts. 23 and 24, N. Rs. 4 and 5 W., corner of .....	40 28 49.2	89 36 22.5
T. 24 N., R. 4 W., corner secs. 28, 29, 32, and 33 .....	40 29 41.8	89 34 05.5
T. 24 N., R. 4 W., corner secs. 27, 28, 33, and 34 .....	40 29 42.2	89 32 58.2
T. 24 N., R. 4 W., corner secs. 26, 27, 34, and 35 .....	40 29 42.9	89 31 49.9
T. 24 N., R. 4 W., corner secs. 25, 26, 35, and 36 .....	40 29 43.4	89 30 42.3
T. 24 N., R. 3 and 4 W., corner secs. 25, 30, 31, and 36 .....	40 29 43.9	89 29 34.4
T. 24 N., R. 4 W., $\frac{1}{4}$ corner between secs. 25 and 30 .....	40 30 10.6	89 29 34.7
Road, corner in .....	40 30 11.5	89 28 18.6
Road east and west .....	40 31 30.0	89 28 20.1
T. 24 N., R. 4 W., corner secs. 7, 8, 17, and 18 .....	40 32 22.1	89 28 37.7
T. 24 N., R. 4 W., corner secs. 5, 6, 7, and 8 .....	40 33 14.4	89 28 38.9
Ts. 24 and 25 N., R. 4 W., corner secs. 5, 6, 31, and 32 .....	40 34 06.6	89 28 42.2
Maple Grove schoolhouse, road corner at .....	40 35 25.3	89 28 30.6

*Geographic positions along the Vandalia Railway.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Morton crossing of Tremont and St. Louisa Railway .....	40 36 30.7	89 27 48.1
Road crossing east and west .....	40 37 25.5	89 29 00.2
Road crossing east and west .....	40 39 35.8	89 30 06.3
Road crossing north and south .....	40 40 16.1	89 31 21.5

*Geographic positions along highways.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Three roads, junction of .....	40 40 57.7	89 33 13.4
Creek northwest, bridge over .....	40 41 41.8	89 32 26.7
Creek west, bridge over .....	40 42 49.0	89 31 46.6
Crossroads .....	40 43 30.7	89 31 24.5
T. 26 N., R. 4 W., corner secs. 1, 2, 11, and 12 .....	40 43 56.8	89 31 18.8
Pitt and mound 45 feet south of road on top of hill .....	40 43 58.2	89 30 30.8
Illinois River, center draw to wagon bridge, over .....	40 43 27.9	89 32 52.9
Peoria, North Perry street and Abingdon avenue, corner of .....	40 42 35.3	89 34 17.6
Peoria, Knoxville, and Frye avenues, corner of .....	40 42 44.4	89 35 38.8
Peoria, Elizabeth, and Nebraska avenues, corner of .....	40 42 37.9	89 36 13.5

*Geographic positions along highways—Continued.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Peoria, Main and Franklin streets, corner of .....	40 41 59.4	89 36 33.6
Road west .....	40 42 17.0	89 38 08.9
Pottstown, railway crossing at .....	40 43 05.3	89 39 39.5
T. 9 N., R. 7 E., $\frac{1}{4}$ corner between secs. 27 and 34 .....	40 43 32.1	89 41 23.3
T. 9 N., R. 11 E., corner secs. 27, 28, 33, and 34 .....	40 43 32.2	89 41 57.6
T. road north .....	40 43 32.3	89 43 06.7
T. road east .....	40 43 06.1	89 44 50.1
Ts. 8 and 9 N., R. 7 E., $\frac{1}{4}$ corner between secs. 6 and 31 .....	40 42 39.9	89 44 50.6
Hale, crossing Iowa Central Railway at .....	40 41 29.3	89 44 49.6
T. 8 N., Rs. 6 and 7 E., corner 7, 12, 13, and 18 .....	40 40 55.1	89 45 25.2
Gravel road east and west .....	40 39 38.3	89 46 07.6
Ts. 7 and 8 N., Rs. 6 and 7 E., corner of .....	40 37 27.0	89 45 24.4
T. road east .....	40 36 20.8	89 45 23.6
T. road east .....	40 35 16.0	89 45 22.9

*Geographic positions along the Toledo, Peoria and Western Railway.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Reed City, railway crossing at .....	40 34 32.5	89 45 03.2
Road crossing north and south .....	40 33 59.0	89 43 50.2
Roads crossing north, east, south, and west .....	40 34 21.2	89 42 31.5
Road crossing east and west .....	40 34 48.5	89 41 30.0
Orchard Mines, road crossing at .....	40 35 20.1	89 40 41.5
Pekin, center of draw in wagon bridge .....	40 34 22.3	89 39 18.2

*Geographic positions along the Chicago, Peoria and St. Louis Railway.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Chicago, Peoria and St. Louis Railway and Peoria and Pekin Union Railway, crossing of .....	40 33 38.8	89 39 21.8
Globe Distillery, east and west road crossing at .....	40 33 03.5	89 39 55.9
Road crossing east and west .....	40 32 16.1	89 40 44.7
T. 24 N., R. 5 W., $\frac{1}{4}$ corner between secs. 17 and 20 .....	40 31 22.8	89 41 35.0

**MICHIGAN.**  
**PRIMARY TRAVERSE.**

The following positions were obtained by primary traverse run by Mr. J. R. Ellis in 1902. Line starts from adjusted position of Plymouth railway station, located by primary traverse in 1901, and follows highways south to Monroe triangulation station of Lake Survey:

*Geographic positions from Plymouth station southward.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Plymouth station .....	42	22	50.0	83	27	42.3
Road crossing north and south .....	42	22	38.4	83	30	36.0
T. road north .....	42	22	30.2	83	32	19.1
T. road east .....	42	21	49.7	83	32	53.6
Ts. 1 and 2 S., Rs. 7 and 8 E., corner of .....	42	20	56.7	83	32	50.3
T. 2 S., Rs. 7 and 8 E., corner secs. 1, 6, 7, 12 .....	42	20	04.7	83	32	48.4
T. 2 S., Rs. 7 and 8 E., corner secs. 18, 7, 12, 13 .....	42	19	12.7	83	32	46.0
T. 2 S., Rs. 7 and 8 E., corner secs. 18, 19, 24, 13 .....	42	18	20.6	83	32	43.3
Road northeast and southwest .....	42	17	31.0	83	32	43.1
T. 2 S., Rs. 7 and 8 E., corner secs. 31, 30, 36, 25 .....	42	16	35.8	83	33	15.1
T. road east .....	42	15	43.5	83	33	12.2
T. 3 S., Rs. 7 and 8 E., corner secs. 1, 6, 7, 12 .....	42	14	49.5	83	32	39.7
T. 3 S., Rs. 7 and 8 E., corner secs. 7, 18, 13, 12 .....	42	13	57.7	83	32	38.9
T. road west .....	42	12	49.1	83	32	36.4
Road southeast .....	42	11	52.7	83	32	34.4
Ts. 3 and 4 S., Rs. 7 and 8 E., corner of .....	42	10	27.2	83	32	31.4
T. 4 S., Rs. 7 and 8 E., corner secs. 1, 6, 7, 12 .....	42	09	30.7	83	32	29.2
Road east and west .....	42	08	37.8	83	32	27.5
T. road west .....	42	07	45.3	83	32	26.0
T. 4 S., Rs. 7 and 8 E., corner secs. 19, 30, 25, 24 .....	42	06	52.3	83	32	24.2
T. 4 S., Rs. 7 and 8 E., corner secs. 30, 31, 36, 25 .....	42	06	00.0	83	32	22.7
Ts. 4 and 5 S., Rs. 7 and 8 E., corner of .....	42	05	07.8	83	32	21.1
T. 5 S., Rs. 7 and 8 E., corner secs. 1, 6, 7, 12 .....	42	04	21.1	83	32	19.9
Road northwest and southeast .....	42	03	23.5	83	32	18.5
T. road east .....	42	02	06.9	83	32	16.8
Road northwest and southeast .....	42	01	06.9	83	32	15.4
Road west .....	42	00	24.5	83	31	38.1
Road east and west .....	41	58	52.9	83	32	07.1
T. road north .....	41	57	55.5	83	32	38.6
T. road southwest .....	41	56	54.0	83	31	47.2
T. road northwest .....	41	56	29.2	83	30	48.3
T. road north and south .....	41	56	13.5	83	29	22.7
Monroe County Poor House, crossroads, 800 feet west of .....	41	55	59.4	83	27	47.1
Monroe, triangulation station U. S. Lake Survey .....	41	55	04.3	83	28	15.3

## MISSOURI.

## PRIMARY TRAVERSE.

The following geographic positions were determined from primary traverse run by Mr. J. R. Ellis in 1902. The line starts from United States Coast and Geodetic Survey triangulation station Hughes and follows highways south and east to Bagnell, thence north along Missouri Pacific Railway to a point near Olean, thence north and west along highways to United States Coast and Geodetic Survey triangulation station Highpoint. Positions are given on the U. S. Standard datum:

*Geographic positions along highways from Hughes triangulation station to Bagnell.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Hughes triangulation station United States Coast and Geodetic Survey .....	38 25 56.5	92 55 52.1
Crossroads .....	38 25 53.7	92 57 15.7
T. road north .....	38 25 47.8	92 57 59.3
T. road west .....	38 24 57.7	92 58 51.8
Harden Williams's residence road, east at .....	38 24 00.8	92 58 56.1
Road west .....	38 23 14.6	92 59 31.4
Spear's mill, road east and west to .....	38 22 07.9	92 58 58.7
Ts. 41 and 42 N., Rs. 18 and 19 W., corner of .....	38 21 26.1	92 57 41.9
T. road .....	38 18 56.7	92 56 27.0
Southeast corner field, crossroads at .....	38 18 15.2	92 56 57.1
County road north .....	38 17 24.6	92 56 38.8
T. 40 N., R. 18 W., center sec. 8 .....	38 14 50.1	92 56 27.2
Proctors Ferry, frame house 300 yards east of, on the north bank Osage River .....	38 13 55.6	92 57 06.4
Road east .....	38 12 46.3	92 57 07.3
Ts. 39 and 40 N., Rs. 18 and 19 W., corner of .....	38 10 57.6	92 58 39.5
Hankins's residence, crossroads at .....	38 10 13.0	92 58 42.1
Road south .....	38 09 26.7	92 57 58.3
Signboard Ironton, 4 miles, crossroads at .....	38 09 09.6	92 57 26.0
Signboard Rainy Creek, 6 miles, T. road at .....	38 08 44.0	92 56 25.0
T. road west .....	38 07 17.6	92 54 32.6
Abram's store, crossroads 150 yards west of .....	38 06 36.2	92 54 34.3
Road south .....	38 06 09.0	92 53 25.4
Southwest corner of field, road north at .....	38 06 21.5	92 52 16.8
Corner of field, road southeast at .....	38 05 53.4	92 50 38.6
Signboard Climax Springs, 13 miles, crossroads at .....	38 05 39.3	92 49 51.4
Road north .....	38 05 43.8	92 49 07.3
Cemetery, east fence to .....	38 05 39.5	92 47 49.5
T. 39 N., R. 17 W., $\frac{1}{4}$ corner between secs. 26 and 35 .....	38 05 00.5	92 45 42.5
Ts. 38 and 39 N., Rs. 16 and 17 W., corner of .....	38 04 05.9	92 44 06.8
Brumell, road east to .....	38 04 53.4	92 43 29.9



*Geographic positions along highways, etc.—Continued.*

Station.	Latitude.	Longitude.
	°   '   "	°   '   "
Three roads, junction of .....	38 05 45.0	92 42 53.9
Road south .....	38 05 56.3	92 41 56.3
Damsel post-office .....	38 06 38.9	92 41 17.4
Schoolhouse (concrete) .....	38 07 35.4	92 39 57.4
Creek, forks of road in .....	38 07 12.1	92 38 04.4
Road east .....	38 07 58.7	92 37 20.1
Crossroads .....	38 10 11.7	92 35 15.6
Bagnell, crossroads 3 miles south of .....	38 11 34.8	92 34 29.0
Road east .....	38 12 55.9	92 35 00.2
Signboard, "Brunley 12 miles, Tuscumbia 12 miles," T. road at .....	38 13 07.8	92 35 26.0

*Geographic positions along the Missouri Pacific Railway between Bagnell and Olean.*

Station.	Latitude.	Longitude.
	°   '   "	°   '   "
Bagnell station .....	38 13 33.4	92 36 02.8
East and west road crossing .....	38 14 07.7	92 37 03.9
East and west road crossing .....	38 14 45.4	92 35 42.5
Road crossing under trestle .....	38 16 22.2	92 36 23.8
North and south road crossing .....	38 16 54.5	92 36 28.9
Aurora station .....	38 18 49.7	92 35 48.8
East and west road crossing .....	38 19 35.1	92 36 19.3
Missouri Pacific and Chicago, Rock Island railways, crossing of .....	38 20 45.0	92 35 03.1
East and west road crossing .....	38 21 51.8	92 33 36.5
Private road crossing .....	38 23 48.6	92 32 45.4
North and south road crossing .....	38 24 14.1	92 32 20.7

*Geographic positions along highways from near Olean to Highpoint triangulation station.*

Station.	Latitude.	Longitude.
	°   '   "	°   '   "
Telegraph line, T. road .....	38 24 40.6	92 32 26.2
Road west .....	38 26 07.2	92 32 53.2
Mett's blacksmith shop, T. road at .....	38 27 16.9	92 33 16.4
Creek east, bridge over .....	38 27 58.6	92 33 34.1
South entrance to I. O. O. F. Cemetery, road at .....	38 28 51.8	92 34 34.3
Highpoint triangulation station United States Coast and Geodetic Survey .....	38 29 29.4	92 34 59.7

## KANSAS.

## PRIMARY TRAVERSE.

Two 30-minute quadrangles in southeastern Kansas were controlled by 150 miles of primary traverse run by Mr. J. R. Ellis, field assistant, in 1902. Positions are based upon the astronomic station at Fort Scott.

*Geographic positions along Missouri, Kansas and Texas Railway between Fort Scott and Walnut.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Fort Scott, Kans., astr. pier .....	37	50	25.76	94	42	26.75
Corner of Bridal Veil Park, road crossing at .....	37	50	26.13	94	43	21.16
Road north and south .....	37	49	35.72	94	45	37.37
Road north and south .....	37	49	00.74	94	46	09.83
Bridge 174, road crossing under .....	37	48	43.95	94	46	48.91
Ronald, road crossing east and west at .....	37	47	29.28	94	48	23.05
Road crossing east and west .....	37	46	36.56	94	49	16.62
T. 26 S., Rs. 23 and 24 E., corner secs. 19, 24, 25, and 30 .....	37	45	44.29	94	49	55.73
Road crossing east and west .....	37	44	52.32	94	50	51.79
Road crossing east and west .....	37	44	00.74	94	51	43.69
Hiattville station .....	37	43	21.40	94	52	13.85
Road crossing north and south .....	37	42	45.01	94	53	14.71
T. 27 S., R. 23 E., corner secs. 8, 9, 16, and 17 .....	37	42	16.06	94	54	21.64
Road crossing north and south .....	37	41	35.50	94	55	28.45
Road crossing north and south .....	37	40	51.48	94	56	33.10
Bourbon-Crawford county line, road crossing on .....	37	40	31.69	94	57	05.33
Hepler station .....	37	39	50.60	94	58	12.56
T. 27 S., R. 22 E., corner secs. 26, 27, 34, and 35 .....	37	39	39.06	94	58	43.84
Ts. 27, 28 S., R. 22 E., corner secs. 33, 34, 4, and 3 .....	37	38	46.65	94	59	49.52
Road crossing north and south .....	37	38	10.99	95	00	55.47
Road crossing north and south .....	37	37	31.19	95	02	00.47
Road crossing north and south .....	37	36	51.85	95	03	04.68
T. 28 S., R. 21 E., corner secs. 13, 14, 23, and 24 .....	37	36	08.90	95	04	10.86
Walnut, Atchison, Topeka and Santa Fe Railway crossing .....	37	36	05.62	95	04	20.13

*Geographic positions along branch line of Atchison, Topeka and Santa Fe  
Railway between Walnut and Chanute.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Road crossing north and south .....	37	36	32.17	95	05	16.67
Road crossing north and south .....	37	36	17.81	95	06	22.24
Road crossing north and south .....	37	35	30.83	95	07	27.94
Road crossing north and south .....	37	35	01.02	95	08	33.60
Road crossing north and south .....	37	34	56.03	95	09	39.19
Trent, road crossing north and south at .....	37	34	55.25	95	10	46.85
T. 28 S., R. 20 E., corner secs. 22, 23, 26, and 27 .....	37	35	14.66	95	11	52.02
Road crossing north and south .....	37	34	55.95	95	12	57.64
Missouri, Kansas and Texas Railway, crossing of .....	37	34	36.67	95	14	11.54
Road crossing north and south .....	37	34	38.28	95	15	09.00
T. 28 S., R. 19 E., corner secs. 23, 24, 25, and 26 .....	37	35	14.29	95	17	18.92
Road crossing north and south .....	37	35	42.43	95	18	24.78
Shaw station .....	37	36	06.71	95	19	04.10
Road crossing east and west (not public) .....	37	37	06.38	95	19	09.05
Rollin, north and south road crossing at .....	37	38	18.28	95	21	40.66
Road crossing north and south .....	37	38	32.84	95	22	45.64
Ts. 27, 28 S., R. 18 E., corner secs. 35, 36, 2, 1 .....	37	38	46.10	95	23	51.46
Road crossing north and south .....	37	39	02.30	95	24	57.20
Missouri, Kansas and Texas Railway, crossing of .....	37	39	12.85	95	25	44.30
T. 27 S., R. 18 E., corner secs. 28, 29, 32, 33 .....	37	39	39.00	95	27	09.30
Chanute, crossing of main line Atchison, Topeka and Santa Fe and Missouri, Kansas and Texas railways .....	37	39	53.19	95	27	28.18
Chanute station .....	37	40	54.95	95	27	11.20
Chanute crossing of Missouri, Kansas and Texas and Atchison, Topeka and Santa Fe railways .....	37	41	42.25	95	26	57.78

*Geographic positions along main line Atchison, Topeka and Santa Fe Railway  
between Chanute and Colony.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Road crossing east and west .....	37	43	07.63	95	26	20.55
County line, Neosho and Allen counties, $\frac{1}{4}$ sec. corner between secs. 3 and 34, Ts. 26 and 27, R. 18 E. on .....	37	44	13.63	95	25	29.38
Road crossing east and west .....	37	45	34.88	95	25	47.38
Road crossing east and west .....	37	46	38.34	95	25	45.51
Road crossing northeast and southwest .....	37	47	34.40	95	25	43.87
Humboldt station .....	37	48	42.76	95	25	42.62
Road crossing east and west .....	37	50	07.86	95	25	38.74
Road crossing east and west .....	37	51	00.19	95	25	25.03
T. 25 S., R. 18 E., $\frac{1}{4}$ corner between secs. 15 and 22 .....	37	51	52.59	95	25	06.67

*Geographic positions along main line Atchison, Topeka and Santa Fe Railway between Chanute and Colony—Continued.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
T. 25 S., R. 18 E., $\frac{1}{4}$ corner between secs. 10 and 15	37	52	18.78	95	25	06.73
Road crossing east and west	37	53	11.20	95	24	50.67
Road crossing east and west	37	54	43.58	95	24	38.21
Iola station	37	55	21.78	95	24	38.52
Road crossing north and south	37	56	10.52	95	24	32.15
Road crossing east and west	37	57	07.15	95	24	12.70
Road crossing east and west	37	57	59.61	95	23	50.93
Trestle, crossing under	37	58	54.29	95	23	26.97
Carlisle station	37	59	43.18	95	23	16.85
Ts. 23 and 24 S., R. 18 E., corner secs. 36, 35, 2, and 1	37	59	44.80	95	23	24.64
Road crossing east and west	38	00	36.95	95	23	05.71
Road crossing east and west	38	01	29.38	95	22	52.24
Road crossing east and west	38	02	21.76	95	22	38.78
Road crossing east and west	38	03	14.32	95	22	25.27
Corner secs. 1, 6, 7, and 12	38	04	06.53	95	22	16.91
Colony station	38	04	18.14	95	22	05.61
Missouri Pacific Railway crossing	38	04	43.59	95	21	56.99

*Geographic positions along Missouri Pacific Railway between Colony and Blue Mound.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Road crossing north and south	38	04	43.14	95	19	36.29
Road crossing north and south	38	04	44.04	95	18	30.36
Road crossing north and south	38	04	42.72	95	16	51.04
Road crossing north and south R	38	04	44.01	95	15	45.42
Corner secs. 5, 6, 31, and 32	38	04	53.97	95	14	35.62
Road crossing north and south	38	04	43.29	95	13	28.90
Road crossing north and south	38	04	23.51	95	11	15.72
Road crossing north and south	38	04	44.02	95	10	09.46
Kincaid station	38	04	55.46	95	09	17.53
Missouri, Kansas and Texas Railway, crossing of	38	04	56.29	95	09	01.06
Road crossing north and south	38	05	19.44	95	07	23.49
Road crossing north and south	38	05	22.10	95	06	50.32
Trestle 81, crossing under	38	05	22.09	95	05	43.28
Anderson-Linn County line, crossing on, north and south	38	05	28.78	95	04	37.69
Road crossing, north and south	38	05	34.29	95	03	31.42
Trestle 74, crossing under	38	05	33.96	95	02	25.25

*Geographic positions along or near the ninety-fifth meridian between Blue Mound and Uniontown.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Road crossing north and south	38 05 33.69	95 01 30.28
Ts. 22 and 23 S., R. 22 E., $\frac{1}{4}$ corner secs. 32 and 5	38 04 54.78	95 00 57.15
Ts. 22 and 23 S., R. 22 E., corner secs. 33, 32, 4, and 5	38 04 54.92	95 00 23.68
T. 23 S., R. 22 E., corner secs. 4, 5, 8, 9	38 04 02.38	95 00 23.63
T. 23 S., R. 22 E., corner secs. 8, 9, 16, and 17	38 03 10.14	95 00 23.40
Road crossing, east and west	38 02 18.10	95 00 22.96
Road crossing, north, south, east, and west	38 01 25.87	95 00 23.66
Little Osage River, center iron bridge, over	38 01 06.40	94 59 15.97
Ts. 23 and 24 S., R. 22 E., corner secs. 33, 34, 3, and 4	37 59 40.92	94 59 16.36
Road crossing north, east, south, and west	37 57 48.22	94 59 49.13
Road junction	37 56 36.90	94 59 49.65
T. 24 S., R. 22 E., corner secs. 21, 28, 27, and 22	37 56 12.08	94 59 16.38
T. 24 S., R. 22 E., corner secs. 22, 23, 26, 27	37 56 12.23	94 58 10.98
Roads north, south, east, and west	37 55 06.88	94 57 38.19
Roads north, south, east, and west	37 54 27.65	94 57 54.62
Roads north, south, east, and west	37 53 35.46	94 57 54.77
T. 25 S., R. 22 E., corner secs. 2, 3, 10, and 11	37 53 35.18	94 58 11.31
Road junction	37 52 34.78	94 58 11.38
T. 25 S., R. 22 E., corner secs. 14, 15, 22, and 23	37 51 50.75	94 58 11.51
T. 25 S., R. 22 E., corner secs. 22, 23, 26, and 27	37 50 58.41	94 58 11.59

*Geographic positions along the Missouri Pacific Railway, between Uniontown and Fort Scott.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Roads north, east, south, and west	37 50 52.72	94 57 15.18
Road crossing north and south	37 50 37.79	94 55 27.07
Road crossing north and south	37 50 20.41	94 55 02.10
Trestle 17, road crossing under, north and south	37 50 09.44	94 53 14.38
Redfield station	37 50 07.61	94 52 55.96
T. 25 S., R. 23 E., corner secs. 27, 28, 33, and 34	37 50 05.91	94 52 41.74
Road crossing north and south	37 49 52.99	94 50 29.81
Marmaton station	37 49 53.53	94 49 29.82
T. 25 S., Rs. 23 and 24 E., corner secs. 25, 30, 31, and 36	37 50 05.94	94 49 24.03
Road crossing north and south	37 50 20.90	94 48 18.32
Road crossing north and south	37 50 42.32	94 47 12.71
Road crossing north and south	37 50 48.18	94 45 50.27
Fort Scott; road crossing $\frac{1}{2}$ mile west of	37 50 34.88	94 43 21.11



*Geographic positions along the Atchison, Topeka and Santa Fe Railway, between Chanute and Thayer.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Chanute; Missouri, Kansas and Texas and Atchison, Topeka and Santa Fe railways, crossing of	37 39 53.19	95 27 28.18
Road crossing east and west .....	37 38 47.61	95 27 46.16
Road crossing east and west .....	37 37 53.65	95 28 00.93
T. 28 S., R. 18 E., corner secs. 7, 8, 17, and 18 .....	37 37 01.29	95 28 14.34
Road crossing east and west .....	37 36 09.20	95 28 14.65
Earleton station .....	37 35 17.30	95 28 14.35
T. 28 S., R. 18 E., corner secs. 19, 20, 29, and 30 .....	37 35 16.61	95 28 14.35
Road crossing east and west .....	37 34 23.96	95 28 14.03
Road crossing east and west .....	37 33 34.18	95 28 13.72
Road crossing east and west .....	37 32 39.36	95 28 13.39
Road crossing east and west .....	37 31 46.72	95 28 13.07
Road crossing east and west .....	37 30 54.67	95 28 12.75
Road crossing east and west .....	37 29 37.11	95 28 12.24
Thayer station .....	37 29 21.29	95 28 12.15

NORTH DAKOTA—MINNESOTA.

PRIMARY TRAVERSE.

The following geographic positions were determined from primary traverse run by Mr. Geo. T. Hawkins in 1902. The line starts from a position determined by traverse, at Fargo, and follows the Northern Pacific Railway to Warren, thence south along highways to Kindred; thence along Great Northern Railway to Colfax, thence along highways to Hankinson, thence by "Soo Line" to Fairmount, thence by Chicago, Milwaukee and St. Paul Railway to Wahpeton, thence by Great Northern Railway to starting point.

*Geographic positions along the Great Northern Railway.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Fargo, crossing of Broadway and Northern Pacific Railway .....	46 52 25.5	96 47 08.9
Road crossing east and west on north edge of Wahpeton quadrangle .....	46 29 56.0	96 53 50.8
Colfax, road crossing east and west in north part of .....	46 28 11.8	96 52 27.1

*Geographic positions along highways between Colfax and Hankinson.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Ts. 134 and 135 N., R. 49 W., corner secs. 5, 6, 31, and 32 .....	46 27 19.6	96 52 50.1
Ts. 134 and 135 N., R. 49 W., corner secs. 17, 18, 19, and 20 .....	46 24 42.8	96 52 47.5
Ts. 134 and 133 N., R. 49 W., corner secs. 5, 6, 31, and 32 .....	46 22 06.3	96 52 49.3
Ts. 134 and 135 N., R. 49 W., corner secs. 17, 18, 19, and 20 .....	46 19 29.8	96 52 49.0
Ts. 134 and 135 N., R. 49 W., corner secs. 31 and 32 .....	46 16 53.7	96 52 50.0
Mooreton, railway crossing $\frac{1}{2}$ mile west of .....	46 16 04.9	96 52 58.4
T. 132 N., Rs. 49 and 50 W., corner secs. 18, 19, 24, and 13 .....	46 14 21.0	96 52 59.0
Ts. 131 and 132 N., Rs. 49 and 50 W., corner of .....	46 11 44.3	96 53 01.1
T. 131 N., Rs. 49 and 50 W., corner secs. 18, 19, 24, and 13 .....	46 09 07.8	96 53 00.7
Ts. 130 and 131 N., Rs. 49 and 50 W., corner of .....	46 06 31.9	96 53 02.9
Hankinson, crossing range line and Chicago, Milwaukee and St. Paul Railway, east of .....	46 04 15.9	96 53 04.6

*Geographic positions along the "Soo Line" between Hankinson and Fairmount.*

Station.	Latitude.	Longitude.
	° ' "	° ' "
Road crossing north and south .....	46 03 47.2	96 49 22.0
Road crossing north and south .....	46 03 29.3	96 45 36.9
T. 130 N., R. 48 W., $\frac{1}{4}$ corner between secs. 20 and 21 .....	46 03 28.8	96 43 06.0
T. 130 N., R. 48 W., $\frac{1}{4}$ corner between secs. 23 and 24 .....	46 03 27.8	96 39 21.9
T. 130 N., Rs. 47 and 48 W., $\frac{1}{4}$ corner sec. between 19 and 24 .....	46 03 27.5	96 38 07.4
Fairmount, crossing of Chicago, Milwaukee and St. Paul Railway .....	46 03 27.0	96 36 15.3

*Geographic positions along the Chicago, Milwaukee, and St. Paul Railway,  
between Fairmount and Wahpeton.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
Fairmount, crossing of the Great Northern and Chicago, Milwaukee and St. Paul railways.....	46	03	53.1	96	36	15.3
Ts. 130 and 131 N., R. 47 W., $\frac{1}{4}$ corner between secs. 5 and 32.....	46	06	28.8	96	36	14.4
Tyler, railway crossing at.....	46	08	53.1	96	36	13.4
Ts. 131 and 132 N., R. 47 W., corner secs. 19, 20, 29, 30.....	46	13	26.8	96	36	49.1
Wahpeton, crossing Northern Pacific Railway.....	46	15	29.7	96	36	42.8
Wahpeton, crossing Great Northern Railway.....	46	15	43.7	96	36	42.8
T. 132 N., R. 47 W., north corner secs. 5 and 6.....	46	16	53.5	96	36	48.1
Wahpeton, crossing Great Northern Railway, north of.....	46	18	56.3	96	37	47.1
Brushville, $\frac{1}{4}$ sec. corner at.....	46	22	07.2	96	38	29.0

*Geographic positions along the Great Northern Railway.*

Station.	Latitude.			Longitude.		
	°	'	"	°	'	"
MINNESOTA.						
School house, railway crossing at.....	46	24	17.9	96	39	47.2
Kent station.....	46	26	10.4	96	40	54.4
Township line, east and west crossing on.....	46	27	19.7	96	41	35.9
T. 135 N., R. 48 W., corner secs. 15, 16, 21, and 22.....	46	29	55.8	96	43	01.7
Road crossing east and west.....	46	30	47.7	96	42	56.1

# ROCKY MOUNTAIN SECTION OF TOPOGRAPHY.

E. M. DOUGLAS, *Geographer in charge.*

## COLORADO-WYOMING.

### TRIANGULATION STATIONS.

In the fall of 1902 Mr. R. H. Chapman extended triangulation northward from stations Cleveland, Harrison, and Hogback west of Greeley, Colo., to stations County Road, Lindsey, and Quartzite, near Laramie, Wyo. Besides reoccupying these six stations he monumented and occupied eleven new stations and located sixteen points by intersections. Positions are given on the U. S. standard datum as derived from Morrison-Table Mound stations in the transeontinental triangulation of the Coast and Geodetic Survey near Denver.

### COLORADO-WYOMING LINE.

About  $1\frac{1}{2}$  miles west of south from Terry triangulation station and about one-half mile southeast from "Terry ranch," the home ranch of the Warren Live Stock Company, about 12 miles south from Cheyenne, Wyo., on Denver pike.

Station mark: Dressed red sandstone post marked "44 M" on east, "Wyoming" on north, "41° N. L. 1873 yards" on west, "Colorado" on south.

[Latitude  $41^{\circ} 00' 21.38''$ . Longitude  $104^{\circ} 53' 11.15''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Maxwell .....	67 39 31	247 26 40	4.47414
Terry .....	207 42 56	27 43 29	3.39986

### Colorado.

### FORT COLLINS, LARIMER COUNTY.

Station mark: Center of tower of court-house.

[Latitude  $40^{\circ} 35' 11.64''$ . Longitude  $105^{\circ} 04' 45.30''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Horsetooth .....	63 19 38.8	242 14 55.1	4.04865
Pizen .....	232 27 44.3	52 33 12.9	4.17453

## HORSETOOTH, LARIMER COUNTY.

A high, bare, rocky point on divide immediately east of Redstone Creek, about 3 miles northeast of Masonville and about 8 miles south of west from Fort Collins. It is best reached from Fort Collins by taking the Masonville road and diverging from it at a point a little west from where the road passes the southeast ridge of the peak, and taking a trail, visible from the road, up the above ridge.

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude  $40^{\circ} 32' 23.00''$ . Longitude  $105^{\circ} 11' 46.21''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°</i> <i>'</i> <i>''</i>	<i>°</i> <i>'</i> <i>''</i>	<i>Meters.</i>
Harrison .....	300 30 20.72	120 44 23.09	4.5507671
Cleveland .....	333 17 51.90	153 29 08.64	4.7414387
Livermore .....	161 31 44.63	341 28 00.49	4.4061105
Pizen .....	236 36 22.09	56 46 24.43	4.4155868
Maxwell .....	177 55 51.51	357 55 10.83	4.6066170
Hogback .....	000 06 45.57	180 06 43.76	4.5275527

## LIVERMORE, LARIMER COUNTY.

On highest point of a rocky mountain, about 3 miles southwest of Livermore post-office. It is between Lone Pine Creek and Main North Fork of Cache la Poudre River. It is about 4 miles north of "Grey Rock," a bare peak with cliff on east, south, and west. Horses ridden to station. Easily reached via long ridge southwest from Livermore post-office via Griffith's ranch.

Station mark: A bronze tablet cemented in solid rock.

[Latitude  $40^{\circ} 45' 26.18''$ . Longitude  $105^{\circ} 17' 30.29''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°</i> <i>'</i> <i>''</i>	<i>°</i> <i>'</i> <i>''</i>	<i>Meters.</i>
Horsetooth .....	341 28 00.49	161 31 44.63	4.4061105
Pizen .....	288 11 30.05	108 25 18.16	4.4967751
East Twin .....	183 37 55.88	3 38 53.41	4.5103976
Gale .....	141 56 35.40	321 44 53.11	4.6089354
Maxwell .....	202 05 53.64	22 08 57.83	4.2437306

## MAXWELL, LARIMER COUNTY.

On southern end of a timbered ridge, about 7 miles northeast of Forks post-office, about 3 miles northeast of Steamboat Rock, and about 2.5 miles south of east of Fred. Maxwell's ranch, at east foot of



Red Mountain. The summit is gray limestone which shows as a continuous cliff about 20 feet high on west face of ridge.

Station mark: A bronze tablet cemented in solid white limestone.

[Latitude  $40^{\circ} 54' 12.57''$ . Longitude  $105^{\circ} 12' 48.56''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Pizen .....	318 19 11.41	138 29 56.71	4.5427375
Horsetooth .....	357 55 10.83	177 55 51.51	4.6066170
Terry .....	244 32 04.96	64 45 29.64	4.5018860
Gale .....	116 31 23.84	296 16 35.78	4.5484084
East Twin .....	164 16 53.35	344 14 46.23	4.2230452
Livermore .....	22 08 57.83	202 05 53.64	4.2437306

#### PIZEN, LARIMER COUNTY.

About 10 miles northeast of Fort Collins, on a high, open prairie; edge of bluff overlooking valley of Cache la Poudre River. On highest point in that vicinity, about 3 miles north of "Pizen Hole" and 1 mile south and 2.5 miles east of Fred Herdig's ranch.

Station mark: An iron bench-mark post set 45 inches in the ground.

[Latitude  $40^{\circ} 40' 06.55''$ . Longitude  $104^{\circ} 56' 20.72''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Hogback .....	24 35 11.55	204 25 09.25	4.7221606
Horsetooth .....	56 46 24.43	236 36 22.09	4.4155868
Livermore .....	108 25 18.16	288 11 30.05	4.4967751
Maxwell .....	138 29 56.71	318 19 11.41	4.6066170
East Twin .....	146 50 14.06	326 37 20.99	4.7028818
Terry .....	188 01 26.95	8 04 03.62	4.6030505
Harrison .....	344 49 07.15	164 53 09.28	4.5259602

#### Wyoming.

#### COUNTY ROAD, ALBANY COUNTY.

About 6 miles from Laramie,  $2\frac{1}{2}$  miles north of a west line. It is about 25 feet north of road, between road and bluff. It is one-fourth mile east of stone at section corner marked  $\equiv$  on south and  $\equiv$  on east (southwest corner of sec. 16, T. 16 N., R. 74 W.), and three-fourths mile west of stone at section corner marked  $\equiv$  on south (southeast corner of same section).

Station mark: A stone about 6 by 4 inches projecting about 3 inches above surface, with one-fourth inch hole one-half inch deep in center.

Reference mark: An iron bench-mark post set 36 inches in the ground, 18 inches east of station mark.

[Latitude  $41^{\circ} 21' 00.63''$ . Longitude  $105^{\circ} 42' 22.99''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Crow.....	300 17 28.18	120 27 56.95	4.4099220
Gale.....	343 50 57.49	163 53 34.19	4.5474458
Lindsey.....	348 18 20.37	168 21 00.06	4.4455330
Pilot.....	281 33 21.06	101 43 44.77	4.3365760
Quartzite.....	247 48 29.10	67 58 36.84	4.3481574

#### CROW, ALBANY COUNTY.

On a high, partly timbered summit, on ridge running nearly north and south, 10 miles southeast from Laramie, about 10 miles north of Ames monument at old Sherman, and about 10 miles north of Tie Siding. Old road running along crest of ridge passes 100 yards east of station, is reached by road north from Tie Siding via Aug. Borgerman's ranch. Station is three-fourths of a mile south of Laramie-Cheyenne road at Cheyenne Pass.

Station mark: A bench-mark tablet cemented in solid sandstone, stamped "8878 feet."

[Latitude  $41^{\circ} 13' 59.35''$ . Longitude  $105^{\circ} 26' 30.14''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Gale.....	30 47 24.10	210 41 33.61	4.3857278
East Twin.....	324 26 33.40	144 33 26.38	4.4015676
Ragged.....	199 36 58.20	19 40 50.12	4.3852928
Pilot.....	174 02 33.18	354 02 07.68	3.9376136
County road.....	120 27 56.95	300 17 28.18	4.4099220
Lindsey.....	49 12 58.86	229 05 11.13	4.3403873

#### GALE, ALBANY COUNTY.

A prominent rocky peak, near north end of Boulder Ridge, about  $1\frac{1}{2}$  miles north of Colorado-Wyoming line. About 9 miles southwest of Tie Siding and 500 yards north of road from there to North Park, via Boulder Ridge. About 5 miles northwest of well-known rocky peak called "Diamond Peak."

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude  $41^{\circ} 02' 42.12''$ . Longitude  $105^{\circ} 35' 22.88''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
County road .....	163 55 34.19	343 50 57.50	4.5474458
Crow .....	210 41 33.61	30 47 24.10	4.3857278
East Twin .....	269 07 00.78	89 19 42.82	4.4330476
Maxwell .....	296 16 35.78	116 31 23.84	4.5484084
Livermore .....	321 44 53.11	141 56 35.40	4.6089354

## GREENTOP, ALBANY COUNTY.

(Not occupied.)

A secondary point on a timbered rocky peak, about 3 miles southwest from Horse triangulation station and about 5 miles south of Horse Creek.

Station mark: Highest point located.

[Latitude  $41^{\circ} 21' 01.0''$ . Longitude  $105^{\circ} 19' 48.8''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Crow .....	35 42 46	215 03 21	4.20444
Pilot .....	66 48 30	246 43 40	4.04666

## HORSE, ALBANY COUNTY.

A low, rocky, bare butte between branches of Horse Creek, about 5 miles northeast of E. C. Lapash's ranch, and about 2 miles northeast of "Greentop," a timbered rocky butte known locally, and  $2\frac{1}{2}$  miles almost south of prominent rocky point, which looks like a beehive, known as "Ragged Top," and 2 miles southeast of "V K" ranch.

Station mark: A bronze tablet set in solid rock.

[Latitude  $41^{\circ} 23' 06.97''$ . Longitude  $105^{\circ} 18' 15.8''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Crow .....	34 17 10	214 11 53	4.31040
Ragged .....	150 54 32	330 52 57	3.83495

## LINDSEY, ALBANY COUNTY.

On a butte of a long bare ridge, running north from high timbered mesa, 20 miles south of Laramie. About 4 miles southwest of McGibbon ranch.

Station mark: A bench-mark tablet with triangle cut in top cemented in block of rock about 14 by 12 by 10 inches, set level with surface and cemented in place.

[Latitude  $41^{\circ} 06' 15.08''$ . Longitude  $105^{\circ} 38' 20.68''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
County road .....	168 21 00.06	348 18 20.37	4.4455330
Crow .....	229 05 11.13	49 12 58.86	4.3403873

#### MOUND, ALBANY COUNTY.

Bare grassy ridge 2 miles southwest of Twin Peak, 10 miles south of Sherman.

Station mark: Highest point.

[Latitude  $41^{\circ} 00' 20.42''$ . Longitude  $105^{\circ} 17' 33.74''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Gale .....	100 01 25.4	279 49 43.6	4.40411
Livermore .....	359 49 51.1	179 49 53.4	4.44068

#### PILOT, ALBANY COUNTY.

On highest point of long high ridge east of Laramie, from which it appears as timbered; about 5 miles north of Cheyenne Pass; accessible to wagon from there or from road, crossing ridge one-half mile north of station. About 1 mile southwest of Big Indian Spring.

Station mark: A bronze bench-mark tablet cemented in solid rock 6 inches beneath surface, over which is a loose cairn 1 foot high.

[Latitude  $41^{\circ} 18' 38.61''$ . Longitude  $105^{\circ} 27' 08.79''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
County road .....	101 43 44.77	281 33 21.06	4.3365760
Quartzite .....	177 22 19.72	357 22 03.06	4.1066498
Ragged .....	212 24 01.44	32 28 19.09	4.2275853
Crow .....	354 02 07.68	174 02 33.18	3.9376136

#### QUARTZITE, ALBANY COUNTY.

On a high ridge 10 miles northeast of Laramie, about  $1\frac{1}{2}$  miles south of main wagon-road crossing.

Station mark: A bench-mark tablet cemented in solid rock at point where + was cut in 1892.

[Latitude  $41^{\circ} 25' 32.55''$ . Longitude  $105^{\circ} 27' 34.03''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
County road .....	67 58 36.84	247 48 49.10	4.3481574
Ragged .....	261 12 35.86	81 17 10.49	3.9889947
Pilot .....	357 22 03.06	177 22 19.72	4.1066498

#### RAGGED, ALBANY COUNTY.

On highest rock of group of pinnacles about 3 miles north of "V K" ranch on Horse Creek, locally known as "Ragged Top."

Station mark: A bench-mark tablet in solid rock, with triangle cut in top.

[Latitude  $41^{\circ} 26' 20.64''$ . Longitude  $105^{\circ} 20' 39.00''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Crow .....	19 40 50.12	199 36 58.20	4.3852928
East Twin .....	351 31 58.06	171 35 00.39	4.6421429
Pilot .....	32 28 19.09	212 24 01.44	4.2275853
Quartzite .....	81 17 10.49	261 12 35.86	3.9889947

#### "ROCK S. E." ALBANY COUNTY.

(Not occupied.)

A secondary point on easternmost rocky butte, about 3 miles south of Pole Creek and 3 miles east of Pole Mountain.

Station mark: Highest point of rock.

[Latitude  $41^{\circ} 14' 12.6''$ . Longitude  $105^{\circ} 19' 03.9''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Pilot .....	126 04 26	305 59 06	4.14474
Ragged .....	174 23 08	354 22 06	4.35355

#### EAST TWIN, LARAMIE COUNTY.

Easternmost and higher of two rocky peaks known as "Twin Mountains," about 10 miles southeast of Sherman and 20 miles a little south of west from Cheyenne. Easily ascended by saddle horses.



Station mark: A bronze tablet cemented in flat surface of solid rock.

[Latitude  $41^{\circ} 02' 54.04''$ . Longitude  $105^{\circ} 16' 05.43''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Livermore .....	3 38 53.41	183 37 55.88	4.5103976
Pizen .....	326 37 20.99	146 50 14.06	4.7028818
Crow .....	144 33 26.38	324 26 33.40	4.4015676
Ragged .....	171 35 00.39	351 31 58.06	4.6421429
Maxwell .....	344 14 46.23	164 16 53.35	4.2230452
Terry .....	274 08 12.42	94 24 45.54	4.5223308
Gale .....	89 19 42.82	269 07 00.78	4.4330476

#### TERRY, LARAMIE COUNTY, WYO.

A round, conical, bare hill about 10 miles south of Cheyenne; about 2 miles northeast of old "Terry Ranch," now "Home Ranch" of Warren L. S. Co.; about  $1\frac{1}{2}$  miles east of Cheyenne-Fort Collins road.

Station mark: An iron bench-mark post set 3 feet in ground around which is a small mound of rock.

[Latitude  $41^{\circ} 01' 33.44''$ . Longitude  $104^{\circ} 52' 21.17''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Pizen .....	8 04 03.62	188 01 26.95	4.6030505
Maxwell .....	64 45 29.64	244 32 04.96	4.5018860
East Twin .....	94 24 45.54	274 08 12.42	4.5223308

#### ARIZONA.

##### TRIANGULATION STATIONS.

Mr. H. L. Baldwin, topographer, was engaged in March and April, 1902, in extending triangulation northward from the base New River-Union for the purpose of furnishing control for the survey of the Grand Canyon Forest Reserve.

He established and marked the position of 18 primary stations which control 7 thirty-minute quadrangles and 5 secondary stations which control the Jerome special quadrangle, observing for azimuth at two stations.

##### BISSEL, COCONINO COUNTY.

About 7 miles northeast of Grand View Hotel; reached by wagon road. Lines of sight were cleared to San Francisco Mountain and Kendrick.

Station mark: A bronze B. M. tablet set in solid rock.

[Latitude  $36^{\circ} 00' 52.00''$ . Longitude  $111^{\circ} 54' 45.20''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Kendrick.....	355 17 40	175 19 44	4.830226
Middle.....	107 17 06	287 11 02	4.20968
Point Sublime.....	123 43 47	303 31 49	4.56358

#### FLOYD, COCONINO COUNTY.

On summit of mountain of that name, 10 miles northeast of Seligman.

Station mark: A rock cairn 8 feet base and 10 feet high, built by the Powell Survey in 1872.

Reference mark: A bronze tablet set in a large boulder. True azimuth from monument,  $290^{\circ} 23'$ ; distance, 12 feet.

[Latitude  $35^{\circ} 23' 29.88''$ . Longitude  $112^{\circ} 43' 29.30''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Picacho.....	4 45 03.24	184 44 28.91	4.2584423
Rowe.....	214 10 05.72	34 30 04.66	4.9612843
Red Butte.....	230 17 27.69	50 39 37.68	4.8724051
Middle.....	217 54 56.04	38 17 22.48	4.9727543
Williams.....	294 12 18.34	114 30 18.21	4.7146324

#### KENDRICK, COCONINO COUNTY.

On summit of Mount Kendrick.

Station mark: A bronze tablet set in solid Malapai rock, over which was erected a signal of rocks and pine boughs, 10 feet base and 8 feet high.

[Latitude  $35^{\circ} 24' 24.83''$ . Longitude  $111^{\circ} 51' 05.35''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Picacho.....	76 31 55.77	256 01 03.88	4.9206164
Williams.....	54 29 31.81	234 17 15.00	4.5979301
Red Butte.....	154 45 37.08	334 37 16.56	4.7041812

#### MIDDLE, COCONINO COUNTY.

Station is located on the northwest point of the prominent headland about 3 miles east of the Bright Angel Hotel.

Station mark: A bronze tablet set in the flat limestone ledge.

Reference mark: A small pine tree. True azimuth- from tablet,  $223^{\circ} 40'$ ; distance, 6.17 feet.

[Latitude  $36^{\circ} 03' 27.91''$ . Longitude  $112^{\circ} 05' 03.37''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Red Butte .....	1 10 12.23	181 09 49.60	4.4227904
Williams .....	6 37 05.06	186 32 50.51	4.9818901
Floyd .....	38 17 22.48	217 54 56.04	4.9727543
Rowe .....	104 26 01.86	284 23 32.93	3.8153410

#### RED BUTTE, COCONINO COUNTY.

On the highest point of well-known mountain of that name.

Station mark: A bronze tablet set in a malapai rock.

[Latitude  $35^{\circ} 49' 09.18''$ . Longitude  $112^{\circ} 05' 24.90''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Williams .....	8 41 01.11	188 36 59.81	4.8426625
Floyd .....	50 39 37.68	230 17 27.69	4.8724051
Rowe .....	168 21 10.24	348 18 54.38	4.4576742
Middle .....	181 09 49.60	1 10 12.23	4.4227904
Kendrick .....	334 37 16.56	154 45 37.08	4.7041812

#### ROWE, COCONINO COUNTY.

On the headland of that name, 1.5 miles by road northwest from the Bright Angel Hotel.

Station mark: A bronze tablet set in solid limestone ledge, 1.5 feet below surface of ground and nearly below the center of a Piñon stump 10 feet high, which served as a support for the instrument.

[Latitude  $36^{\circ} 04' 20.70''$ . Longitude  $112^{\circ} 09' 16.34''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Williams .....	2 44 59.69	182 43 12.48	4.9868657
Floyd .....	34 30 04.66	214 10 05.72	4.9612843
Middle .....	284 23 32.93	104 26 01.86	3.8153410
Red Butte .....	348 18 54.38	168 21 10.24	4.4576742

## WILLIAMS, COCONINO COUNTY.

On Bill Williams Mountain, 4 miles south of the town of Williams.

Station mark: A bronze tablet set in solid rock projecting 2 feet above ground.

Reference mark: A rock cairn 7 feet high. True azimuth,  $305^{\circ} 04'$ ; distance, 7.4 feet.

[Latitude  $35^{\circ} 11' 56.22''$ . Longitude  $112^{\circ} 12' 20.34''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Granite .....	27 07 31.70	206 55 34.32	4.8451720
Simmons .....	40 08 43.42	219 56 08.29	4.7147958
Picacho .....	94 02 01.04	273 43 29.09	4.6891695
Floyd .....	114 30 18.21	294 12 18.34	4.7146324
Rowe .....	182 43 12.48	2 44 59.69	4.9868657
Red Butte .....	188 36 59.81	8 41 01.12	4.8426625
Middle .....	186 32 50.51	6 37 05.06	4.9818901
Kendrick .....	234 17 15.00	54 29 31.81	4.5979301
Bald .....	343 45 02.15	163 54 01.08	4.9349310

## AZIMUTH, GILA COUNTY.

On the low, grassy divide between Salt and Gila rivers drainage, about 2 miles southeast of Globe, one-fourth mile south of the wagon road crossing of the Globe, Gila Valley and Northern Railroad on the above divide.

Station mark: A bronze tablet cemented in solid rock and centered under a rock monument.

[Latitude  $33^{\circ} 22' 04.59''$ . Longitude  $110^{\circ} 45' 22.03''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Pinal .....	$\left\{ \begin{array}{l} a \ 41 \ 36 \ 27.02 \\ b \ 41 \ 36 \ 33.07 \end{array} \right.$	$\left\{ \begin{array}{l} 221 \ 33 \ 48.00 \\ 221 \ 33 \ 54.05 \end{array} \right.$	$\left\{ \begin{array}{l} 4.0521882 \\ 4.0521882 \end{array} \right.$
Black Hawk .....	$\left\{ \begin{array}{l} a \ 172 \ 08 \ 56.68 \\ b \ 172 \ 09 \ 02.73 \end{array} \right.$	$\left\{ \begin{array}{l} 352 \ 08 \ 34.49 \\ 352 \ 08 \ 40.54 \end{array} \right.$	$\left\{ \begin{array}{l} 3.8812944 \\ 3.8812944 \end{array} \right.$

*a* Computed from Maricopa.

*b* Observed.

## BLAIR, GILA COUNTY.

(Apache Indian Reservation.)

On the highest point of a long ridge, bluffy on the north end, 15 miles southeast of Globe, 10 miles south and a little west of Gilson water tank on the Globe, Gila Valley and Northern Railroad.

Station mark: A bronze tablet cemented in solid rock and centered under a rock monument.

[Latitude  $33^{\circ} 15' 10.23''$ . Longitude  $110^{\circ} 38' 15.43''$ .]

To station—	Azimuth.			Back azimuth.			Log distance.
	°	'	"	°	'	"	
Pioneer .....	61	44	28.00	241	40	32.70	<i>Meters.</i> 4.1013236
Pinal .....	103	12	31.42	283	05	58.60	4.2794265
Black Hawk .....	149	18	03.02	329	13	46.42	4.3732750
Coal .....	341	58	15.25	162	00	16.86	4.2700257

#### COAL, GILA COUNTY.

On the summit of the limestone divide between Gila River and Deer Creek, 3 miles northeast of the lower coal fields, 18 miles northeast of Dudleyville, and about 15 miles southeast of San Carlos, 6 miles north of Manningo ranch on Deer Creek. An old Indian trail from Dudleyville to San Carlos crosses the ridge one-fourth mile west of station.

Station mark: A nail cemented in a hole drilled in solid rock, centered under a rock monument.

[Latitude  $33^{\circ} 05' 35.38''$ . Longitude  $110^{\circ} 34' 33.18''$ .]

To station—	Azimuth.			Back azimuth.			Log distance.
	°	'	"	°	'	"	
Ripsey .....	73	12	40.39	252	59	50.83	<i>Meters.</i> 4.5829189
Kelvin .....	101	51	23.83	281	39	54.91	4.5235581
Pioneer .....	124	49	01.79	304	43	05.47	4.3130220
Black Hawk .....	154	55	01.46	334	48	43.50	4.6231189
Blair .....	162	00	16.86	341	58	15.25	4.2700257
Triplets .....	217	11	30.46	37	18	55.33	4.5408219
Gila .....	259	07	57.83	79	28	24.66	4.7722287
Turnbull .....	274	21	23.30	94	31	40.94	4.4688635

#### KELVIN, GILA COUNTY.

On the highest round hill on the divide between Gila River, Mineral and Dripping Spring creeks, 3 miles east of the Ray mine on Mineral Creek, 2 miles west of the Gray mining camp on the Globe-Riverside wagon road where it crosses the divide 8 miles north of Riverside.

Station mark: Three nails cemented in a hole drilled in the solid rock, over which is centered a rock monument.



[Latitude  $33^{\circ} 09' 16.27''$ . Longitude  $110^{\circ} 55' 34.00''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Ripsey .....	12 18 20.80	192 16 58.59	4.2636308
Grayback .....	61 29 58.57	241 24 12.47	4.2640522
Kings Crown .....	145 13 11.80	325 08 18.55	4.3756044
Pinal .....	208 42 30.15	28 45 26.88	4.2399056
Pioneer .....	252 38 26.06	72 43 59.40	4.2182857
Coal .....	281 39 54.91	101 51 23.83	4.5235581

## PIONEER, GILA COUNTY.

On the highest point of a black ridge, with a bluff on its north end, about 5 miles east of the old Pioneer mining camp (stage station) on the Globe and Riverside wagon road.

Station mark: A hole drilled in a large boulder, above which is built a rock monument 6 feet high.

[Latitude  $33^{\circ} 11' 55.96''$ . Longitude  $110^{\circ} 45' 24.86''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Ripsey .....	40 49 45.04	220 42 50.17	4.4795748
Kelvin .....	72 43 59.40	252 38 26.06	4.2182857
Kings Crown .....	116 31 03.98	296 20 36.53	4.5151398
Black Hawk .....	177 53 43.95	357 53 23.41	4.4200375
Blair .....	241 40 32.72	61 44 28.00	4.1013235
Coal .....	304 43 05.47	124 49 01.79	4.3130220
Pinal .....	144 17 52.01	324 15 14.90	4.1040238

## PINNACLE, MOHAVE COUNTY.

(Not occupied.)

[Latitude  $36^{\circ} 09' 05.58''$ . Longitude  $112^{\circ} 05' 57.14''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Middle .....	352 38 00	172 38 28	4.02094
Rowe .....	29 35 14	209 33 17	4.00413

## POINT SUBLIME, MOHAVE COUNTY.

(Not occupied.)

On point of same name on north side of Grand Canyon.

Station mark: Evergreen tree about 15 feet high.

[Latitude  $36^{\circ} 11' 49.94''$ . Longitude  $112^{\circ} 15' 03.71''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Bissel .....	303 31 49.00	123 43 47.00	4.56358
Middle .....	315 48 59.48	135 54 53.42	4.3336057
Floyd .....	25 44 25.98	205 27 48.40	4.9961237

## SHIVAS, MOHAVE COUNTY.

(Not occupied.)

[Latitude  $36^{\circ} 08' 24.00''$ . Longitude  $112^{\circ} 08' 15.92''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Middle .....	332 09 30	152 11 23	4.01363
Rowe .....	11 24 03	191 23 27	3.88363

## VISHNU TEMPLE, MOHAVE COUNTY.

(Unoccupied.)

Station mark: Center of rock spire.

[Latitude  $36^{\circ} 05' 15.57''$ . Longitude  $111^{\circ} 56' 10.02''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Middle .....	76 04 54	255 59 40	4.13838
Rowe .....	85 09 05	265 01 22	4.29549

## RIPSEY, PINAL COUNTY.

On a high hill at the head of the Ripsey wash, 1 mile south of the old Ripsey mine, 12 miles south of Kelvin and Riverside.

Station mark: A hole drilled in a large bowlder, above which is built a large rock monument.

[Latitude  $32^{\circ} 59' 34.28''$ . Longitude  $110^{\circ} 58' 04.64''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Gray Back .....	126 49 08.44	306 44 45.20	4.1842064
Kings Crown .....	165 32 33.80	345 29 03.58	4.5871790
Kelvin .....	192 16 58.59	12 18 20.80	4.2636308
Pioneer .....	220 42 50.17	40 49 45.04	4.4795748
Coal .....	252 59 50.83	73 12 40.39	4.5829189

## AZIMUTH, YAVAPAI COUNTY.

On a small hill one-third mile south of Crookton station, on the Atchison, Topeka and Santa Fe Railroad.

Station mark: A 10-penny nail in the ground.

Azimuth mark: Small nail in window sill west of door in telegraph station.

[Latitude  $35^{\circ} 17' 14.83''$ . Longitude  $112^{\circ} 42' 28.30''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
			<i>Meters.</i>
Picacho .....	25 03 33.82	205 02 24.33	3.8565762
Floyd .....	172 24 48.17	352 24 12.89	4.0667159

## BALD MOUNTAIN, YAVAPAI COUNTY.

On mountain of that name, 10 miles southwest of Camp Verde.

Station mark: A bronze tablet set in malpais rock 2 by 3 feet and projecting 1 foot above ground.

Reference mark: A large juniper tree. True azimuth,  $350^{\circ} 53'$ ; distance, 22.4 feet.

[Latitude  $34^{\circ} 27' 13.17''$ . Longitude  $111^{\circ} 56' 36.67''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
			<i>Meters.</i>
New River .....	7 04 02.86	187 01 56.84	4.6690657
Union .....	84 11 25.14	263 55 45.78	4.6298541
Granite .....	110 06 11.10	289 45 25.31	4.7751434
Carter .....	140 42 38.87	320 34 21.88	4.5465106
Williams .....	163 54 01.08	343 45 02.15	4.9449310

## CAMP WOODS, YAVAPAI COUNTY.

About 15 miles west of Simmons post-office, on the Camp Woods road, on the eastern and lower of two prominent points of nearly equal height.

Station mark: A bronze tablet set in solid sandstone rock.

[Latitude  $34^{\circ} 50' 02.61''$ . Longitude  $112^{\circ} 55' 08.77''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
			<i>Meters.</i>
Simmons .....	268 27 49.37	88 41 44.91	4.5029074
Granite .....	303 05 14.96	123 17 44.32	4.6018457
Kirkland .....	349 56 57.69	170 00 39.41	4.7575935
Picacho .....	200 14 51.58	20 22 59.01	4.6692858

## CARTER, YAVAPAI COUNTY.

On the high bluff, 2 miles west of summit of Prescott and Jerome wagon road.

Station mark: A bronze triangulation tablet cemented in malpais rock.

[Latitude  $34^{\circ} 41' 56.36''$ . Longitude  $112^{\circ} 11' 12.40''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Union .....	32 24 12.30	212 16 46.75	4.5732755
Simmons .....	114 14 25.74	294 01 16.58	4.5861179
West Edge .....	190 37 56.51	10 38 19.56	3.7466252
Bald .....	320 34 21.88	140 42 38.87	4.5465106

## EAST ANTELOPE, YAVAPAI COUNTY.

On highest peak, 4 miles east of Antelope Peak.

Station mark: A bronze tablet cemented in solid malpais rock, over which is erected a rock cairn 7 feet high and 6 feet base.

[Latitude  $34^{\circ} 13' 10.71''$ . Longitude  $112^{\circ} 40' 29.64''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Kirkland .....			4.2352428
Del Pasco .....	266 56 26.10	87 06 46.69	4.4514305
Silver .....	292 12 38.31	112 21 39.55	4.4260126

## ERROR, YAVAPAI COUNTY.

About one-half mile northwest of the summit of the abandoned Prescott and Jerome wagon road over Mingus Mesa.

Station mark: A bronze tablet cemented in solid rock.

Reference mark: A pine tree; lower branches trimmed off. True azimuth  $333^{\circ} 15'$ ; distance, 7.7 feet.

[Latitude  $34^{\circ} 42' 39.97''$ . Longitude  $112^{\circ} 09' 23.94''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Carter .....	64 03 07	244 02 05	3.48713
East Edge .....	176 51 44	356 51 38	3.66890
Mineral .....	218 49 44	38 50 56	3.70736

## EAST EDGE, YAVAPAI COUNTY.

On the east edge of the Mingus Mesa and overlooking the town of Jerome.

Station mark: A bronze B. M. tablet, set in solid ledge and surrounded by a small rock monument.

[Latitude  $34^{\circ} 45' 11.16''$ . Longitude  $112^{\circ} 09' 33.98''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
West Edge .....	70 37 48.79	250 37 15.76	3.493765
Carter .....	22 39 11.32	202 38 15.26	3.813154
Error .....	356 51 38.00	176 51 44.00	3.668903
Mineral .....	281 15 43.00	101 17 00.00	3.54646
Limestone .....	257 09 33.00	77 11 13.00	3.66052

## FAITH, YAVAPAI COUNTY.

On highest peak of ridge south of where Hassayampa Creek enters the desert and 6 miles northeast of Wickenburg.

Station mark: A bronze B. M. tablet cemented in solid rock under center of a cairn 8 feet high.

[Latitude  $34^{\circ} 01' 35.01''$ . Longitude  $112^{\circ} 45' 15.02''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
East Antelope .....	187 10 19.90	7 11 19.02	4.3345530
Del Pasco .....	233 25 27.86	53 36 46.02	4.5856772

## GRANITE, YAVAPAI COUNTY.

On mountain of that name 9 miles northwest of Prescott.

Station mark: A bronze tablet cemented in highest granite boulder.

[Latitude  $34^{\circ} 38' 12.34''$ . Longitude  $112^{\circ} 33' 13.61''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Camp Woods .....	123 17 44.32	303 05 14.96	4.6018457
Simmons .....	175 59 11.71	355 58 36.04	4.3564571
Williams .....	206 55 34.32	27 07 31.70	4.8451720
West Edge .....	250 13 31.22	70 26 26.25	4.5659158
Bald .....	289 45 25.31	110 06 11.10	4.7751434
Union .....	331 02 01.74	151 07 05.35	4.4509915



## KIRKLAND, YAVAPAI COUNTY.

On highest peak of Weaver Mountains, 10 miles southwest of the town of Kirkland.

Station mark: A bronze tablet cemented in solid rock at the summit.

[Latitude  $34^{\circ} 19' 33.78''$ . Longitude  $112^{\circ} 48' 38.11''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Camp Woods .....	170 00 39.41	349 56 57.69	4.7575935
Granite .....	214 19 02.74	34 27 46.14	4.6208307
Union .....	255 15 07.19	75 28 51.52	4.5861435
East Antelope .....			4.2352428

## LIMESTONE, YAVAPAI COUNTY.

One-half mile north of the town of Jerome, on the north end of the limestone hill.

Station mark: A bronze tablet set in solid limestone ledge, over which is placed a small rock monument.

[Latitude  $34^{\circ} 45' 44.11''$ . Longitude  $112^{\circ} 06' 38.53''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Mineral .....	30 41 13	210 40 50	3.29696
East Edge .....	77 11 13	257 09 33	3.66052
North Mingus .....	2 47 30	182 47 23	3.78025

## MINERAL, YAVAPAI COUNTY.

Station is near a mineral monument on the high point one-fourth mile south of the town of Jerome.

Station mark: A bronze tablet set in the solid rock over which is erected a rock monument 3 feet high.

Reference mark: A mineral monument. True azimuth,  $110^{\circ} 45'$ ; distance, 4.36 feet.

[Latitude  $34^{\circ} 44' 48.82''$ . Longitude  $112^{\circ} 07' 18.28''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Error .....	38 50 56	218 49 44	3.70736
East Edge .....	101 17 00	281 15 43	3.54646
Limestone .....	210 40 50	30 41 13	3.29696
North Mingus .....	350 34 59	170 35 15	3.64142

## NORTH MINGUS, YAVAPAI COUNTY.

On the north end of the Mingus Mesa, 3 miles south of Jerome.  
Station mark: A bronze tablet set in malpais rock.

[Latitude  $34^{\circ} 42' 28.57''$ . Longitude  $112^{\circ} 06' 50.14''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Carter .....	81 33 50.86	261 31 21.51	3.829173
West Edge .....	128 32 13.96	308 31 07.56	3.858072
Mineral .....	170 35 15.00	350 34 59.00	3.641420
Limestone .....	182 47 23.00	2 47 30.00	3.780250

## PICACHO, YAVAPAI COUNTY.

On north end of Picacho Butte, 10 miles southeast of Seligman railroad station.

Station mark: A bronze tablet set in a large boulder on the summit, over which a rock cairn 5-foot base and 6 feet high was erected.

[Latitude  $35^{\circ} 13' 43.54''$ . Longitude  $112^{\circ} 44' 28.69''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Floyd .....	184 44 28.91	4 45 03.24	4.2584423
Kendrick .....	256 01 03.88	76 31 55.77	4.9206164
Williams .....	273 43 29.09	94 02 01.03	4.6891695
Camp Woods .....	20 22 59.01	200 14 51.58	4.6692858

## SIMMONS, YAVAPAI COUNTY.

On highest of the prominent hills 4 miles northeast of Simmons post-office.

Station mark: A bronze tablet set in solid granitic sandstone on summit.

[Latitude  $34^{\circ} 50' 27.92''$ . Longitude  $112^{\circ} 34' 16.20''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Camp Woods .....	88 41 44.91	268 27 49.37	4.5029074
Picacho .....	160 11 59.98	340 06 08.37	4.6601424
Williams .....	219 56 08.29	40 08 43.42	4.7147958
Carter .....	294 01 16.58	114 14 25.74	4.5861179
Granite .....	355 58 36.04	175 59 11.71	4.3564571

## SOUTH MINGUS, YAVAPAI COUNTY.

On the south side of the Mingus Mesa, near east end.

Station mark: A pine tree, lower branches trimmed.

Reference mark: A bronze B. M. tablet cemented in malpais rock, bears approximately south, 20 feet distant.

[Latitude  $34^{\circ} 42' 16.99''$ . Longitude  $112^{\circ} 06' 48.70''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Bald .....	330 41 51	150 47 38	4.504080
New River .....	352 21 11	172 24 50	4.874078

#### WEST EDGE, YAVAPAI COUNTY.

Near highest west edge of the volcanic mesa, 5 miles west of Jerome.

Station mark: A bronze tablet set in solid rock.

Reference mark: A large juniper tree. True azimuth,  $138^{\circ} 36'$ ; distance, 16 feet.

[Latitude  $34^{\circ} 44' 54.33''$ . Longitude  $112^{\circ} 10' 31.93''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Carter .....	10 38 19.36	190 37 56.51	3.7466252
Union .....	29 37 46.60	209 29 57.79	4.6300912
Granite .....	70 26 26.25	250 13 31.22	4.5659158

#### UTAH.

##### SECONDARY TRIANGULATION STATIONS.

Secondary triangulation for control of the Park City Special quadrangle was extended from primary stations Wanship and Clayton by Messrs. E. M. Douglas, geographer, and Pearson Chapman, topographer, in 1901-2.

Positions are given on the U. S. standard datum.

##### *Geographic positions of principal mines at Park City.*

Name of mine.	Point located.	Latitude.	Longitude.
		° ' "	° ' "
Ontario No. 2 .....	Flag pole .....	40 37 23.05	111 29 36.86
Ontario No. 2 .....	Hoisting rope .....	40 37 23.02	111 29 36.93
Silver King .....	Flag pole .....	40 37 51.89	111 30 46.24
Silver King .....	North shaft .....	40 37 51.88	111 30 46.22
Daly No. 2 .....	Flag pole .....	40 37 15.03	111 30 20.96
Daly West .....	Flag pole .....	40 36 56.04	111 30 42.56
Daly West .....	Hoisting rope .....	40 36 56.08	111 30 42.58
Quincy .....	Hoisting rope .....	40 36 47.25	111 30 32.15
Anchor .....	Flag pole .....	40 36 46.91	111 31 12.10
Anchor .....	Hoisting rope .....	40 36 46.84	111 31 12.06

## PACIFIC SECTION OF TOPOGRAPHY.

R. U. GOODE, *Geographer in charge.*

### ARIZONA—CALIFORNIA.

#### TRIANGULATION STATIONS.

During the fall and winter of 1902-3, Mr. R. B. Robinson extended a system of quadrilaterals down the valley of the Colorado River from the vicinity of Needles, Cal., to Yuma, Ariz., a lineal distance of 175 miles. Forty stations were occupied and 24 located by intersections. This work depends upon stations in the expansion of the secondary base of the United States Coast and Geodetic Survey near Needles, and a check was obtained by connecting with stations Pilot and Azimuth of the United States and Mexican Boundary Survey Commission near Yuma. Positions are given on the United States standard datum as derived from the transcontinental belt of the Coast and Geodetic Survey through the secondary triangulation along the California-Nevada boundary line from Lake Tahoe to Needles. A few of the stations in the vicinity of Yuma were selected, built, and occupied by Mr. A. H. Sylvester, topographer, earlier in the season.

#### Arizona.

#### CONE, MOHAVE COUNTY.

A sharp, rocky peak, well known as "the Boundary Cone," about 17 miles northeast of Needles, Cal. The road to Kingman via the Snow Ball mine passes by the base of the peak. To go to Cone from Needles, take road to Snow Ball mine, past the Cone. Stop at the first big wash road crosses after passing the peak and go up the wash a short distance—the best and perhaps the only way up. Horses can not be taken much farther than the wash. There are several springs within 2 or 3 miles of the station and plenty of water at Leland mine, about 3 miles a little west of north.

Station mark: A bronze triangulation tablet wedged in solid rock, about 2 inches underground, under center of a cairn 7 feet high.

[Latitude  $34^{\circ} 59' 01.39''$ . Longitude  $114^{\circ} 24' 54.54''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Sphinx .....	333 32 18.97	153 36 43.44	4.4215004
Knoll .....	49 51 22.25	229 44 04.98	4.4047806
Hill .....	69 08 44.90	248 59 57.08	4.3985648
Peak .....	95 48 47.00	275 39 14.25	4.4057480
Powell .....	356 11 33.97	176 12 24.71	4.5321828
Whale .....	19 26 32.62	199 22 08.57	4.5484345

## FRIANT, MOHAVE COUNTY.

On one of the several rocky peaks about 2 miles from the Colorado River, at Pete McGuire's house on the California side of the river. Friant's place is 3 miles down the river from McGuire's. Station can easily be reached from either place. Signal can be seen from 50 yards below McGuire's house (it looks as if it were on the side of the hill from here). To go from McGuire's follow wash which leads up to the east side of peak, and take a ridge to the left.

Station mark: A bronze triangulation tablet cemented in rock even with top of ground.

[Latitude  $34^{\circ} 21' 54.05''$ . Longitude  $114^{\circ} 10' 11.29''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Axtel .....	75 51 30.71	255 43 21.63	4.3590878
Rocky .....	122 12 24.49	302 00 22.25	4.5850746
Red .....	153 20 23.47	333 16 55.78	4.3194664
Gier .....	347 45 54.63	167 47 03.53	4.1692339

## MELLEN, MOHAVE COUNTY.

On the edge of mesa where it breaks off to the river, at Mellen Station, Ariz. The triangulation station is 135 steps north  $85^{\circ}$  west from Mellen railroad station, and 75 steps north  $25^{\circ}$  east from end of railroad bridge.

Station mark: A bronze triangulation tablet set in a solid round rock.

[Latitude  $34^{\circ} 43' 03.63''$ . Longitude  $114^{\circ} 29' 06.15''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Cone .....	192 12 01.12	12 14 24.90	4.47998
Hill .....	140 26 16.24	320 19 53.79	4.42657
Peak .....	-----	-----	4.57115



## NO. 2, MOHAVE COUNTY.

On the highest part of white gravel and sand hills overlooking the Colorado River, about 300 yards east of the Mellen and Parker trail. Station is about 1 mile northeast of the Bill Wiles's place and is on the group of white hills to the north of a big wash which meets the river at this point.

Station mark: A rock 8 inches square on top set in ground with top a little above surface of ground and marked "U  $\triangle$  S."

[Latitude  $34^{\circ} 32' 29.63''$ . Longitude  $114^{\circ} 23' 00.44''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Whale .....	136 58 01.92	316 52 34.53	4.33245
Powell .....	177 33 41.11	357 32 59.75	4.17850
Red .....			4.01257
Rocky .....			4.11280
No. 1 .....			3.90156
No. 3 .....			4.01711
No. 4 .....			4.19184

## PARKER SCHOOL, MOHAVE COUNTY.

(Not occupied.)

Station mark: Center of cupola.

[Latitude  $34^{\circ} 07' 41.82''$ . Longitude  $114^{\circ} 18' 35.08''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Low mesa .....	113 42 52.11	293 38 53.20	4.07574
Axtel .....	155 47 11.49	335 43 47.23	4.35494
Gier .....			4.29935
Black .....			3.96011

## POWELL, MOHAVE COUNTY.

On a rocky peak about 4 miles south of Powell station, on the Santa Fe Railway, on the range of mountains of which the Needles form a part. It is the highest point on that range and is in view from Powell and Mellen. Station is easily reached from Powell by going up first big wash, leading south, east of Powell, but can be approached from any side. Horses can be taken to the base of peak.

Station mark: A bronze triangulation tablet cemented in rock under center of cairn 8 feet high.

[Latitude  $34^{\circ} 40' 38.68''$ . Longitude  $114^{\circ} 23' 25.71''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Rocky .....	40 52 39.83	220 48 05.98	4.2737480
Whale .....	92 38 07.11	272 32 53.53	4.1474805
Knoll .....	129 06 00.24	308 57 54.01	4.4459924
Cone .....	176 12 24.71	356 11 33.97	4.5321828
Sphinx .....	222 33 25.62	42 36 58.47	4.1476673
Red .....	325 45 04.47	145 49 07.12	4.2869195

## RED, MOHAVE COUNTY.

On the highest point of a group of foothills which lie at the base of the Chemehuevi Mountain on the west side. These hills are red, light red at the base and darker in color as they get higher. Station is about 7 miles east of the Bill Wiles place. A big wash leads from the Bill Wiles place to base of peak which signal is on. There is an old wagon road which can be followed all the way.

Station mark: A bronze triangulation tablet cemented in rock under center of cairn 9 feet high.

[Latitude  $34^{\circ} 31' 59.11''$ . Longitude  $114^{\circ} 16' 18.45''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Axtel .....	27 47 36.52	207 42 53.95	4.4378911
Rocky .....	94 30 40.52	274 22 04.91	4.3665687
Whale .....	123 48 34.19	303 39 18.51	4.4767442
Powell .....	145 49 07.12	325 45 04.47	4.2869195
Friant .....	333 16 55.78	153 20 23.47	4.3194664
Gier .....	339 15 11.73	159 19 48.13	4.5484957

## SPHINX, MOHAVE COUNTY.

On a small rocky peak about 4 miles north  $25^{\circ}$  west from Franconia station, on Santa Fe Railway. It is the peak lying farthest south of a range of peaks at the foot of the higher mountains. To reach station go straight from anywhere along the railroad, traveling the washes or mesa as seems best.

Station mark: A bronze triangulation tablet wedged in solid rock about 2 inches under surface of ground. Rocks piled around each leg of tripod. There is also a cairn, marking a mining claim, on summit of the peak.

[Latitude  $34^{\circ} 46' 14.37''$ . Longitude  $114^{\circ} 17' 12.04''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Powell .....	42 36 58.47	222 33 25.62	4.1476673
Whale .....	67 38 58.68	247 30 11.86	4.4057412
Knoll .....	103 10 25.65	282 58 45.57	4.5052585
Hill .....	112 47 11.50	292 34 00.88	4.5810662
Peak .....	125 19 18.28	305 05 22.51	4.6571412
Cone .....	153 36 43.44	333 32 18.97	4.4215004

## AGENCY, YUMA COUNTY.

About 14 miles south of Parker and 8 miles from the Colorado River at the nearest point. It is the farthest south peak of several making the range known by some people as the Hacawa Range. Station is not on the highest point, but lies about 3 miles west of the highest. The high water road down the river from Parker passes within 4 miles of station and from this road it is good traveling to the base of the peak.

Station mark: A bronze triangulation tablet cemented in rock and placed under center of a cairn 6 feet high.

[Latitude  $33^{\circ} 58' 02.46''$ . Longitude  $114^{\circ} 18' 54.48''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	Meters.
Tyson .....	22 29 38.48	202 26 49.04	4.3103898
Marie .....	56 14 14.33	236 04 12.65	4.5236625
Riverside (2) .....	112 05 02.80	291 58 14.74	4.3053637
Low Mesa .....	155 19 12.74	335 15 25.58	4.3964387
Black .....	208 51 41.37	28 55 11.69	4.2990559

## BLACK, YUMA COUNTY.

On the first high point about 5 miles east of Parker and close to the eastern corner of the Colorado River Indian Reservation. There are several small rock cairns on this peak, but there is no danger of signal being confounded with them, as it is 10 feet high. It is good traveling from Parker straight to foot of mountain and good foot traveling from there to summit.

Station mark: A bronze triangulation tablet cemented in a rock under center of a cairn 10 feet high.

[Latitude 34° 07' 28.20". Longitude 114° 12' 39.47."]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Agency .....	28 55 11.69	208 51 41.37	4.2990559
Riverside (2) .....	70 54 04.79	250 43 45.40	4.4769682
Low Mesa .....	104 37 42.07	284 30 23.58	4.3154911
Axtel .....	138 55 20.98	318 48 36.74	4.4467056
Gier .....	209 27 54.09	29 30 26.03	4.1483215

## CHOCOLATE, YUMA COUNTY.

On a high, sharp peak of the Chocolate Mountains, overlooking the Colorado River Valley, about 200 yards south of the "Needles Eye." Both peaks are very prominent, and the "Needles Eye" shows plainly from the north or south. From the river, the best place to reach station is from Apache Island, about 1½ miles below No. 19 Station. Trails lead out from here to the main road running up and down the river. Follow the road up a short distance and take a right-hand road leading toward the mesa via Mrs. Hart's stamp mill. From this mill station bears 3° south of east and is about 6 miles off.

Station mark: A bronze triangulation tablet cemented in rock and placed under center of cairn 9 feet high.

[Latitude 33° 16' 44.84". Longitude 114° 33' 46.63".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Clip .....	6 05 34.17	186 04 49.70	4.2976493
Lava .....	44 12 29.87	224 06 37.64	4.3786581
Fort Gass .....	105 38 19.19	285 31 16.39	4.3155582
Hodges .....	144 05 27.78	323 59 29.27	4.4575619
Mulewash .....	179 34 38.99	359 34 36.08	4.2677230

## CLIP, YUMA COUNTY.

On a high peak on a range of hills lying about 8 miles a little east of north of Picacho, in sight of the water tanks of the Gold King Mining Company at Picacho. The best way to go to station is to take the road from Picacho to the Red Cloud Mine about north 65° east.

Station mark: A bronze triangulation tablet cemented in rock and placed under center of cairn 9 feet high.

[Latitude  $33^{\circ} 06' 04.30''$ . Longitude  $114^{\circ} 35' 07.86''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
American .....	30 02 27.81	209 57 00.53	4.4945347
Quartz .....	86 30 37.22	266 22 50.93	4.3461066
Lava .....	100 04 17.14	279 59 10.13	4.1701718
Fort Gass .....	144 51 15.20	324 44 57.89	4.4905956
Chocolate .....	186 04 49.70	6 05 34.17	4.2976493
Ridge .....	354 46 43.66	174 47 27.17	4.3582402

## EHRENBERG, YUMA COUNTY.

On a flat sand and gravel mesa on the north bank of Weaver Wash, which runs into the Colorado River, about one-fourth mile above Ehrenberg. Station is about  $2\frac{1}{2}$  miles east of Ehrenberg, and can be reached by taking road up the river from Ehrenberg until it crosses Weaver Wash. Leave road and follow the wash about 2 miles. Station is on top of mesa on north side of wash about 20 steps from edge of bluff.

Station mark: A bronze triangulation tablet cemented in rock and placed in ground level with surface.

[Latitude  $33^{\circ} 36' 11.17''$ . Longitude  $114^{\circ} 29' 25.24''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Mulewash .....	21 35 18.38	201 32 51.10	4.2723120
Hodges .....	61 42 01.87	241 33 37.38	4.4276039
Blythe .....	97 53 48.26	277 47 24.38	4.2563456
Marie .....	152 07 15.33	332 03 06.48	4.3921984
Tyson .....	201 20 19.79	21 23 21.13	4.3636828

## GIER, YUMA COUNTY.

About 2 miles from Mrs. Gier's place on the Colorado River. It is south  $51^{\circ}$  east from Gier's, and 3 miles north  $38^{\circ}$  east from Brown's house at Empire Flat, on a high, mesa-topped peak, and is in plain view from the river in this vicinity.

Station mark: A bronze triangulation tablet cemented in a rock buried in ground under center of a cairn 10 feet high.



[Latitude  $34^{\circ} 14' 05.72''$ . Longitude  $114^{\circ} 08' 09.03''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Agency .....	29 11 13.94	209 05 12.06	4.5312160
Black .....	29 30 26.03	209 27 54.09	4.1483215
Riverside (2) .....	58 00 22.69	237 47 31.02	4.6190262
Low Mesa .....	75 24 47.37	255 14 56.23	4.4445210
Axtel .....	109 17 23.90	289 08 06.78	4.4281081
Rocky .....	134 24 51.99	314 11 41.88	4.6983570
Red .....	159 19 48.13	339 15 11.73	4.5484957
Friant .....	167 47 03.53	347 45 54.63	4.1692339

## NO. 13, YUMA COUNTY.

About  $2\frac{1}{2}$  miles north  $63^{\circ}$  east from Ehrenberg post-office on top of a flat sand mesa, about one-half mile from Colorado River and about the same distance from the wagon road from Ehrenberg to Parkers Station, overlooks the river. Take the Parker wagon road from Ehrenberg and follow it 2 miles, then turn at right angles and go about one-half mile, and station will be found on the point of sand mesa where it breaks off to the river bottom.

Station mark: A bronze triangulation tablet cemented in a rock and placed in ground level with surface.

[Latitude  $33^{\circ} 36' 58.40''$ . Longitude  $114^{\circ} 29' 53.97''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Marie .....	152 03 10.83	331 59 17.87	4.36247
Tyson .....	204 30 15.73	24 33 33.04	4.34345
Blythe .....	.....	.....	4.23459
Ehrenberg .....	.....	.....	3.21279

## NO. 14, YUMA COUNTY.

(Not occupied.)

On the edge of a white bluff, close to the Colorado River, about 5 miles below Ehrenberg, being the first place below Ehrenberg where the river washes the bluff.

Station mark: A bronze triangulation tablet cemented in a rock and placed in ground level with surface.

[Latitude  $33^{\circ} 32' 22.76''$ . Longitude  $114^{\circ} 32' 03.56''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Blythe .....	124 35 06.88	304 30 10.88	4.22410
Ehrenberg .....	210 06 45.51	30 08 13.06	3.91042
Hodges .....			4.30722

## NO. 15, YUMA COUNTY.

(Not occupied.)

On the edge of a white bluff, about 15 miles below Ehrenberg, and is the second bluff which comes close to water of Colorado River below Ehrenberg. The river strikes this bluff about 1 mile above station and keeps close to bluff, with here and there a narrow strip of bottom between bluff and water, until at the point station is on bluff recedes from the river and river bottom begins to widen. There is about 60 or 70 yards of bottom between river and bluff, which signal is on. The road from Ehrenberg down the river passes about 2 miles east of station.

Station mark: A bronze triangulation cemented in rock and placed in ground level with surface under center of signal.

[Latitude  $33^{\circ} 28' 44.37''$ . Longitude  $114^{\circ} 36' 01.27''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Hodges .....	94 31 26.51	274 26 41.34	4.12665
Mulewash .....	317 28 58.40	137 30 09.72	2.69402
Ehrenberg .....			4.23409
Blythe .....			4.25407

## NO. 16, YUMA COUNTY.

(Not occupied.)

On point of bluff where mesa breaks off to the Colorado River, about 20 miles below Ehrenberg, and is 300 yards from water's edge. The road from Ehrenberg to Picacho, on the Arizona side of river, passes between the river and station and is about 200 yards distant at the nearest point. The bluff on which station is located overlooks a big wash and forms the south bank of it. This is the same wash which passes on the south side of Mulewash station and is the first big wash the road crosses below Mulewash.

Station mark: A bronze triangulation tablet cemented in rock and placed in ground level with surface.

[Latitude  $33^{\circ} 25' 51.55''$ . Longitude  $114^{\circ} 37' 28.36''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Hodges .....	119 53 14.53	299 49 17.55	4.10715
Mulewash .....	253 15 27.14	73 17 26.41	3.76625
Fort Gass .....			4.25812
Chocolate .....			4.25022
No. 17 .....			4.10664
No. 18 .....			4.13086

#### NO. 24, YUMA COUNTY.

(Not occupied.)

On a small peak about 1 mile south of Castle Dome Landing and three-fourths of a mile east of the river.

Station mark: A bronze triangulation tablet cemented in solid rock, above which is built a cairn 6 feet high.

[Latitude  $32^{\circ} 56' 26.34''$ . Longitude  $114^{\circ} 27' 45.98''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Sugarloaf .....	7 20 25.05	187 19 40.57	4.22250
Ridge .....	62 25 43.23	242 22 26.50	4.02587
American .....			4.45700

#### RHO, YUMA COUNTY.

On the highest point of a small peak in a low range of hills just east of the Colorado River and north of the choke in the valley above Yuma. It is about 16 miles from Yuma and the wagon road from Yuma to Ehrenberg runs within a mile of it (to the west).

Station mark: A large stone was set into the ground and marked with a triangle and drill hole. Over this was built a cairn 6 feet high.

[Latitude  $32^{\circ} 51' 56.90''$ . Longitude  $114^{\circ} 25' 14.12''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Sugarloaf .....	36 23 59.99	216 21 53.23	4.01086
Ridge .....	104 15 05.24	284 10 26.27	4.13925
Yuma Azimuth .....			4.40176

## SUGARLOAF, YUMA COUNTY.

On a prominent rocky peak between the Colorado and Gila rivers about 14 miles northeast of Yuma. The wagon road from Yuma to Ehrenberg runs within a mile of it. It has a hard capping overlying softer rock, hence its upper hundred feet approaches the perpendicular, particularly on the river side. It is shaped like the sole of a boot and on some maps is called Boot Peak, but the older and more common name seems to be Laguna which it gets from a good-sized laguna lying just north of it. There is just barely room to set up a tripod on its top.

Station mark: A copper bolt set in the solid rock and stamped U. S.  $\Delta$  G. S. Over this was built a cairn 3 feet high.

[Latitude  $32^{\circ} 47' 28.93''$ . Longitude  $114^{\circ} 29' 07.93''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Yuma Azimuth .....	54 32 59.44	234 28 40.95	4.1839943
Pilot .....	75 01 33.12	254 53 04.41	4.4037670
American .....	106 22 49.75	286 14 08.73	4.4157937
Ridge .....	147 59 01.62	327 56 29.74	4.1376339

## TYSON, YUMA COUNTY.

On a rocky peak, one of a range of low mountains which extend out into the Colorado River Valley or bottom land. It can be reached with horses from Riverside Landing by a trail, which goes around the thick growth of brush close to river, to a Mexican ranch. Signal bears south  $25^{\circ}$  east from Riverside Landing and south  $76^{\circ}$  east from triangulation station No. 11.

Station mark: A bronze triangulation tablet cemented in rock and placed under center of a cairn 8 feet high.

[Latitude  $33^{\circ} 47' 49.54''$ . Longitude  $114^{\circ} 23' 58.42''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Ehrenberg .....	21 23 21.13	201 20 19.79	4.3636828
Blythe .....	54 07 34.87	233 58 08.62	4.5112583
Marie .....	90 52 43.41	270 45 32.12	4.2998503
Riverside (2) .....	157 34 32.78	337 30 35.21	4.4568470
Agency .....	202 26 49.04	22 29 38.48	4.3103898

YUMA AZIMUTH, YUMA COUNTY.

Established by the United States and Mexican Boundary Survey on the highest point of a granite butte one-fourth mile south of Southern Pacific Railway yards at Yuma.

Station mark: A brick pier 15 inches square set in a foundation of concrete and extending 36 inches above ground, having an iron bolt set in center of top.

[Latitude 32° 42' 41.07": 32° 42' 39.54".<sup>a</sup> Longitude 114° 37' 05.72"; 114° 37' 07.44".<sup>a</sup>]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Pilot .....	100 48 27.64	280 44 17.76	4.0882718
American .....	142 10 39.78	322 06 18.04	4.3116694
Ridge .....	194 04 11.71	14 05 58.85	4.3251262
Sugarloaf .....	234 28 40.95	54 32 59.44	4.1839943

<sup>a</sup>Position on Yuma data of the United States and Mexican Boundary Survey Commission.  
California.

NO. 7, COLORADO RIVER INDIAN RESERVATION.

(Not occupied.)

On a white bluff where the bluff comes close to the river the first time, about 3 miles by the river below Parker.

Station mark: A bronze triangulation tablet cemented in a rock and placed in ground level with surface.

[Latitude 34° 07' 24.09". Longitude 114° 22' 08.74".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Gier .....	240 00 55.75	60 08 47.49	4.39465
Black .....	269 27 30.87	89 32 50.22	4.16400
No. 6 .....			4.06416
Low Mesa .....			3.88115
Agency .....			4.25547
Axtel .....			4.33319

NO. 8, COLORADO RIVER INDIAN RESERVATION.

(Not occupied.)

On a white bluff where the bluff comes close to the river the third time below Parker. Up the river from here about 2 miles the river divides, forming a long island. Station is at the lower end of this island, very little below where the two channels of the river join.



Station mark: A bronze triangulation tablet cemented in rock placed in ground level with surface.

[Latitude  $34^{\circ} 04' 08.03''$ . Longitude  $114^{\circ} 26' 19.76''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Low Mesa .....	185 02 07.24	5 02 29.18	4.05739
Black .....	253 35 15.97	73 42 55.81	4.34071
Agency .....			4.20529
Riverside .....			3.96312

#### BLYTHE, RIVERSIDE COUNTY.

About 10 miles west of Ehrenberg post-office, on top of a flat sand mesa on a point as high as any about a mile from where the sand hills join the Colorado River bottom. To reach it from Ehrenberg take the road to Blythe's ranch until roads fork, then take left-hand road a short distance, then leave the road and go straight toward a flat-top peak, which shows to be toward the south end of the McCoy Mountains. Keep this direction until the valley is crossed and a flat sand mesa is reached. Signal is on this mesa and will show for several miles in any direction.

Station mark: A bronze triangulation tablet cemented in rock and placed in ground.

[Latitude  $33^{\circ} 37' 31.10''$ . Longitude  $114^{\circ} 40' 58.68''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Hodges .....	20 28 13.68	200 26 12.35	4.2095854
Marie .....	198 02 39.26	18 04 55.21	4.3083779
Tyson .....	233 58 08.62	54 07 34.87	4.5112583
Ehrenberg .....	277 47 24.38	97 53 48.26	4.2563456
Mulewash .....	330 58 34.62	151 02 30.38	4.3563840

#### HODGES, RIVERSIDE COUNTY.

On the edge of bluff of sand mesa where mesa breaks off to the Colorado River bottom, which is wide at this point, and station is at least 6 miles from the river at the nearest point. Hodges mines bear north  $62^{\circ}$  west and are about 5 miles distant. A windmill in river flat and distant about 4 miles bears south  $76^{\circ}$  west.

Station mark: A bronze triangulation tablet placed in ground under center of signal.

[Latitude 33° 29' 18.34". Longitude 114° 44' 38.17".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Fort Gass .....	9 50 36.16	189 49 30.93	4.2534061
Blythe .....	200 26 12.35	20 28 13.68	4.2095854
Ehrenberg .....	241 33 37.38	61 42 01.87	4.4276039
Mulewash .....	285 39 03.74	105 45 00.12	4.2389082
Chocolate .....	323 59 29.27	144 05 27.78	4.4575619

MARIE, RIVERSIDE COUNTY.

On a high rocky peak of what is known as the "Marie Range" of mountains. It is not on the highest summit, but on a sharp, prominent peak overlooking the Colorado River Valley. Riverside Landing bears N. 27° E. from Marie and is about 15 miles off.

Station mark: A bronze triangulation tablet cemented in a rock placed under center of a cairn 9 feet high.

[Latitude 33° 47' 58.79". Longitude 114° 36' 53.73".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Blythe .....	18 04 55.21	198 02 39.26	4.3083779
Riverside .....	198 54 24.01	18 57 39.06	4.4420501
Agency .....	236 04 12.65	56 14 14.33	4.5236625
Tyson .....	270 45 32.12	90 52 43.41	4.2998503
Ehrenberg .....	332 03 06.48	152 07 15.33	4.3921984

MULE WASH, YUMA COUNTY, ARIZ.

On top of flat gravel mesa, on south side of mule wash and about 4 miles from where sand wash joins the river. There is another big wash a little to south of station, which runs into river by station 16. Either of these washes lead close by station, but the upper one, or mule wash, is the smoothest. The road from Ehrenberg to Picacho, on the Arizona side of the Colorado River, passes within 2 miles of station. Where this road crosses mule wash, leave it and go up the wash about 2 miles to where wash forks—the right hand passes very close to station, but the left is probably the smoothest, and the divide between them is good traveling.

Station mark: A bronze triangulation tablet cemented in rock and placed in ground, with top about 3 inches above surface, under center of signal.

[Latitude  $33^{\circ} 26' 46.08''$ . Longitude  $114^{\circ} 33' 51.92''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Fort Gass .....	56 47 15.95	236 40 15.12	4.3736406
Hodges .....	105 45 00.12	285 39 03.74	4.2389082
Blythe .....	151 02 30.38	330 58 34.62	4.3563840
Ehrenberg .....	201 32 51.10	21 35 18.38	4.2723120
Chocolate .....	359 34 36.08	179 34 38.99	4.2677230

## NO. 9, RIVERSIDE COUNTY.

On a sand hill close to water's edge of Colorado River and about one-half mile up the river from Riverside Landing, a camp and subpost-office for the mines in the Riverside Mountains. A road runs close by station going from Riverside Landing up the river, a little below the south line of the Colorado River Indian Reservation.

Station mark: A bronze triangulation tablet cemented in a rock placed in ground level with surface.

[Latitude  $33^{\circ} 59' 02.34''$ . Longitude  $114^{\circ} 29' 52.52''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Agency .....	276 10 58.13	96 17 05.86	4.23025
Tyson .....	336 16 29.08	156 19 46.52	4.35484
Riverside .....			3.55098
Marie .....			4.36422

## NO. 10, RIVERSIDE COUNTY.

On the point of a black rocky ridge which comes close to the Colorado River, about 5 miles below Riverside Landing. This is the first ridge of the kind after leaving that place. Station is very low down on the point of ridge closest to river and is about one-half mile from water's edge. There are at least two other small rock cairns on different parts of the ridge, but No. 10 is much lower down than they are. Station is in sight of the river for a considerable distance up and down and can be reached by a trail from Riverside Landing.

Station mark: A bronze triangulation tablet set in rock and placed under center of a cairn 8 feet high.

[Latitude  $33^{\circ} 54' 51.11''$ . Longitude  $114^{\circ} 32' 20.18''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
No. 9 .....	206 05 04.16	26 06 26.63	3.93552
Agency .....	254 01 52.15	74 09 21.99	4.33273
Riverside .....			4.05230

## NO. 11, RIVERSIDE COUNTY.

On edge of a low mesa, where it breaks off into the Colorado River bottom, about one-half mile from the water's edge at the nearest point, about 15 miles by the river from Riverside Landing and 20 miles above Ehrenberg. About 400 yards up the river from station the lower end of a big slough joins the river on the Arizona side.

Station mark: A bronze triangulation tablet cemented in rock placed in ground level with surface.

[Latitude  $33^{\circ} 49' 21.70''$ . Longitude  $114^{\circ} 32' 10.98''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Agency .....	231 50 30.41	51 57 54.57	4.41506
Tyson .....	282 35 38.28	102 40 12.37	4.11340
Riverside .....			4.32796
No. 10 .....			4.00655
Marie .....			3.88686
No. 12 .....			3.91457

## NO. 12, RIVERSIDE COUNTY.

(Not occupied.)

On summit of a low rocky hill which comes close to the Colorado River, about 10 miles from Ehrenberg. There is a house close under this hill in the river bottom. Station is on point of the second rocky ridge which comes close to river below Riverside Landing and the first one above Ehrenberg and is about one-half mile from water's edge.

Station mark: A bronze triangulation tablet cemented in solid rock under center of a cairn 8 feet high.

[Latitude  $33^{\circ} 44' 58.34''$ . Longitude  $114^{\circ} 31' 21.30''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Marie .....	123 02 55.64	302 59 50.83	4.00867
Tyson .....	245 07 42.08	65 11 48.28	4.09889
No. 11 .....			3.91457
Ehrenberg .....			4.21787

## RIVERSIDE, RIVERSIDE COUNTY.

On a prominent peak of the Riverside Mountain range overlooking the Colorado River, though it is not the highest peak of the range, Riverside (2) triangulation station being on the highest peak, which lies north  $15^{\circ}$  west from here. The southwest corner of the Colorado River

Indian Reservation is close to station, which is about 4 miles north-northwest of Riverside Landing, or, as it is sometimes called, Walter's Camp. To go to station, camp at Riverside Landing and take road leading up the river to forks of road about 200 yards from the house, in a wash. Take left-hand road and follow it out until it becomes a trail, keep this trail about a mile and a half, where it stops at a prospect hole. From here keep up the ridge to the highest peak of this part of the range. Signal is not on quite the highest point, but is on a summit a hundred yards northeast of it.

Station mark: A bronze triangulation tablet set in a rock and placed under center of a cairn 9 feet high.

[Latitude  $34^{\circ} 00' 48.72''$ . Longitude  $114^{\circ} 30' 46.28''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Low Mesa .....	204 04 59.08	24 07 50.39	4.28290
Black .....	246 05 09.07	66 15 17.89	4.48380
No. 8 .....			3.96312
Agency .....			4.27814
No. 9 .....			3.55098

#### RIVERSIDE (2), RIVERSIDE COUNTY.

On the highest point of the Riverside Mountain range, close to the southwest corner of the Colorado River Indian Reservation, about 4 miles from the Colorado River at the nearest point.

Station mark: An aluminum bolt, marked U. S. G. S.  $\Delta$ , set in a rock and placed in ground level with surface under center of a cairn 6 feet high.

[Latitude  $34^{\circ} 02' 08.35''$ . Longitude  $114^{\circ} 31' 04.18''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Marie .....	18 57 39.06	198 54 24.01	4.4420501
Low Mesa .....	208 49 12.80	28 52 14.59	4.2352388
Gier .....	237 47 31.02	58 00 22.69	4.6190262
Black .....	250 43 45.40	70 54 04.79	4.4769682
Agency .....	291 58 14.74	112 05 02.80	4.3053637
Tyson .....	337 30 35.21	157 34 32.78	4.4568470

#### AXTEL, SAN BERNARDINO COUNTY.

About 14 miles north  $26^{\circ}$  west from Parker Indian Agency and is on the highest point of the highest range in that part of the country.



Station mark: A bronze triangulation tablet cemented in rock under center of cairn 8 feet high.

[Latitude  $34^{\circ} 18' 51.93''$ . Longitude  $114^{\circ} 24' 38.30''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Low Mesa .....	5 44 48.78	185 44 13.70	4.2026604
Rocky .....	158 10 02.78	338 06 11.23	4.4483279
Red .....	207 42 53.95	27 47 36.52	4.4378911
Friant .....	255 43 21.63	75 51 30.71	4.3590878
Gier .....	289 08 06.78	109 17 23.90	4.4281081
Black .....	318 48 36.74	138 55 20.98	4.4467056

#### HILL, SAN BERNARDINO COUNTY.

A United States Coast and Geodetic Survey triangulation station 6 miles northwest of town of Needles and 2 miles west from the river, 2 miles northwest of ranch of Mr. Dinsmore on the highest of the hill just before going down into the first great wash after leaving the Dinsmore ranch.

Station mark: A bottle buried  $2\frac{1}{2}$  feet below the surface of ground, above which was placed a redwood stake 24 by 4 by 4 inches.

[Latitude  $34^{\circ} 54' 11.20''$ . Longitude  $114^{\circ} 40' 16.06''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Peak .....	170 20 03.6	350 19 19.4	4.0663630
Cone .....	248 59 57.08	69 08 44.90	4.3985648
Sphinx .....	292 34 00.88	112 47 11.50	4.5810662
Knoll .....	331 45 56.68	151 47 26.69	3.9272155

#### KNOLL, SAN BERNARDINO COUNTY.

A United States Coast and Geodetic Survey triangulation station about  $1\frac{1}{2}$  miles due west from the schoolhouse at the Needles, on a sharp, rounded peak or sand hill well covered with rocks.

Station mark: A bottle buried  $2\frac{1}{2}$  feet below surface of ground, above which was placed a large irregular mass of rocks, its top being 2 inches above surface of ground.

[Latitude  $34^{\circ} 50' 09.38''$ . Longitude  $114^{\circ} 37' 38.60''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Hill .....	151 47 26.69	331 45 56.68	3.9272155
Peak .....	162 33 45.08	342 31 30.78	4.2977878
Cone .....	229 44 04.98	49 51 22.25	4.4047806
Sphinx .....	282 58 45.57	103 10 25.65	4.5052585
Powell .....	308 57 54.01	129 06 00.24	4.4459924
Whale .....	335 36 57.55	155 39 49.61	4.2696918

## LOW MESA, SAN BERNARDINO COUNTY.

This station is not on any prominent point and is difficult to describe. The country for miles around it is much alike. The best way to reach it is to take the road from Parker to Needles and follow it until the 6-mile post is passed. About 200 yards beyond the 6-mile post the road goes over a high narrow backbone of mesa and down into a low wide stretch of wash country. From the road at this high place signal is in sight about 2 miles south,  $66^{\circ}$  west, on a white mesa ridge, with a long black hill in the distance for a background. Get the direction from this place, then follow the road a little farther, then leave it to the right and go straight across low flats and washes until the main wash is crossed close under station.

Station mark: A bronze triangulation tablet set in a rock and placed in the ground level with surface.

[Latitude  $34^{\circ} 10' 16.99''$ . Longitude  $114^{\circ} 25' 40.65''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Riverside (2) .....	28 52 14.59	208 49 12.80	4.2352388
Axtel .....	185 44 13.70	5 44 48.78	4.2026604
Gier .....	255 14 56.23	75 24 47.37	4.4445210
Black .....	284 30 23.58	104 37 42.07	4.3154911
Agency .....	335 15 25.58	155 19 12.74	4.3964387

## MONUMENT, SAN BERNARDINO COUNTY.

A high sharp rock column, the farthest north corner of the Colorado River Indian Reservation, in sight from anywhere in the Parker country, and is a well-known peak.

Station mark: Summit of sharp peak.

[Latitude  $34^{\circ} 16' 51.54''$ . Longitude  $114^{\circ} 15' 16.47''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Low Mesa	152 46 47.65	232 40 56.58	4.30266
Black	346 56 57.99	166 58 26.25	4.25083
Gier			4.08172
Black			4.25083

## NO. 1, SAN BERNARDINO COUNTY.

(Not occupied.)

About 1 mile down the river from Mojave Rock. Going down the Colorado River after passing Mojave Rock the river makes a bend to the right, and runs toward a white honeycombed bluff; station is on the highest part of this bluff.

Station mark: A bronze triangulation tablet cemented in rock set in ground under center of signal.

[Latitude  $34^{\circ} 35' 40.26''$ . Longitude  $114^{\circ} 26' 31.86''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Whale	136 37 57.64	316 34 30.20	4.13128
Powell	207 15 38.39	27 17 24.19	4.01476
Red			4.23192
No. 2			3.90156

## NO. 3, SAN BERNARDINO COUNTY.

Station is at the lower end of Chemehuevis Valley, on the highest point of the mesa, where it comes nearly to the water's edge, immediately below where a big wash joins the river from the southwest. The point which signal is on is not quite as high as the rest of the bluff, and it forms a small hill in itself, there being the big wash on the north side and a small wash on the south or southeast side. Station is in a well-known bend of the river where it bends to the south, then east, forming a half circle at the lower end of the valley.

Station mark: A bronze triangulation tablet cemented in rock flush with top of ground and a few rocks piled over it, with a pile of gravel and sand around each of the tripod legs.

[Latitude  $34^{\circ} 26' 52.06''$ . Longitude  $114^{\circ} 22' 58.73''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   ''	°   '   ''	Meters.
Rocky .....	130 58 06.30	310 53 17.96	4.23528
Red .....	227 09 27.12	47 13 13.79	4.14370
Axtel .....			4.17642
No. 2 .....			4.01711
No. 4 .....			3.91477

## NO. 4, SAN BERNARDINO COUNTY.

(Not occupied.)

About 300 yards from the water edge, on a black rocky hill across the river from what is known as the black mesa range of hills, and is about 2 miles up the river from Grenman's mill. The range which station is on consists of a number of black hills and it is on the lowest one down the river of any consequence. There is a very red bluff across the river and a little below.

Station mark: A bronze triangulation tablet cemented in rock and set in loose rock level with surface of ground.

[Latitude  $34^{\circ} 25' 09.73''$ . Longitude  $114^{\circ} 18' 01.50''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   ''	°   '   ''	Meters.
Rocky .....	125 04 48.06	304 57 11.53	4.40005
Red .....	191 46 01.55	11 46 59.88	4.11010
Friant .....			4.12839
Axtel .....			4.18857
No. 3 .....			3.91477
No. 2 .....			4.19184

## NO. 5, SAN BERNARDINO COUNTY.

On a very rocky peak, the side next the river being a nearly perpendicular rock bluff several hundred feet high. It is about  $1\frac{1}{2}$  miles up the river from Mrs. Gier's place and about  $2\frac{1}{2}$  miles down from the mouth of the Bill Williams Fork. To reach station take the wash that joins the river just below the peak and follow it for one-half mile, then take a small wash to right for a hundred yards and go up ridge to right of it, which is rather steep for a short distance. Follow this ridge to station.

Station mark: A bronze triangulation tablet cemented in solid sandstone under center of a cairn 7 feet high.

[Latitude  $34^{\circ} 16' 28.01''$ . Longitude  $114^{\circ} 08' 25.36''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Black .....	21 22 56.28	201 20 33.45	4.25187
No. 6 .....	47 29 53.48	227 25 43.61	4.18837
Gier .....			3.64386

## NO. 6, SAN BERNARDINO COUNTY.

On a very rough, black little peak on the Colorado River, about one-half mile from the river, and is about three-fourths of a mile N.  $30^{\circ}$  E. from Headgate Rock, a rock bluff that comes to the water's edge on the Arizona side. Station is about 4 miles up the river from the pump house at Parker and is easily reached from the river.

Station mark: A bronze triangulation tablet set in solid rock, a small pile of rock around each leg of tripod.

[Latitude  $34^{\circ} 10' 49.45''$ . Longitude  $114^{\circ} 15' 49.59''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Gier .....	242 48 37.37	62 52 56.68	4.12224
Black .....	321 50 13.12	141 51 59.85	3.89679
No. 5 .....			4.18837
Axtel .....			4.30322
No. 7 .....			4.06416

## PEAK, SAN BERNARDINO COUNTY.

A United States Coast and Geodetic Survey triangulation station on the highest peak of the foot hills, 2 miles due west of Von Schmidt.

Station mark: A shallow hole drilled in top of a large irregular mass of hard rock set in ground.

[Latitude  $35^{\circ} 00' 23.91''$ . Longitude  $114^{\circ} 41' 33.21''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Cone .....	275 39 14.25	95 48 47.00	4.4057480
Sphinx .....	305 05 22.51	125 19 18.28	4.6571412
Knoll .....	342 31 30.78	162 33 45.08	4.2977878
Hill .....	350 19 19.40	170 20 03.60	4.0663630



## ROCKY, SAN BERNARDINO COUNTY.

A very rocky peak on a high point of the Mojave range of mountains, about 6 miles southwest of Mojave Rock, a well-known rock on the east bank of the Colorado River, a little below where river leaves Needles Canyon. There is another signal of same description 2 miles northeast, on a lower point of same range. To go to Rocky, take a big wash which comes into river above Mojave Rock and follow it to foot of mountain. Good traveling for horses for some distance; no water except after rain. Station can be reached from anywhere along the river.

Station mark: A bronze triangulation tablet cemented under center of monument 9 feet high.

[Latitude  $34^{\circ} 32' 57.54''$ . Longitude  $114^{\circ} 31' 27.81''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Whale	173 15 06.19	353 14 26.99	4.1745934
Powell	220 48 05.98	40 52 39.83	4.2737480
Red	274 22 04.91	94 30 40.52	4.3665687
Friant	302 00 22.25	122 12 24.49	4.5850746
Gier	314 11 41.88	134 24 51.99	4.6983570
Axtel	338 06 11.23	158 10 02.78	4.4483279

## WHALE, SAN BERNARDINO COUNTY.

On the highest point of a high, rocky range of mountains overlooking the Colorado River Valley, and can be seen from the river from Mellen up to Needles and beyond. It is about 6 miles south  $65^{\circ}$  east from Mellen station. To go there from Mellen, cross railway bridge and take up first big wash which crosses railway track. Stay in wash until a straight up-and-down bluff, 7 or 8 feet high, is passed. Go about one-half mile beyond here, then go up a spur to right, crossing no canyons until station is reached. Horses can not be taken this way.

Station mark: A bronze triangulation tablet cemented in solid rock, under a cairn 8 feet high.

[Latitude  $34^{\circ} 40' 59.29''$ . Longitude  $114^{\circ} 32' 36.82''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Knoll	155 39 49.61	335 36 57.55	4.2696918
Cone	199 22 08.57	19 26 32.62	4.5484345
Sphinx	247 30 11.86	67 38 58.68	4.4057412
Powell	272 32 53.53	92 38 07.11	4.1474805
Red	303 39 18.51	123 48 34.19	4.4767442
Rocky	353 14 26.99	173 15 06.19	4.1745934

## AMERICAN, SAN DIEGO COUNTY.

On highest point of a range of mountains lying east of the American gold mine, and is about 3 miles a little south of east from the mine. Take road from Yuma to the American gold mine. Horses can be taken within a mile of station by following up wash from the mine.

Station mark: A bronze triangulation tablet cemented in rock and placed under center of cairn 8 feet high.

[Latitude  $32^{\circ} 51' 26.38''$ . Longitude  $114^{\circ} 45' 09.10''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Quartz .....	165 40 41.19	345 38 23.65	4.4231629
Clip .....	209 57 00.53	30 02 27.81	4.4945347
Ridge .....	256 13 38.72	76 19 48.46	4.2607025
Sugarloaf .....	286 14 08.73	106 22 49.75	4.4157937
Yuma Azimuth .....	322 06 18.04	142 10 39.78	4.3116694
Pilot .....	357 44 03.76	177 44 15.19	4.1430949

## DELTA, SAN DIEGO COUNTY.

On a small bump near the east end of the black ridge bounding the Yuma Valley on the north, on the west or California side of the Colorado River. Reached from Fort Yuma, Cal., by wagon road to foot of ridge. Follow the Potholes road for 10 miles, more or less, then turn off across desert for one-half mile to foot of ridge. There is a 500-foot climb from where wagon is left to the station.

Station mark: A large boulder marked with drill holes, triangles, and letters, thus:  $\begin{array}{c} U \quad S \\ \triangle \\ G \quad S \end{array}$  Over the mark is built a cairn 6 feet high.

[Latitude  $32^{\circ} 50' 34.39''$ . Longitude  $114^{\circ} 31' 26.90''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
American .....	94 20 47.57	274 13 21.57	4.33122
Ridge .....	148 15 11.28	328 13 54.72	3.84313
Azimuth .....			4.23145
Sugarloaf .....			3.82999

## FORT GASS, SAN DIEGO COUNTY.

On the summit of a very prominent rocky peak, about  $3\frac{1}{2}$  miles from the Colorado River at the nearest point, and the same distance from the wagon road from Ehrenberg to Picacho, on the California side of river. Station is about 30 miles up the river from Picacho,

and is west of the upper end of Apache Island. This is the most prominent peak in this part of the country, and is known by some as "Fort Gass" and others as "Milpitas."

Station mark: A bronze triangulation tablet cemented in rock under center of a cairn 8 feet high.

[Latitude  $33^{\circ} 19' 45.13''$ . Longitude  $114^{\circ} 46' 36.64''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Quartz .....	9 07 38.33	189 06 07.87	4.4314275
Hodges .....	189 49 30.93	9 50 36.16	4.2534061
Mulewash .....	236 40 15.12	56 47 15.95	4.3736406
Chocolate .....	285 31 16.39	105 38 19.19	4.3155582
Clip .....	324 44 57.89	144 51 15.20	4.4905956
Lava .....	351 45 55.50	171 47 04.97	4.3607200

#### HEDGES, SAN DIEGO COUNTY.

(Not occupied.)

On the highest point of a range of white mountains, about 15 miles northwest of Yuma, about 3 miles northeast of Hedges mine, and 3 miles a little west of north of American gold mine. A good road from Yuma to Hedges, and from latter place the station can be seen.

Station mark: An aluminum bolt cemented in rock under center of a cairn 8 feet high.

[Latitude  $32^{\circ} 53' 32.32''$ . Longitude  $114^{\circ} 47' 53.34''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Ridge .....	268 46 44.59	88 54 23.69	4.34195
American .....	312 14 49.78	132 16 18.93	3.76109
Clip .....			4.48460
Quartz .....			4.34067
Lava .....			4.41960
Pilot .....			4.26514
Azimuth .....			4.41828

#### LAVA, SAN DIEGO COUNTY.

On a high rocky peak about 4 miles from the Colorado River at the nearest point, and is south  $59^{\circ}$  west from Draper's Ranch, and can be seen from his house or the rock close by it. Take road from Picacho or Ehrenberg on California side of river which goes by Drapers. Go up first big wash below Draper's and follow it to base of peak, then

go up the way which looks best. A very rough country around this station, and animals can only go a short distance. Plenty of water after rain—for months—in big wash east of station.

Station mark: A bronze triangulation tablet cemented in solid rock under center of a cairn 8 feet high.

[Latitude  $33^{\circ} 07' 27.94''$ . Longitude  $114^{\circ} 44' 29.86''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Quartz .....	62 27 09.90	242 24 30.43	3.9314387
Fort Gass .....	171 47 04.97	351 45 55.50	4.3607200
Chocolate .....	224 06 37.64	44 12 29.87	4.3786581
Clip .....	279 59 10.13	100 04 17.14	4.1701718

#### NO. 17, SAN DIEGO COUNTY.

(Not occupied.)

On edge of second bench of low mesa about 1 mile from Colorado River, and is about  $1\frac{1}{2}$  miles above upper end of slough which forms Apache Island, on the Arizona side of the river. Can best be reached by getting directions from No. 18 or Fort Gass. Station is close to river bottom and is  $2\frac{1}{2}$  miles north  $25^{\circ}$  west from No. 18, and  $3\frac{1}{2}$  miles north  $78^{\circ}$  east from Fort Gass. The wagon road from Ehrenberg to Picacho passes close on the east side of station.

Station mark: A bronze triangulation tablet cemented in rock and placed in ground level with surface. A pit opposite each leg of tripod and a mound around each leg.

[Latitude  $33^{\circ} 22' 01.64''$ . Longitude  $114^{\circ} 44' 20.16''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Fort Gass .....	30 00 36.78	219 59 21.76	3.73956
Chocolate .....	300 43 48.21	120 49 36.24	4.28041
Mulewash .....			4.26595
Hodges .....			4.12910
No. 16 .....			4.10664
No. 18 .....			3.55739

#### NO. 18, SAN DIEGO COUNTY.

On a little rocky peak about 400 yards from the Colorado River, at the lower end of a small slough. The wagon road from Ehrenberg to Picacho passes on the west side of the peak about 300 yards, the peak being between the road and the river. The bluff is very close to

water's edge at this point of the river. Station is about 35 miles by the river below Ehrenberg and 30 miles up the river from Picacho.

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude  $33^{\circ} 20' 19.96''$ . Longitude  $114^{\circ} 43' 10.82''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Fort Gass .....	78 36 56.30	258 35 03.20	3.73479
Chocolate .....	294 22 48.62	114 27 58.44	4.20491
Mulewash .....			4.27211
Hodges .....			4.22373
No. 17 .....			3.55739
No. 16 .....			4.13086
No. 19 .....			3.98436

#### NO. 19, SAN DIEGO COUNTY.

(Not occupied.)

On the edge of mesa where it bluffs to the Colorado River bottom, and is about one-half mile from the river at the nearest point. At the lower end of Apache Island the river makes a horseshoe bend to the east-northeast; about the middle of this bend the slough forming this island rejoins the river. No. 19 is about the middle of the heel of this horseshoe.

Station mark: A bronze triangulation tablet cemented in rock and placed in ground level with surface.

[Latitude  $33^{\circ} 15' 13.52''$ . Longitude  $114^{\circ} 41' 54.39''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Fort Gass .....	138 54 31.93	318 51 57.01	4.04557
Chocolate .....	257 23 58.78	77 28 26.34	4.11172
Lava .....			4.17314
No. 18 .....			3.98436
Quartz .....			4.33563

#### NO. 20, SAN DIEGO COUNTY.

(Not occupied.)

On summit of a sharp rocky peak about a mile from the Colorado River and about the same distance from Draper's ranch at Light-house Rock, and bears north  $39^{\circ}$  west from Mr. Draper's, about 18 miles up the river from Picacho.



Station mark: A bronze triangulation tablet cemented in rock under center of a cairn 9 feet high.

[Latitude  $33^{\circ} 10' 00.66''$ . Longitude  $114^{\circ} 41' 41.91''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	$\circ$ $'$ $''$	$\circ$ $'$ $''$	<i>Meters.</i>
Lava .....	42 47 18.43	222 45 46.60	3.80682
Fort Gass .....	157 03 32.98	337 00 51.39	4.29127
Chocolate .....			4.24321
Clip .....			4.09842

# NO. 21, SAN DIEGO COUNTY.

(Not occupied.)

On a rocky hill, the highest point of a group of hills lying close to the Colorado River and about 10 miles by river or wagon road, up the river from Picacho. The road passes on the south side of the station and the river on the north side. Station is about one-half mile from the river and one-fourth mile from the road.

Station mark: A bronze triangulation tablet cemented in rock placed under center of a cairn 8 feet high.

[Latitude  $33^{\circ} 04' 31.87''$ . Longitude  $114^{\circ} 41' 35.82''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	$\circ$ $'$ $''$	$\circ$ $'$ $''$	<i>Meters.</i>
American .....	12 54 33.43	192 52 37.38	4.39485
Clip .....	254 10 07.37	74 13 39.17	4.01938
Lava .....			3.84857

# NO. 22, SAN DIEGO COUNTY.

(Not occupied.)

On summit of first peak south of Picacho and is in plain view and is about three-fourths mile distant from town. There is a small rock cairn on highest point which is a mining location corner. Signal is close by and is a little lower but not enough to prevent a good view in every direction.

Station mark: A bronze triangulation tablet cemented in rock and placed in ground under center of a cairn 8 feet high.

[Latitude 33° 00' 59.63". Longitude 114° 36' 21.30".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
American .....	37 52 01.06	217 47 14.08	4,34942
Ridge .....	343 21 50.04	163 23 13.44	4,14358
Quartz .....			4,33800
Lava .....			4,24125
Clip .....			3,98123

## NO. 23, SAN DIEGO COUNTY.

(Not occupied.)

On a very prominent sharp peak, about 4 miles southeast of Picacho, and visible from that place. A wood road leads to foot of peak from Picacho. Peak is hard to climb, but can be occupied.

Station mark: A bronze triangulation tablet cemented in rock and placed under center of a cairn 8 feet high.

[Latitude 32° 59' 48.33". Longitude 114° 33' 07.86".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Ridge .....	5 20 48.71	185 20 26.89	4,04876
American .....	50 31 31.41	230 24 59.36	4,38550
Clip .....			4,07897
Lava .....			4,35529
Quartz .....			4,43544

## PICACHO, SAN DIEGO COUNTY.

(Not occupied.)

A well-known sharp peak, about 6 miles southwest of Picacho town.

Station mark: Center of highest monument.

[Latitude 32° 58' 18.94". Longitude 114° 39' 50.18".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
American .....	33 07 52.61	213 04 59.31	4,18105
Ridge .....	311 40 45.02	131 44 01.94	4,10051
Clip .....			4,20680
Quartz .....			4,29443

## PILOT, SAN DIEGO COUNTY.

A station of the United States and Mexican Boundary Commission, on the highest point of a butte of the same name, about 10 miles west of Yuma on the California side of the Colorado River. Reached from Yuma by crossing the river on the ferry and taking road through the Indian reservation to old stage station, where you strike the Southern Pacific Railroad again. Follow road along south side of railroad for 2 miles, then turn off across country to foot of butte.

Station mark: No mark was put in by the Boundary Commission, and the signal had blown down. A rock monument 6 feet high was built over the center, as nearly as it could be determined.

Reference mark: A bronze triangulation tablet cemented in solid rock, true azimuth from rock monument,  $242^{\circ} 07'$ , distance 11.3 feet.

[Latitude  $32^{\circ} 43' 55.42''$ ;  $32^{\circ} 43' 53.83''$ .<sup>a</sup> Longitude  $114^{\circ} 44' 47.99''$ ;  $114^{\circ} 44' 49.68''$ .<sup>a</sup>]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
American .....	177 44 15.19	357 44 03.76	4.1430949
Ridge .....	223 15 29.56	43 21 27.24	4.3984893
Sugarloaf .....	254 53 04.41	75 01 33.12	4.4037670
Yuma azimuth .....	280 44 17.76	100 48 27.64	4.0882718

<sup>a</sup> Position on Yuma data of the United States and Mexican Boundary Survey Commission.

## QUARTZ, SAN DIEGO COUNTY.

On the highest point of a range of mountains lying between the Southern Pacific Railway and the Colorado River, about 8 miles from the river at Draper's ranch and probably 15 miles from the railway.

Station mark: A bronze triangulation tablet cemented in rock placed under center of a cairn 8 feet high.

[Latitude  $33^{\circ} 05' 19.64''$ . Longitude  $114^{\circ} 49' 21.82''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters. *
Fort Gass .....	189 06 07.87	9 07 38.33	4.4314275
Lava .....	242 24 30.43	62 27 09.90	3.9314387
Clip .....	266 22 50.93	86 30 37.22	4.3461066
American .....	345 38 23.65	165 40 41.19	4.4231629

## RIDGE, SAN DIEGO COUNTY.

On summit of a high black ridge lying about 14 miles north,  $10^{\circ}$  west, of Yuma, Ariz. This ridge is long and wide, being several miles across it either way. Station is on one of the highest points where

ridge breaks off to the north, giving a good view of the lowlands of the Colorado River in the big bend east of Picacho. The best way to go there is from Potholes, 12 miles from Yuma by road.

Station mark: A bronze triangulation tablet cemented in rock in place under a cairn 9 feet high.

[Latitude  $32^{\circ} 53' 46.72''$ . Longitude  $114^{\circ} 33' 47.98''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Yuma azimuth .....	14 05 58.85	194 04 11.71	4.3251262
Pilot .....	43 21 27.24	223 15 29.56	4.3984893
American .....	76 19 48.46	256 13 38.72	4.2607025
Clip .....	174 47 27.17	354 46 43.66	4.3582402
Sugar Loaf .....	327 56 29.74	147 59 01.62	4.1376339

Four new stations for the control of the Coalinga Special Map in Fresno County were occupied by Mr. A. H. Sylvester in October, 1902. This work was based upon the positions of Hepsedam and Castle Mount on the standard datum of the United States Coast and Geodetic Survey.

#### HEPSEDAM, SAN BENITO COUNTY.

A station of the United States Coast and Geodetic Survey on a prominent peak of the Mount Diablo range, in the southern part of the county. It can be reached from Coalinga by road via King City, Marthan Canon, Priest Valley, and down Lewis Creek to Captain Holletts.

Station mark: A hole drilled in outcropping rock and filled with lead.

[Latitude  $36^{\circ} 18' 53.60''$ . Longitude  $120^{\circ} 49' 26.36''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Oak Flat .....	299 44 51.81	119 55 16.47	4.4829865
Center Peak .....	304 30 56.00	124 38 04.00	4.3414790
Castle Mount .....	313 34 08.71	133 51 16.62	4.7804191

#### CASTLE MOUNT, MONTEREY-FRESNO COUNTIES.

A station of the United States Coast and Geodetic Survey on a high hogback, locally known as Black Mountain. It can be reached from Coalinga by rough road and trail via Parkfield, Turkey Flat, and Taylor's ranch, where accommodations can be had.

Station mark: A copper bolt in center of top of theodolite pier.

[Latitude 35° 56' 21.34". Longitude 120° 20' 22.91".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Hepsedam .....	133 51 16.62	313 34 08.71	4.7804191
Center Peak .....			4.5887373
Oak Flat .....	147 07 51.82	327 01 07.45	4.5001282
Alcalde .....	164 49 51.29	344 47 38.90	4.3325900
Oil City .....	178 11 52.42	358 11 24.69	4.5722254
Black Tank .....	181 45 18.82	1 45 35.92	4.3727723
Kinney .....	191 42 50.45	11 45 05.29	4.4500045

## OAK FLAT, FRESNO COUNTY.

On the highest point of a range of mountains east of Pleasant Valley and between the Marthan Creek drainage on the south and Los Gatos Creek drainage on the north. It is best reached from Coalinga via Oak Flat. Kinney, the hotel and stable man at Coalinga can give directions. There is an unoccupied house and a spring at Oak Flat. From there a horse can be ridden to the station, about 2 miles distant, though there is no trail. It is better to keep up the Oak Flat canyon for half a mile above the flat and take up a ridge between two forks of the canyon.

Station mark: A bowlder was planted firmly in the earth and marked with a drill hole and triangle and the letters U. S. G. S.

[Latitude 36° 10' 42.80". Longitude 120° 31' 49.89".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Hepsedam .....	119 55 16.47	299 44 51.81	4.4829865
Oil City .....	235 57 38.45	56 03 56.64	4.2849789
Kinney .....	267 18 42.12	87 27 42.88	4.3600623
Black Tank .....	279 22 04.45	99 29 06.89	4.2585579
Alcalde .....	296 36 42.27	116 41 14.75	4.1112119
Castle Mount .....	327 01 07.45	147 07 51.82	4.5001282

## OIL CITY, FRESNO COUNTY.

This station is on a round topped hill about 0.5 mile northeast of Oil City. When going to it from Coalinga take road to Oil City, but turn to right up another when in sight but before passing a large black iron tank. Follow this road and it will lead to within 200 yards of signal. A team can be driven to signal, though it is rather steep.



Station mark: A boulder set solidly into the earth and marked with a drill hole and triangle and the letters U S G S.

U S  
△  
G S

[Latitude  $36^{\circ} 16' 32.37''$ . Longitude  $120^{\circ} 21' 09.97''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Alcalde .....	15 02 48.84	195 00 51.45	4.2344037
Oakflat .....	56 03 56.64	235 57 38.45	4.2849789
Kinney .....	324 39 52.94	144 42 31.98	4.0764584
Castle Mount .....	358 11 24.69	178 11 52.42	4.5722254

#### KINNEY, FRESNO COUNTY.

On the highest part of the south end of the low ridge bounding Pleasant Valley on the east. It is about 5 miles northeast of Coalinga, and the signal can be seen from town. A team can be driven directly to the station.

Station mark: A large stone was set solidly into the earth and marked with a drill hole and triangle and the letters U S G S.

[Latitude  $36^{\circ} 11' 16.68''$ . Longitude  $120^{\circ} 16' 33.91''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Castle Mount .....	11 45 05.29	191 42 50.45	4.4500045
Black Tank .....	51 15 35.29	231 14 04.09	3.8070674
Alcalde .....	58 58 05.85	238 53 37.93	4.1222781
Oakflat .....	87 27 42.88	267 18 42.12	4.3600623
Oil City .....	144 42 31.98	324 39 52.94	4.0764584

#### ALCALDE, FRESNO COUNTY.

On the highest point of the first ridge west of Pleasant Valley, about 3 miles from town of Coalinga. A team can be driven within 100 yards of top.

Station mark: The regulation 4-brace center mast sawed timber signal, 10 feet high. The mast is set into the ground 3 feet.

[Latitude  $36^{\circ} 07' 34.80''$ . Longitude  $120^{\circ} 24' 07.99''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Oakflat .....	116 41 14.75	296 36 42.27	4.1112119
Oil City .....	195 00 51.45	15 02 48.84	4.2344037
Kinney .....	238 53 37.93	58 58 05.85	4.1222781
Black Tank .....	246 00 04.45	66 02 34.59	3.8419342
Castle Mount .....	344 47 38.90	164 49 51.29	4.3325900

## BLACK TANK, FRESNO COUNTY.

(Not occupied.)

The third tank, counting from the east, standing by the railroad, east of Coalinga.

Station mark: Center of tank.

[Latitude  $36^{\circ} 09' 06.43''$ . Longitude  $120^{\circ} 19' 54.02''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Castle Mount .....	1 45 35.92	181 45 18.82	4.3727723
Alcalde .....	66 02 34.59	246 00 04.45	3.8419342
Oakflat .....	99 29 06.89	279 22 04.45	4.2585579
Kinney .....	231 14 04.09	51 15 35.29	3.8070674

Additional control in the vicinity of Redding was obtained by Mr. Geo. T. Hawkins, topographer, who located three new secondary stations from Bass and Redding court-house, previously located by the 3-point method from mounts Lassen, Linn, and Shasta.

## SOUTH FORK, SHASTA COUNTY.

On South Fork Mountain, three-fourths mile nearly south of the Mountain copper mine, on southern of double-topped mountains. Scattering trees on summit.

Station mark: The tall pine signal tree 36 inches in diameter, marked U S at base.

[Latitude  $40^{\circ} 39' 10.0''$ . Longitude  $122^{\circ} 31' 31.2''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Shirt .....	164 46 17.00	344 45 11.00	3.95903
Sugar loaf .....	196 53 21.00	16 53 53.00	3.59760
Bass .....	236 45 09.00	56 51 19.00	4.20237
Redding .....	306 12 40.00	126 17 41.00	4.12993

## SUGAR LOAF, SHASTA COUNTY.

About 2 miles northeast of the Mountain Copper Mine on a sharp peak locally known as Sugar Loaf. Most of timber cleared from top.

Station mark: The pine signal tree trimmed up with tuft left at top, 18 inches in diameter and marked "U. S." at base.

[Latitude  $40^{\circ} 41' 12.8''$ . Longitude  $122^{\circ} 30' 42.2''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Bass .....	247 53 42	67 59 20	4.11873
Redding .....	320 23 24	140 27 53	4.18361
South Fork .....	16 53 53	196 53 21	3.59760
Shirt .....	144 40 09	324 38 31	3.78661

## SHIRT, SHASTA COUNTY.

On the western of two bald knobs, about 6 miles north and 1 mile west of the Mountain Copper Mine and 1 mile northeast of the Gladstone Mine.

Station mark: A cairn 6 feet high and 4 feet diameter at base, erected over a + and "U. S." cut in solid rock.

[Latitude  $40^{\circ} 43' 54.5''$ . Longitude  $122^{\circ} 33' 12.9''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Bass .....	270 07 32	90 14 49	4.19631
Sugarloaf .....	324 38 31	144 40 09	3.78661
South .....	344 45 11	164 46 17	3.95903

## OREGON.

## TRIANGULATION STATIONS.

Triangulation in northeastern Oregon was extended from stations in the expansion of the Baker City base so as to control 3 thirty-minute quadrangles. Fourteen stations were occupied by Mr. C. F. Urquhart, topographer.

## IMNAHA, BAKER COUNTY.

On the highest summit in southeast corner of Eagle Mountains, about 2 miles east from corner of Baker, Union, and Wallowa counties, probably in Baker County, and is sometimes known as Red Mount. The Imnaha River (Kettle Creek) heads at its base and flows eastnortheast. Little Eagle Creek flows southwest and Pine Creek

flows southeast. The Joseph and Cornucopia trail passing about 3 miles east from station at a point 7 or 8 miles from latter. The best route to mountain is by trail up Kettle Creek from the north side. Camp at head of Kettle Creek; station will be in sight. From the south this point can be reached from the Union and Cornucopia road by leaving road at a point 4 miles east from the Eagle Creek bridge, thence north by road to Reid's mine, thence by trail to head of Kettle Creek.

Station mark: A bronze triangulation tablet set in loose rock, with a cairn 6 feet at base,  $7\frac{1}{2}$  feet high, built over it.

[Latitude  $45^{\circ} 03' 54.09''$ . Longitude  $117^{\circ} 14' 50.49''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Lookout .....	2 53 26.56	182 52 04.81	4.7049400
Little Lookout .....	12 48 44.60	192 43 44.00	4.6263384
Sparta .....	19 04 42.26	199 01 01.00	4.3225192
Lone Pine .....	48 36 32.34	228 15 38.01	4.7167727
Magpie .....	73 10 53.44	252 47 05.72	4.6650302
China Cap .....	116 08 21.25	295 57 07.51	4.3643332
Fanny .....	125 35 52.92	305 15 16.81	4.6691541
Hurricane .....	163 49 50.28	343 45 38.80	4.4430293
Aneroid .....	188 16 24.02	8 17 29.55	4.1469960

#### LITTLE LOOKOUT, BAKER COUNTY.

Station is on highest point of Little Lookout Mountain and near the source of Lawrence Creek on the north and Durkee Creek on the south. There is a road from Baker City to sawmill on Lawrence Creek, thence up creek to Mr. S. W. Dean's residence, thence southwest up ridge, about 2 miles to signal. Can ride on ridge anywhere.

Station mark: A bronze triangulation tablet set in solid rock, with a cairn 6 feet at base and 7 feet high built over it.

[Latitude  $44^{\circ} 41' 37.69''$ . Longitude  $117^{\circ} 21' 56.50''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Lone Pine .....	102 49 06.09	282 33 15.62	4.4838587
Magpie .....	128 32 10.63	308 13 27.82	4.6497947
China Cap .....	167 25 46.08	347 19 35.34	4.7216992
Sparta .....	186 36 52.07	6 38 11.69	4.3331114
Imnaha .....	192 43 44.00	12 48 44.60	4.6263384
Lookout .....	323 53 01.94	143 56 39.86	4.0644696

## LOOKOUT, BAKER COUNTY.

On the summit of Big Lookout Mountain a well-known high point near the head of Manning Creek. There is a wagon road from Durkee or Express to the head of Manning Creek.

Station mark: A cairn 8 or 9 feet at base and 10 feet high.

[Latitude  $44^{\circ} 36' 33.99''$ . Longitude  $117^{\circ} 16' 46.42''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Lone Pine .....	113 52 32.67	293 33 04.86	4.6015032
Magpie .....	131 44 39.42	311 22 19.04	4.7475534
Little Lookout .....	143 56 39.86	323 53 01.94	4.0644696
Sparta .....	171 59 54.71	351 57 36.52	4.4923373
Innaha .....	182 52 04.81	2 53 26.56	4.7049400

## SPARTA, BAKER COUNTY.

Station is on summit of a bald hill locally known as "Little Baldy," about 1 mile north-northwest from Sparta, a small mining town and post-office 32 miles east-northeast from Baker City. There is also a pole about 30 feet high used for Fourth of July purposes near the summit of hill. This pole was not used for signal, but a cairn about 6 feet high on highest point.

Station mark: A bronze triangulation tablet set in solid rock, over which was built a cairn 6 feet high.

[Latitude  $44^{\circ} 53' 10.62''$ . Longitude  $117^{\circ} 20' 03.48''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Lookout .....	351 57 36.52	171 59 54.71	4.4923373
Little Lookout .....	6 38 11.69	186 36 52.07	4.3331114
Lone Pine .....	65 34 51.51	245 17 39.76	4.5484964
Magpie .....	99 46 12.88	279 26 08.38	4.5792338
Innaha .....	199 01 01.00	19 04 42.26	4.3225192

## CHINA CAP, UNION COUNTY.

Station is on the summit of a high, red mountain near the source of Catherine Creek and on the range of mountains between Catherine Creek and Minum River. There is a sharp red peak about 1 mile south from station with a small monument on it. This point is the first red peak, all of the high mountains east-southeast being white granite. To reach station from the south, a steep trail passes to the east and near the base of the peak. At this point the signal can be



plainly seen about 1 mile north. There is a trail (good) from Medicine Springs to the head of Big Creek, thence northwest down steep hill to Catherine Creek, thence northwest over end of ridge to sheep camp, thence up bare ridge to low place in mountains near foot of small peak, from which station can be seen. Head of Big Creek can also be reached via road to Basin mine, which leaves Union and Cornucopia road 4 miles west from Sanger.

Station mark: A bronze triangulation tablet set in solid rock, with a cairn 7 feet at base and 9 feet high built over it.

[Latitude  $45^{\circ} 09' 23.20''$ . Longitude  $117^{\circ} 30' 41.46''$ .]

To station—	Azimuth.			Back azimuth.			Log. distance.
	°	'	"	°	'	"	Meters.
Innaha -----	295	57	07.51	116	08	21.25	4.3643332
Little Lookout -----	347	19	35.34	167	25	46.08	4.7216992
Magpie -----	44	42	49.38	224	30	13.55	4.5221799
Craig -----	95	33	54.01	275	16	28.66	4.5096415
Fanny -----	134	27	58.41	314	18	36.49	4.3830935
Hurricane -----	218	14	39.52	38	21	42.97	4.3220569
Aneroid -----	260	37	11.97	80	49	32.02	4.3633677

#### CRAIG, UNION COUNTY.

On the highest point of Craig Mountain, about 4 miles southwest from Union. The shortest way to reach it is by trail. Cross the railroad and enter pasture at Union station, thence up rather steep hill to summit. It can also be reached by road by leaving Union and Baker City road 5 miles from the former, cross small valley in lane, thence up canyon to summit of ridge. Station will be in view.

Station mark: A bronze triangulation tablet set in loose rock between two large rocks. A cairn 6 feet at base, 7 feet high, built over tablet.

[Latitude  $45^{\circ} 11' 02.13''$ . Longitude  $117^{\circ} 55' 15.44''$ .]

To station—	Azimuth.			Back azimuth.			Log. distance.
	°	'	"	°	'	"	<i>Meters.</i>
Emily -----	184	10	12.18	4	11	20.18	4.4561684
Fanny -----	227	00	07.82	47	08	12.49	4.3081147
China Cap -----	275	16	28.66	95	33	54.01	4.5096415
Magpie -----	341	35	18.42	161	40	05.82	4.4499851

## EMILY, UNION COUNTY.

On highest point of ridge between Indian Creek and the Grande Ronde River. The mountain is called Mount Emily by some people, but others call the highest ridge on the west side of the valley by that name. The best way to reach the station is from Mr. Childers's residence, which is near the summit of ridge. Road comes up the ridge from lower cove. From Mr. Childers travel Indian Creek road 1 mile, then take all left roads until cabin is reached, thence to the right and up ridge to spring, thence up to station, 4 miles from Mr. Childers. There is a bunch of trees northwest from signal higher.

Station mark: A bronze triangulation tablet set in solid rock.

[Latitude  $45^{\circ} 26' 25.67''$ . Longitude  $117^{\circ} 53' 39.79''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°   '   ''</i>	<i>°   '   ''</i>	<i>Meters.</i>
Huckleberry .....	273 02 46.60	93 19 46.43	4.4936632
Hurricane .....	289 09 20.46	109 32 45.89	4.6584362
Fanny .....	318 53 35.55	139 00 33.22	4.2888142
Craig .....	4 11 20.18	184 10 12.18	4.4561684

## FANNY, UNION COUNTY.

On highest point on rocky mountain about one-fourth mile east-southeast from Mount Fanny, a well-known mountain about 5 miles east from Cove, Oreg. There is a trail from Mr. Murphy's residence, 2 miles east from Cove, to station.

Station mark: A bronze triangulation tablet set in solid rock, with a cairn 6 feet base and 6 feet high (tree in center) built over it.

[Latitude  $45^{\circ} 18' 30.65''$ . Longitude  $117^{\circ} 43' 52.93''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°   '   ''</i>	<i>°   '   ''</i>	<i>Meters.</i>
Craig .....	47 08 12.49	227 00 07.82	4.3081147
Emily .....	139 00 33.22	318 53 35.55	4.2888142
Huckleberry .....	234 47 21.90	54 57 22.96	4.3516867
Hurricane .....	270 40 17.63	90 56 44.28	4.4805756
Innaha .....	305 15 16.81	125 35 52.92	4.6691541
China Cap .....	314 18 36.49	134 27 58.41	4.3830935
Magpie .....	8 29 39.82	188 26 23.87	4.6132078

## ANEROID, WALLOWA COUNTY.

About 2 miles southwest from Aneroid Lake. Water flows into the Wallowa, East Wallowa, and Innaha from the point. The Joseph and Cornucopia trail passes about 1 mile east of station at a point 15 or 16 miles from Joseph. To reach station by trail, travel on the Joseph and Cornucopia trail until the summit or divide between East Wallowa and Innaha is reached, thence west up ridge 1 mile to station. Monument can be seen from trail on summit.

Station mark: A bronze triangulation tablet set in loose rock with a cairn 6 feet at base, 7 feet high, built over it.

[Latitude  $45^{\circ} 11' 23.77''$ . Longitude  $117^{\circ} 13' 18.02''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Innaha .....	8 17 29.55	188 16 24.02	4.1469960
China Gap .....	80 49 32.02	260 37 11.97	4.3633677
Hurricane .....	142 38 52.91	322 33 35.48	4.2054926

## BRUMBACK, WALLOWA COUNTY.

Station is on the highest part of a prominent bald butte about one-half mile east from Mr. E. Brumback's residence, and is in the south-east quarter of section 24, T. 1 N., R. 46 E. The butte is the most northern of two buttes about 3 miles from each other. By wagon road it is 18 miles east-northeast from Enterprise, and about the same distance from Joseph.

Station mark: A bronze triangulation tablet set in solid rock over which is erected a cairn  $6\frac{1}{2}$  feet at base and  $9\frac{1}{2}$  feet high.

[Latitude  $45^{\circ} 32' 46.78''$ . Longitude  $116^{\circ} 59' 38.72''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Hurricane .....	45 49 59.04	225 34 57.01	4.5850060
Huckleberry .....	71 13 18.68	250 51 48.31	4.6185922

## HURRICANE, WALLOWA COUNTY.

The highest and most southeastern of two very sharp peaks, sometimes called "The Sisters," on the highest part of ridge between Hurricane Creek and the most eastern fork of the South Fork of the Wallowa River. To reach station, take trail up Hurricane Creek about 3 miles, when the second creek coming into Hurricane from the west is reached, peak can be seen up this stream. From this point to station (about 3 miles) it is too steep and rough to travel with horses.

Station mark: A bronze triangulation tablet set in soft rock on summit of peak.

[Latitude  $45^{\circ} 18' 16.83''$ . Longitude  $117^{\circ} 20' 45.00''$ .]

To station—	Azimuth.			Back azimuth.			Log. distance.
	°	'	"	°	'	"	
Aneroid .....	322	33	35.48	142	38	52.91	<i>Meters.</i> 4.2054926
Immaha .....	343	45	38.80	163	49	50.28	4.4430293
China Gap .....	38	21	42.97	218	14	39.52	4.3220569
Fanny .....	90	56	44.28	270	40	17.63	4.4805756
Emily .....	109	32	45.89	289	09	20.46	4.6584362
Huckleberry .....	138	32	27.20	318	26	00.60	4.2513815
Brumback .....	225	34	57.01	45	49	59.04	4.5850060

#### HUCKLEBERRY, WALLOWA COUNTY.

A high bald ridge between the East Fork of Bear Creek and Little Bear Creek, about 1 mile north-northwest from head of Little Bear Creek, and 7 miles by trail south-southwest from Lostine post-office. Follow wagon road about 1 mile to Mr. McCubbin's ranch; thence 1 mile by road to gulch; thence up steep trail to summit of timbered ridge. From summit of this ridge the station can be seen. Follow trail about south, cross Little Bear Creek, thence up steep trail to summit of bald ridge.

Station mark: A bronze triangulation tablet set in loose rock 1 foot below surface, over which is a rock marked  $\frac{U}{G} \frac{S}{\Delta}$

[Latitude  $45^{\circ} 25' 29.53''$ . Longitude  $117^{\circ} 29' 48.30''$ .]

To station—	Azimuth.			Back azimuth.			Log. distance.
	°	'	"	°	'	"	
Brumback .....	250	51	48.31	71	13	18.68	<i>Meters.</i> 4.6185922
Hurricane .....	318	26	00.60	138	32	27.20	4.2513815
Fanny .....	54	57	22.96	234	47	21.90	4.3516867
Emily .....	93	19	46.43	273	02	46.60	4.4936632

#### WASHINGTON—IDAHO.

##### TRIANGULATION STATIONS.

Triangulation for control of 3 thirty-minute quadrangles in south-eastern Washington was extended southward from stations in the expansion of the Spokane base. Besides reoccupying 2 old stations 17 new stations were built and occupied and 4 points located by intersections by Mr. George T. Hawkins, topographer in 1902.

## Washington.

## ANATONE, ASOTIN COUNTY.

On a bald knob 6.5 miles southwest from Anatone and 250 feet south of Anatone and Grande Ronde Valley road, 0.25 mile south of big wooded butte.

Station mark: + cut in rock and pile of stone over it.

[Latitude  $46^{\circ} 06' 29.23''$ . Longitude  $117^{\circ} 15' 21.22''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
White .....	162 40 01.34	342 35 48.08	4.40120
Windmill .....	233 30 39.56	53 39 06.74	4.27300
Billy Creek .....	273 38 04.46	93 54 05.32	4.46123

## WHITE, ASOTIN COUNTY.

On a high bald knob in a field 400 feet north of Lewiston and Peola road, 20 miles from Lewiston and 8 miles from Peola.

Station mark: U. S. + cut in solid rock.

[Latitude  $46^{\circ} 19' 27.80''$ . Longitude  $117^{\circ} 21' 12.01''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Valentine .....	183 39 39.03	3 40 22.94	4.3062636
Snake .....	228 03 20.72	48 13 21.11	4.3762899
Windmill .....	299 39 38.88	119 52 20.44	4.4149990
Anatone .....	342 35 48.08	162 40 01.34	4.4012000

## WINDMILL, ASOTIN COUNTY.

Center of windmill at east end of Mr. Bolock's barn, 12 miles south of Asotin and 0.5 mile east of Asotin and Anatone road.

Station mark: Center of windmill.

[Latitude  $46^{\circ} 12' 29.72''$ . Longitude  $117^{\circ} 03' 38.03''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Anatone .....	53 39 06.74	233 30 39.56	4.2730000
White .....	119 52 20.44	299 39 38.88	4.4149990
Valentine .....	147 25 22.04	327 13 23.19	4.5947866
Snake .....	170 32 12.41	350 29 29.75	4.4650820
Billy Creek .....	313 24 47.81	133 32 29.72	4.2774400



## CHENEY, SPOKANE COUNTY.

About 4 miles northwest of Cheney and same distance southeast of Medical Lake on highest bald knob in that vicinity.

Station mark: Iron bench-mark post set 36 inches in the ground.

[Latitude  $47^{\circ} 32' 54.26''$ . Longitude  $117^{\circ} 36' 40.32''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°</i> <i>'</i> <i>''</i>	<i>°</i> <i>'</i> <i>''</i>	<i>Meters.</i>
Tompkinson .....	210 05 42.97	30 12 31.93	4.3617486
Little Baldy .....	229 53 39.91	50 06 02.07	4.4374457
Paradise .....	280 40 58.56	100 50 10.43	4.2021346
Waverly .....	303 55 42.06	124 16 49.80	4.6390466
Plaza .....	332 45 41.14	152 53 00.52	4.4372139

## PARADISE, SPOKANE COUNTY.

About 1 mile from Paradise post-office, on a prominent wooded hill. Part of timber cut down.

Station mark: A pine tree 10 inches in diameter on line of east and west fence.

[Latitude  $47^{\circ} 31' 17.98''$ . Longitude  $117^{\circ} 24' 13.21''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°</i> <i>'</i> <i>''</i>	<i>°</i> <i>'</i> <i>''</i>	<i>Meters.</i>
Plaza .....	8 28 14.74	188 26 23.12	4.3345800
Cheney .....	100 50 10.43	280 40 58.56	4.2021347
Tompkinson .....	169 56 24.74	349 54 00.95	4.3658765
Little Baldy .....	194 33 55.19	14 37 04.62	4.3275653
Waverly .....	316 20 36.95	136 32 33.51	4.4712470

## PLAZA, SPOKANE COUNTY.

On a cleared hill 2.5 miles west and 1 mile north of Plaza, and 0.25 mile southwest from Mr. Lybecker's residence 150 feet east of road in field.

Station mark: An iron bench-mark post set 36 inches in the ground.

[Latitude  $47^{\circ} 19' 45.97''$ . Longitude  $117^{\circ} 26' 44.79''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>°</i> <i>'</i> <i>''</i>	<i>°</i> <i>'</i> <i>''</i>	<i>Meters.</i>
Sunset .....	2 36 22.53	182 35 38.82	4.4414637
Cheney .....	152 53 00.52	332 45 41.14	4.4372139
Paradise .....	188 26 23.12	8 28 14.74	4.3345800
Waverly .....	270 04 21.24	90 18 08.14	4.3731774
Steptoe .....	341 15 49.85	161 22 19.28	4.5428294

## WAVERLY, SPOKANE COUNTY.

On a bald butte 4.5 miles east of Waverly.

Station mark: A stone block 20 by 8 by 8 inches set 24 inches in ground; top marked "+ U. S."

[Latitude 47° 19' 43.47". Longitude 117° 08' 00.15".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Step toe .....	20 49 03.51	200 41 48.02	4.5474520
Plaza .....	90 18 08.14	270 04 21.24	4.3731774
Cheney .....	124 16 49.80	303 55 42.06	4.6390466
Paradise .....	136 32 33.51	316 20 36.95	4.4712470
Ladow .....	352 16 07.44	172 19 03.97	4.5776636

## VALENTINE, GARFIELD COUNTY.

On land owned by Mr. Ed. Davis 1.5 miles northeast of Valentine post-office, about 0.5 mile northwest of his residence, in field.

Station mark: A sandstone block 30 by 25 by 15 inches set 30 inches in the ground; top marked "+ U. S."

[Latitude 46° 30' 22.03". Longitude 117° 20' 11.39".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
White .....	3 40 22.94	183 39 39.03	4.3062636
Wawawai .....	188 57 02.26	8 58 41.36	4.2703883
Colton .....	243 06 16.93	63 12 36.63	4.0967792
Snake .....	284 43 02.46	104 52 19.79	4.2292579
Windmill .....	327 13 23.19	147 25 22.04	4.5947866

## BALD, WHITMAN COUNTY.

On a high bald butte, 2.5 miles east of Johnsons, near southeast corner sec. 1, T. 13, R. 45.

Station mark: An iron bench-mark post set 38 inches in the ground.

[Latitude 46° 37' 59.29". Longitude 117° 05' 22.23".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	°   '   "	°   '   "	<i>Meters.</i>
Snake .....	7 56 35.86	187 55 08.27	4.2701383
Colton .....	42 37 09.70	222 32 43.82	4.0611784
Wawawai .....	105 04 52.91	284 55 45.52	4.2193539
Kamiak .....	166 39 07.99	346 35 40.55	4.4171589
Ladow .....	182 30 52.52	2 31 52.93	4.6009249

## COLFAX, WHITMAN COUNTY.

About 5 miles nearly west from Colfax, on mound in field 250 feet south of road.

Station mark: An iron bench-mark post set 40 inches in the ground.

[Latitude  $46^{\circ} 51' 31.28''$ . Longitude  $117^{\circ} 27' 14.82''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Sunset .....	178 33 24.24	358 33 02.65	4.3933151
Step toe .....	211 33 29.96	31 40 19.86	4.3547119
Kamiak .....	268 58 40.51	89 11 10.47	4.3379294
Wawawai .....	330 11 26.06	150 18 13.94	4.3791007

## COLTON, WHITMAN COUNTY.

On east end of mound in a field 2.5 miles nearly west from Colton, in sec. 5, T. 12, R. 45.

Station mark: An iron bench-mark post set 42 inches in the ground.

[Latitude  $46^{\circ} 33' 24.77''$ . Longitude  $117^{\circ} 11' 28.20''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Valentine .....	63 12 36.63	243 06 16.93	4.0967792
Wawawai .....	147 13 56.63	327 09 15.55	4.1815599
Bald .....	222 32 43.82	42 37 09.70	4.0611784
Snake .....	332 17 56.68	152 20 54.67	4.0515403

## KAMIAK, WHITMAN COUNTY.

On highest point of Kamiak butte, 7 miles southwest from Palouse and about 8 miles south and east from Colfax. Most of timber cut down.

Station mark: The pine signal tree 18 inches in diameter trimmed and marked U. S.

[Latitude  $46^{\circ} 51' 42.57''$ . Longitude  $117^{\circ} 10' 07.04''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	Meters.
Wawawai .....	25 12 52.35	205 07 11.43	4.3682540
Colfax .....	89 11 10.47	268 58 40.51	4.3379295
Step toe .....	152 29 48.23	332 24 07.12	4.3292802
Ladow .....	208 16 47.71	28 21 16.27	4.2147588
Bald .....	346 35 40.55	166 39 07.99	4.4171589

## LADOW, WHITMAN COUNTY.

On a bald butte 6 miles north of Palouse and 3.5 miles nearly east of Garfield, near corner secs. 1, 6, 7, 12, T. —, R. 45, 46.

Station mark: An iron bench-mark post set 40 inches in the ground.

[Latitude 46° 59' 30.01". Longitude 117° 03' 59.40".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Bald .....	2 31 52.93	182 30 52.52	4.6009249
Kamiak .....	28 21 16.27	208 16 47.71	4.2147588
Steptoe .....	104 22 25.20	284 12 14.80	4.2598009
Waverly .....	172 19 03.97	352 16 07.44	4.5776636

## PULLMAN, WHITMAN COUNTY.

(Not occupied.)

The water tower in grounds of Agricultural College at Pullman.

Station mark: Center of water tower.

[Latitude 46° 43' 49.08". Longitude 117° 09' 49.34".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Kamiak .....	178 31 53.44	358 31 40.55	4.16520
Bald .....	332 14 33.66	152 17 47.99	4.08635

## SNAKE, WHITMAN COUNTY.

On a high point 6 miles south and 1 mile west of Uniontown, on edge of Snake River Canyon.

Station mark: An iron bench-mark post set 40 inches in the ground.

[Latitude 46° 28' 01.83". Longitude 117° 07' 22.88".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
White .....	48 13 21.11	228 03 20.72	4.3762899
Valentine .....	104 52 19.79	284 43 02.46	4.2292579
Colton .....	152 20 54.67	332 17 56.68	4.0515403
Bald .....	187 55 08.28	7 56 35.86	4.2701383
Billy Creek .....	336 00 52.15	156 11 17.75	4.6602700
Windmill .....	350 29 29.75	170 32 12.41	4.4650820

## STEPTOE, WHITMAN COUNTY.

On cupola of hotel on top of Steptoe butte, about 7 miles nearly south from Oakesdale.

Station mark: Center of cupola.

Reference mark: + cut in solid rock 55 feet due north of center of cupola.

[Latitude  $47^{\circ} 01' 55.38''$ . Longitude  $117^{\circ} 17' 53.86''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>o'   '   ''</i>	<i>o'   '   ''</i>	<i>Meters.</i>
Colfax .....	31 40 19.86	211 33 29.96	4.3547119
Sunset .....	113 41 54.62	293 34 42.36	4.1336609
Plaza .....	161 22 19.28	341 15 49.85	4.5428294
Waverly .....	200 41 48.02	20 49 03.51	4.5474520
Ladow .....	284 12 14.80	104 22 25.20	4.2598009
Kamiak .....	332 24 07.12	152 29 48.23	4.3292801

## SUNSET, WHITMAN COUNTY.

On a mound in a field 2.5 miles south and 0.5 mile east of Sunset, 0.25 mile east of Mr. Macklin's residence.

Station mark: An iron bench-mark post set 36 inches in the ground.

[Latitude  $47^{\circ} 04' 52.02''$ . Longitude  $117^{\circ} 27' 44.36''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>o'   '   ''</i>	<i>o'   '   ''</i>	<i>Meters.</i>
Plaza .....	182 35 38.82	2 36 22.53	4.4414637
Steptoe .....	293 34 42.36	113 41 54.62	4.1336609
Colfax .....	358 33 02.65	178 33 24.24	4.3933151

## WAWAWAI, WHITMAN COUNTY.

On mound in a field 8 miles southwest of Pullman in northeast quarter sec. 29, T. 14. R. 44.

Station mark: An iron bench-mark post set 40 inches in the ground.

[Latitude  $46^{\circ} 40' 18.24''$ . Longitude  $117^{\circ} 17' 54.97''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
	<i>o'   '   ''</i>	<i>o'   '   ''</i>	<i>Meters.</i>
Valentine .....	8 58 41.36	188 57 02.26	4.2703883
Colfax .....	150 18 13.94	330 11 26.06	4.3791007
Kamiak .....	205 07 11.43	25 12 52.35	4.3682540
Bald .....	284 55 45.52	105 04 52.91	4.2193539
Cotton .....	327 09 15.55	147 13 56.63	4.1815599



## Idaho.

## MOSCOW, LATAH COUNTY.

(Not occupied.)

Station mark: Center of water tower at Moscow.

[Latitude 46° 44' 05.88". Longitude 116° 59' 57.63".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Bald .....	31 24 00.17	211 20 03.99	4.12231
Kamiak .....	137 34 04.78	317 26 40.55	4.28175

## BILLY CREEK, NEZ PERCES COUNTY.

On a high mountain spur running out from the Billy Creek range, about 30 miles southeast from Lewiston and 5 miles east of Snake River.

Station mark: The lone pine signal tree.

[Latitude 46° 05' 27.59". Longitude 116° 52' 57.51".]

To station—	Azimuth.	Back azimuth.	Log. distance.
	° ' "	° ' "	<i>Meters.</i>
Anatone .....	93 54 05.32	273 38 04.46	4.46123
Windmill .....	133 32 29.72	313 24 47.81	4.27744
Snake .....	156 11 17.75	336 00 52.15	4.66027



# INDEX.

	Page.		Page
Abner, Tenn., position of .....	78	Bacham, Ky., position of .....	127
positions near .....	80	Bagnell, Mo., position of .....	136
Agency station, Arizona, description and position of .....	168	positions between Hughes triangulation station and .....	135
Alabama, primary traverse in Georgia and .....	123-125	between Olcan and .....	136
primary traverse in Tennessee and .....	77-80	Bailey station, West Virginia, description and position of .....	58
Alabama and Vicksburg Railway, positions along .....	129-130	Baker station, Maine, description and posi- tion of .....	18
Alcalde station, California, description and position of .....	196-197	Bald Mountain station, Arizona, descrip- tion and position of .....	158
Allison station, West Virginia, description and position of .....	55	Bald station, Maine, description and posi- tion of .....	19
American station, California, description and position of .....	187	Bald station, Washington, description and position of .....	207
Anatone station, Washington, description and position of .....	205	Bald station, West Virginia, description and position of .....	55-56
Anchor mine, Utah, position of .....	163	Baldwin station, Ohio, description and po- sition of .....	114
Aneroid station, Oregon, description and position of .....	203	Bannock station, Maine, description and position of .....	16
Arizona, azimuth stations in, descriptions and positions of .....	154, 158	Barnes Corners, N. Y., position of .....	47
Mohave County, triangulation station No. 2, description and position of .....	166	Barnesburg, Ohio, position of .....	122
triangulation stations in, description of .....	151-163, 164-175	Barnesville station, Ohio, description and position of .....	86-87
Yuma County, triangulation station No. 13, description and position of .....	171	Barren station, Maine, description and posi- tion of .....	19
triangulation station No. 14, de- scription and position of .....	171-172	Barton station, Ohio, description and posi- tion of .....	100
triangulation station No. 15, de- scription and position of .....	172	Bates station, New York, description and position of .....	32-33
triangulation station No. 16, de- scription and position of .....	172-173	Beallsville station, Ohio, description and position of .....	107
triangulation station No. 24, de- scription and position of .....	173	Bear station, West Virginia, description and position of .....	75
Arnett station, West Virginia, description and position of .....	53	Beavertown station, Pennsylvania, descrip- tion and position of .....	49
Ashbyburg, Ky., position of .....	126	Beechwood, Miss., position of .....	129
Atchison, Topeka and Santa Fe Railway, positions along .....	138-141	Belcourt, Ky., position of .....	126
Atlanta and West Point Railroad, Georgia, positions along .....	123	Belington station, West Virginia, descrip- tion and position of .....	50-51
Atlantic section of topography, detailed re- port of work of .....	16-80	Big Spencer station, Maine, description and position of .....	19
summary of published results in .....	15	Bigelow station, Maine, description and position of .....	21-22
Attica station, New York, description and position of .....	41	Billy Creek station, Idaho, description and position of .....	211
Aurora, Mo., position of .....	136	Bissel station, Arizona, description and position of .....	151-152
Axtel station, California, description and position of .....	180-181	Black station, Arizona, description and position of .....	168-169
Azimuth stations, Arizona, descriptions and positions of .....	154, 158	Black Tank station, California, description and position of .....	197

	Page.		Page.
Blair station, Arizona, description and position of .....	154-155	California, San Bernardino County, triangulation station No. 1, description and position of .....	183
Blue Ball, Ohio, position of .....	121	triangulation station No. 3, description and position of .....	183-184
Blue Mound, Kans., positions between Colony and .....	139	triangulation station No. 4, description and position of .....	184
positions between Uniontown and .....	140	triangulation station No. 5, description and position of .....	184-185
Blue station, Maine, description and position of .....	17	triangulation station No. 6, description and position of .....	185
Blythe station, California, description and position of .....	176	San Diego County, triangulation station No. 17, description and position of .....	189
Boarstone station, Maine, description and position of .....	20	triangulation station No. 18, description and position of .....	189-190
Bolton, Miss., position of .....	129	triangulation station No. 19, description and position of .....	190
Bond station, Ohio, description and position of .....	81	triangulation station No. 20, description and position of .....	190-191
Booth station, Ohio, description and position of .....	114	triangulation station No. 21, description and position of .....	191
Boyina, Miss., position of .....	129	triangulation station No. 22, description and position of .....	191-192
Bowerston station, Ohio, description and position of .....	98	triangulation station No. 23, description and position of .....	192
Boylston triangulation station, New York, position of .....	45	triangulation stations in, descriptions of .....	175-198
positions between Thomas triangulation station and .....	45	triangulation stations, secondary ..	197
Boys' Industrial School station, Hocking County, Ohio, description and position of .....	100-101	Calland station, Ohio, description and position of .....	108
Brandon, Miss., position of .....	130	Camp Woods station, Arizona, description and position of .....	158
Brandywine, Ga., position of .....	124	Carlisle, Kans., position of .....	138
Brooks station, Ohio, description and position of .....	101	Carpenter station, New York, description and position of .....	41-42
Brown station, Ohio, description and position of .....	101-102	Carrollton station, Ohio, description and position of .....	89
Brown station, West Virginia, description and position of .....	67	Carter station, Arizona, description and position of .....	159
Brumback station, Oregon, description and position of .....	203	Carthage, Ohio, position of .....	122
Brumell, Mo., position of .....	136	Carthage station, New York, description and position of .....	37
Brushville, N. Dak., position of .....	143	Caselar station, New York, description and position of .....	33
Bryan station, Ohio, description and position of .....	87	Castle Mount station, California, description and position of .....	194-195
Buck station, Ohio, description and position of .....	91	Cedar Grove, Ky., position of .....	127
Busti station, New York, description and position of .....	33	Centennial station, Ohio, description and position of .....	84
Byram, Miss., position of .....	130	Central of Georgia Railway, positions along .....	124
Cadiz court-house station, Ohio, description and position of .....	97	Central section of topography, detailed report of work of .....	81-143
Cadiz station, Ohio, description and position of .....	97	summary of published results in .....	15
Caledonia station, New York, description and position of .....	40	Chanute, Kans., position of .....	138-141
California, Colorado River Indian Reservation, triangulation station No. 7, description and position of .....	175	positions between Colony and .....	138
Colorado River Indian Reservation, triangulation station No. 8, description and position of .....	175-176	between Thayer and .....	141
Riverside County, triangulation station No. 9, description and position of .....	178	between Walnut and .....	138
triangulation station No. 10, description and position of .....	178	Cheney station, Washington, description and position of .....	206
triangulation station No. 11, description and position of .....	179	Chewachee, Ala., position of .....	125
triangulation station No. 12, description and position of .....	179	Chicago, Ill., position of .....	133
		Chicago, Milwaukee and St. Paul Railway, positions along .....	143
		Chicago, Peoria and St. Louis Railway, positions along .....	131, 133

	Page.		Page.
Childers station, West Virginia, description and position of.....	56	Damsel, Mo., position of.....	136
China Cap station, Oregon, description and position of.....	200-201	Davis station, New York, description and position of.....	28
Chipley, Ga., position of.....	124	Davis station, Ohio, description and position of.....	103-104
Chocolate station, Arizona, description and position of.....	169	Davis station, West Virginia, description and position of.....	52
Clarks Hill station, Ohio, description and position of.....	84-85	Deersville station, Ohio, description and position of.....	98
Claysville station, Ohio, description and position of.....	94	Delta station, California, description and position of.....	187
Clifton, Tenn., position of.....	77	Denmark Church station, New York, description and position of.....	38-39
Clinton station, West Virginia, description and position of.....	65	Derrick station, West Virginia, description and position of.....	69-70
Clip station, Arizona, description and position of.....	169-170	Derry station, New Hampshire, description and position of.....	28
Clymer station, New York, description and position of.....	34	Dewey station, New York, description and position of.....	34
Coal station, Arizona, description and position of.....	155	Dillon station, Ohio, description and position of.....	109
Cobble station, New York, description and position of.....	42	Dixie Ky., position of.....	128
Coffey station, Ohio, description and position of.....	111	Dixon, Miss., position of.....	129
Colfax, N. Dak., position of.....	141	Dovenbecker station, Ohio, description and position of.....	118
positions between Hankinson and.....	142	Dundee, Ky., position of.....	127
Colfax station, Washington, description and position of.....	208	Earleton, Kans., position of.....	141
College station, Ohio, description and position of.....	94	East Antelope station, Arizona, description and position of.....	159
Colony, Kans., position of.....	139	East Edge station, Arizona, description and position of.....	160
positions between Blue Mound and.....	139	East Florence, N. Y., position of.....	46
between Chanute and.....	138	East Liverpool Chapel station, Ohio, description and position of.....	90
Colorado, triangulation stations in, descriptions of.....	144-146	East Twin station, Wyoming, description and position of.....	150-151
Colorado-Wyoming line stations, description and position of.....	144	Edwards, Miss., position of.....	129
Colton station, Washington, description and position of.....	268	Egypt station, West Virginia, description and position of.....	50
Columbus, Ga., position of.....	125	Ehrenberg station, Arizona, description and position of.....	170
Cone station, Arizona, description and position of.....	164	Elders station, Ohio, description and position of.....	104
Cook station, Ohio, description and position of.....	102	Elmer station, New York, description and position of.....	39
Cornfield station, West Virginia, description and position of.....	73	Elmwood, Ky., position of.....	126
Correy station, Ohio, description and position of.....	111	positions between Floral and.....	126
Corydon, Ky., position of.....	128	between Henderson and.....	126
Cosseta, Ala., position of.....	123	Emily station, Oregon, description and position of.....	202
County road station, Albany County, Wyo., description and position of.....	146-147	Error station, Arizona, description and position of.....	159
Cove station, W. Va., description and position of.....	73	Erwin station, West Virginia, description and position of.....	59
Craig station, Oregon, description and position of.....	201	Evans station, West Virginia, description and position of.....	73-74
Croghan station, New York, description and position of.....	38	Fairmount, N. Dak., position of.....	142-143
Crow station, Wyoming, description and position of.....	147	positions between Hankinson and.....	142
Culley station, New York, description and position of.....	40	between Wahpeton and.....	143
Cynthia, Miss., position of.....	131	Faith station, Arizona, description and position of.....	160
Cypress Inn post-office, Tenn., position of.....	78	Fanny station, Oregon, description and position of.....	202
Daly No. 2 mine, Utah, position of.....	163	Fargo, N. Dak., position of.....	141
Daly-West mine, Utah, position of.....	163	Federal station, New Hampshire, description and position of.....	25



	Page.		Page.
Felch station, New York, description and position of .....	42	Greenfield, Miss., position of .....	130
Finlay station, West Virginia, description and position of .....	62-63	Greener station, Ohio, description and position of .....	106
Fletcher station, Maine, description and position of .....	22	Greentop station, Wyoming, description and position of .....	148
Floral, Ky., positions between Elmwood and .....	126	Gregg station, Ohio, description and position of .....	112
Florence, Ala., position of .....	79	Griffith station, West Virginia, description and position of .....	66
Florence, N. Y., position of .....	46	Grossbeck, Ohio, position of .....	122
Flournoy, Ky., position of .....	128	Grove station, West Virginia, description and position of .....	53
Floyd station, Arizona, description and position of .....	152	Guilford station, Maine, description and position of .....	20
Flushing station, Ohio, description and position of .....	87	Gum triangulation station, New York, position of .....	44, 47
Fogg station, Maine, description and position of .....	22	positions between Lowrey triangulation station and .....	44
Fort Collins station, Colorado, description and position of .....	144	between Osceola triangulation station and .....	47
Fort Gass station, California, description and position of .....	187-188	Hale, Ill., position of .....	133
Fort Scott, Kans., position of .....	137-140	Halleck station, West Virginia, description and position of .....	63
positions between Uniontown and .....	146	Halls Knob station, Ohio, description and position of .....	95-96
between Walnut and .....	137	Hamilton, Ga., position of .....	124
Forston, Ga., position of .....	125	Hammond station, Ohio, description and position of .....	90-91
Foss station, Maine, description and position of .....	22	Harris, Ga., position of .....	124
Foster, Ohio, position of .....	121	positions between Lagrange and .....	123
Foster station, New York, description and position of .....	29	between Opelika, Ala., and .....	124
Freeman station, West Virginia, description and position of .....	70	Hartford, Ky., position of .....	127
Friant station, Arizona, description and position of .....	165	Hankinson, N. Dak., position of .....	142
Fulda station, Ohio, description and position of .....	111-112	positions between Colfax and .....	142
Fulton station, Ohio, description and position of .....	82	between Fairmount and .....	142
Funk station, West Virginia, description and position of .....	67	Havana, Ill., position of .....	131
Gabbettville, Ga., position of .....	123	Haynes station, New York, description and position of .....	34
Gale station, Wyoming, description and position of .....	147-148	Haynesville, Ky., position of .....	127
Gallaway station, Ohio, description and position of .....	85	Hayti, Ky., position of .....	127
Gebhardt station, West Virginia, description and position of .....	52-53	Hedges station, California, description and position of .....	188
Georgia, primary traverse in Alabama and .....	123-125	Heflin, Ky., position of .....	127
Gier station, Arizona, description and position of .....	170-171	Henderson, Ky., position of .....	126-127
Gilmore station, Ohio, description and position of .....	114-115	positions between Elmwood and .....	126
Glass station, Ohio, description and position of .....	118-119	between Uniontown and .....	127
Globe distillery, Illinois, position of .....	133	Hepler, Kans., position of .....	137
Goff station, West Virginia, description and position of .....	75	Hepeslam station, California, description and position of .....	194
Graham station, Ohio, description and position of .....	92-93	Hiattville, Kans., position of .....	137
Granite station, Arizona, description and position of .....	160	High Knob station, Ohio, description and position of .....	109
Great Northern Railway, positions along .....	141, 143	Highland, Ky., position of .....	128
Green River, Tennessee, position on .....	80	Highland station, New York, description and position of .....	35
Greenboro post-office, N. Y., position of .....	45	Highmarket post-office, N. Y., position of .....	47
Greene Crossing, Miss., position of .....	131	Highpoint triangulation station, Missouri, position of .....	136
		positions between Olean and .....	136
		Hill station, California, description and position of .....	181
		Hillside, Ky., position of .....	127
		Hines, Ala., position of .....	79
		Hodges station, California, description and position of .....	176-177
		Hopedale station, Ohio, description and position of .....	104

Page.

Page.

Horse station, Wyoming, description and position of.....	148
Horsetooth station, Colorado, description and position of.....	145
Houck station, Ohio, description and position of.....	93
Howesville station, West Virginia, description and position of.....	68
Huckleberry station, Oregon, description and position of.....	204
Hudson station, New Hampshire, description and position of.....	25
Hughes, Mo., position of.....	135
Hughes triangulation station, Missouri, positions between Bagnell and ...	135
Humboldt, Kans., position of.....	138
Hurricane station, Oregon, description and position of.....	203-204
Huttons Branch, Tennessee, position on ...	77
Idaho, triangulation stations in, descriptions of.....	211
Illinois, primary traverse in.....	131-133
Illinois Central Railway, positions along.....	127, 130
Illinois River, position on.....	132
Imnaha station, Oregon, description and position of.....	198-199
Independence station, West Virginia, description and position of.....	51-52
Iola, Kans., position of.....	138
Iron City, Tenn., position of.....	78-79
positions between Kelleys Landing and between Pinkney and.....	77
between Tusculumbia, Ala., and.....	78
between Tusculumbia, Ala., and.....	79
Jackson, Miss., position of.....	129
positions near.....	130, 131
between Vicksburg and.....	129
Jackson station, West Virginia, description and position of.....	59-60
Jacksonburg, Ala., position of.....	79
Jacobson station, Ohio, description and position of.....	85
Jefferson station, Ohio, description and position of.....	97-98
Jerusalem Schoolhouse station, Ohio, description and position of.....	108
Jewett station, Maine, description and position of.....	23
Jingo, Ky., position of.....	127
Jones station, West Virginia, description and position of.....	60
Kamiak station, Washington, description and position of.....	208
Kansas, primary traverse in.....	137-141
Kelley station, West Virginia, description and position of.....	68
Kelleys Landing, Tennessee, position of ...	77
positions between Iron City and .....	77
Kelvin station, Arizona, description and position of.....	155-156
Kendrick station, Arizona, description and position of.....	152
Kennard station, West Virginia, description and position of.....	63
Kennedy station, Ohio, description and position of.....	95

Kensington station, Ohio, description and position of.....	89-90
Kent, Minn., position of.....	143
Kentucky, primary traverse in.....	125-128
Kincaid, Kans., position of.....	139
Kineo station, Maine, description and position of.....	20
King station, West Virginia, description and position of.....	70
Kinney station, California, description and position of.....	196
Kirkland station, Arizona, description and position of.....	161
Knoll station, California, description and position of.....	181-182
Ladow station Washington, description and position of.....	209
Lagrange, Ga., position of.....	123
positions between Harris and .....	124
between West Point and .....	123
Laurel station, West Virginia, description and position of.....	51
Lava station, California, description and position of.....	188-189
Lavelle station, West Virginia, description and position of.....	74
Lawler station, Ohio, description and position of.....	117
Laws station, Ohio, description and position of.....	118
Learn station, New York, description and position of.....	29
Leighton, Ala., position of.....	79
Leonard station, Ohio, description and position of.....	106-107
Leroy station, New York, description and position of.....	36
Limestone station, Arizona, description and position of.....	161
Limestone station, West Virginia, description and position of.....	68
Lindsey station, Wyoming, description and position of.....	148-149
Lischers Mill, New York, position of.....	47
Little Lookout station, Oregon, description and position of.....	199
Little Osage River, Kansas, position on ...	140
Little Valley, N. Y., meridian marks at.....	43
Littleton station, West Virginia, description and position of.....	74
Livermore, Ky., position of.....	126
Livermore station, Colorado, description and position of.....	145
Livia, Ky., position of.....	128
Locust station, West Virginia, description and position of.....	54
Lookout station, Oregon, description and position of.....	200
Louisville and Nashville Railway, positions along.....	78, 79, 126, 128
mining branch, positions along.....	78
Loveland, Ohio, position of.....	121
positions between Middletown Junction and.....	121
Low Mesa station, California, description and position of.....	182

	Page.		Page.
Lowrey triangulation station, New York, position of.....	45	Monument station, California, description and position of.....	182-183
positions between Gum triangulation station and.....	44	Moore station, Ohio, description and posi- tion of.....	119
Lyonia, Ky., position of.....	127	Mooreton, N. Dak., position of.....	142
McBride station, Ohio, description and position of.....	96	Moose Hill station, Maine, description and position of.....	17
McCarty station, New York, description and position of.....	29-30	Morganfield, Ky., position of.....	128
McCullough station, West Virginia, descrip- tion and position of.....	66-67	positions near.....	127
McDaniel station, Ohio, description and position of.....	102-103	Morton, Ill., position of.....	132
McDougal station, West Virginia, descrip- tion and position of.....	54	Moscow station, Idaho, description and po- sition of.....	211
McKnight station, Ohio, description and position of.....	107	Mound station, New York, description and position of.....	37
McQuillen station, New York, description and position of.....	37	Mound station, Wyoming, description and position of.....	149
Macon and Birmingham Railway, positions along.....	124	Mount Clare station, W. Va., description and position of.....	56-57
Madisonville, Ohio, position of.....	122	Mount Olive Church station, West Virginia, description and position of.....	75-76
Maine, triangulation stations in, descrip- tions of.....	16-24	Mount Pleasant station, Ohio, description and position of.....	85-86
Manchester station, New Hampshire, de- scription and position of.....	26	Mount Vernon station, New Hampshire, de- scription and position of.....	26
Maple Grove, Ill., position of.....	132	Mountville, Ga., position of.....	123
Marie station, California, description and position of.....	177	Moxie station, Maine, description and posi- tion of.....	23-24
Marmaton, Kans., position of.....	140	Mule Wash station, Arizona, description and position of.....	177-178
Martins Mills post-office, Tenn., position of.	77	Mullaly station, New York, description and position of.....	30
Mason station, New Hampshire, descrip- tion and position of.....	26	Mutual, Ga., position of.....	123
Maxwell station, Colorado, description and position of.....	145-146	Myers station, Ohio, description and posi- tion of.....	86
Mayville, N. Y., meridian marks at.....	43-44	Nankipoo, Ga., position of.....	125
Meas station, New York, description and po- sition of.....	35	Napier, Tenn., position of.....	78
Melhorn station, West Virginia, description and position of.....	57-58	positions between Pinkney and.....	78
Mellen station, Arizona, description and po- sition of.....	165	Nashua station, New Hampshire, descrip- tion and position of.....	27
Michigan, primary traverse in.....	134	Nebo station, Ohio, description and posi- tion of.....	82-83
Middle station, Arizona, description and position of.....	152-153	Nelson station, West Virginia, description and position of.....	64
Middletown and Cincinnati Railroad, Ohio, position at.....	122	New Alexander station, Ohio, description and position of.....	105
Middletown Junction, Ohio, positions be- tween Loveland and.....	121	New Hampshire, triangulation stations in, descriptions of.....	25-28
Midway station, Ohio, description and posi- tion of.....	95	New Portland station, Maine, description and position of.....	24
Miller station, West Virginia, description and position of.....	54-55	New York, meridian marks in.....	43-44
Millerstown station, Pennsylvania, descrip- tion and position of.....	47-48	primary traverse in.....	44-47
Mineral station, Arizona, description and position of.....	161	triangulation stations in, descriptions of.....	28-47
Minnesota, primary traverse in North Da- kota and.....	141-143	Newcastle station, Ohio, description and position of.....	87-88
Mississippi, primary traverse in.....	128-131	Newman, Miss., position of.....	129
Missouri, primary traverse in.....	135-136	Newport station, Pennsylvania, description and position of.....	48
Missouri, Kansas and Texas Railway, posi- tions along.....	137	Noe Creek, Kentucky, position of.....	127
Missouri Pacific Railway, positions along.....	136, 140	Nolan station, Ohio, description and posi- tion of.....	119-120
Mobley, Ga., position of.....	125	North Boylston Church, New York, posi- tion of.....	45
Monroe, Mich., position of.....	134	North Dakota, primary traverse in Minne- sota and.....	141-143
		North Mingus station, Arizona, description and position of.....	162

	Page.		Page.
Nuckols, Ky., position of.....	127-128	Pigeon station, West Virginia, description and position of .....	59
Nunda station, New York, description and position of.....	40	Pilot station, California, description and position of.....	193
Oak station, West Virginia, description and position of.....	71	Pilot station, Wyoming, description and position of.....	149
Oak Flat station, California, description and position of.....	195	Pine Hill station, New York, description and position of.....	30
Oak Grove, Tenn., position of.....	78	Piney Swamp station, West Virginia, description and position of .....	69
Ohio, primary traverse in.....	121-122	Pinhook Church, Tennessee, position of ...	77
triangulation stations in, description of ..	81-122	Pinkerton station, Ohio, description and position of.....	120
Oil City station, California, description and position of.....	195	Pinkney station, Tennessee, position of....	78
Olean, Mo., positions between Bagnell and ..	136	positions between Iron City and .....	78
positions between Highpoint triangulation station and .....	136	between Napier and.....	78
Ontario No. 2 mine, Utah, position of.....	163	Pinnacle station, Arizona, description and position of.....	156
Opelika, Ala., position of.....	123	Pinnacle station, West Virginia, description and position of .....	76
positions between Harris, Ga., and.....	124	Pioneer station, Arizona, description and position of.....	156
positions between West Point and .....	123	Pizen station, Colorado, description and position of.....	146
Orchard mines, Illinois, position of .....	133	Plaza station, Washington, description and position of.....	206
Oregon, triangulation stations in, descriptions of.....	198-204	Pleasant Pines, Tenn., position of.....	78
Osceola, N. Y., position of.....	46	Pleasant station, Ohio, description and position of .....	113
Osceola triangulation station, positions between Gum triangulation station and .....	47	Pleasant (2) station, Ohio, description and position of.....	92
Owensboro, Ky., position of.....	128	Plymouth, Mich., positions at and near....	134
positions between Nuckols and .....	128	Pocahontas, Miss., position of.....	131
Owlshhead station, West Virginia, description and position of .....	71	Point Sublime station, Arizona, description and position of .....	156-157
Pacific section of topography, detailed report of work of.....	164-211	Port Washington station, Ohio, description and position of.....	115
summary of published results in.....	15	Porter Knob station, West Virginia, description and position of .....	72
Panama station, New York, description and position of .....	35-36	Pottstown, Ill., position of.....	183
Panstown, Ala., position of .....	125	Powell station, Arizona, description and position of .....	166-167
Paradise station, Washington, description and position of .....	206	Preston, Ohio, position of .....	122
Parker School station, Arizona, description and position of .....	166	Proctors Ferry, Missouri, position of.....	135
Peak station, California, description and position of.....	185	Prospect Hill station, Ohio, description and position of .....	99
Pearl, Miss., position of .....	130	Pruitton, Ala., position of .....	79
Pearson, Miss., position of .....	130	Pullman station, Washington, description and position of .....	209
Pekin, Ill., position of.....	133	Pullman station, West Virginia, description and position of .....	71
Pellville, Ky., position of .....	127	Quaker station, Maine, description and position of .....	18
Pennsylvania, triangulation stations in, descriptions of .....	47-49	Quartz station, California, description and position of .....	193
Pennsylvania Railroad, Ohio, positions along .....	121	Quartzite station, Wyoming, description and position of .....	149-150
Peoria, Ill., position of .....	132	Quincy mine, Utah, position of.....	163
Perry Center Church Spire station, New York, description and position of.....	43	Ragged station, Wyoming, description and position of.....	150
Perry station, New York, description and position of.....	42-43	Read station, New York, description and position of .....	31
Perryville station, Ohio, description and position of .....	90	Red Butte station, Arizona, description and position of.....	153
Peters station, Pennsylvania, description and position of .....	48	Red Lion, Ohio, position of .....	121
Phoenix, Ga., position of.....	125	Red station, Arizona, description and position of.....	167
Picacho station, Arizona, description and position of.....	162		
Picacho station, California, description and position of.....	192		



	Page.		Page.
Redfield, Kans., position of .....	140	Sewellsville station, Ohio, description and position of .....	88
Redfield, N. Y., position of .....	46	Shaver station, West Virginia, description and position of .....	72
Reed City, Ill., position of .....	133	Shaw, Kans., position of .....	138
Retsof station, New York, description and position of .....	41	Sheffield, Ala., position of .....	79
Reynolds, Ky., position of .....	127	Sherrard station, West Virginia, description and position of .....	61-62
Rho station, Arizona, description and position of .....	173	Shirt station, California, description and position of .....	198
Rice, Miss., position of .....	130	Shivas station, Arizona, description and position of .....	157
Ridge station, California, description and position of .....	193-194	Shutt station, New York, description and position of .....	31
Riggs Knob station, West Virginia, description and position of .....	61	Shutts Chapel, Ky., position of .....	126
Ripsey station, Arizona, description and position of .....	157	Silver King mine, Utah, position of .....	163
Riverside station, California, description and position of .....	179-180	Simmons station, Arizona, description and position of .....	162
Riverside (2) station, California, description and position of .....	180	Singleton station, West Virginia, description and position of .....	51
Robard, Ky., position of .....	126	Sinking Creek station, West Virginia, description and position of .....	55
Rock station, New York, description and position of .....	39	Smartville post-office, N. Y., position of .....	45
Rock station, West Virginia, description and position of .....	69	Smith, Ala., position of .....	125
Rock Lick station, West Virginia, description and position of .....	61	Smith, Miss., position of .....	129
"Rock S. E." station, Wyoming, description and position of .....	150	Smith station, New York, description and position of .....	38
Rocky Mountain section of topography, detailed report of work of .....	144-163	Smithfield station, West Virginia, description and position of .....	74-75
summary of published results in .....	15	Snake station, Washington, description and position of .....	209
Rocky station, California, description and position of .....	186	"Soo Line," positions along .....	142
Rollin, Kans., position of .....	138	South Fork station, California, description and position of .....	197
Ronald, Kans., position of .....	137	South Mingus station, Arizona, description and position of .....	162-163
Rowe station, Arizona, description and position of .....	153	Southern Railway, Alabama, positions along .....	79
Rudy station, West Virginia, description and position of .....	60	Southland station, Ohio, description and position of .....	83
Rumley station, Ohio, description and position of .....	99	Sparta station, Oregon, description and position of .....	200
Rumsey, Ky., position of .....	126	Sphinx station, Arizona, description and position of .....	167-168
Russell station, Maine, description and position of .....	21	Spruce station, Pennsylvania, description and position of .....	49
Sabattus station, Maine, description and position of .....	16	Squaw station, Maine, description and position of .....	21
Sago station, Ohio, description and position of .....	110	Steele station, Ohio, description and position of .....	88-89
St. Charles T., Ohio, position of .....	122	Steptoe station, Washington, description and position of .....	210
St. Clairsville Court-House station, Ohio, description and position of .....	89	Stickney station, Maine, description and position of .....	24
St. Johns station, Ohio, description and position of .....	108	Stinson, Ga., position of .....	124
St. Vincent, Ky., position of .....	128	Stone Creek station, Ohio, description and position of .....	115
Salem, Ala., position of .....	125	Stout, Tenn., position of .....	77
Salmon River, New York, positions on .....	45, 46	Sugar Loaf station, California, description and position of .....	198
Sandy Creek, New York, position on .....	45	Sugar Loaf station, West Virginia, description and position of .....	58
Sardis station, West Virginia, description and position of .....	57	Sugarloaf station, Arizona, description and position of .....	174
Sater, Ohio, position of .....	122	Sulphur Springs, Ky., position of .....	127
Schultz station, Ohio, description and position of .....	103		
Sebree, Ky., position of .....	126		
Seffens station, Ohio, description and position of .....	120-121		



	Page.		Page.
Summerfield Schoolhouse station, Ohio, description and position of.....	113	Vicksburg, Miss., position of .....	129
Sunset station, Washington, description and position of .....	210	positions between Jackson and .....	129
Sutherland, Ky., position of .....	128	Vishnu Temple station, Arizona, description and position of .....	157
Tank station, Ohio, description and posi- tion of .....	109	Wagner station, Ohio, description and posi- tion of .....	93-94
Tanyard, Ala., position of .....	79	Wahpeton, N. Dak., position of .....	143
Tennant station, West Virginia, description and position of .....	64	position between Fairmount and .....	143
Tennessee, primary traverse in Alabama and .....	77-80	Wainwright station, Ohio, description and position of .....	116
Tennessee River, Alabama, position on ....	79	Walnut, Kans., position of .....	137
Terry, Miss., position of .....	130	positions between Chanute and .....	138
Terry station, Wyoming, description and position of .....	151	between Fort Scott and .....	137
Thayer, Kans., position of .....	141	Walrod station, New York, description and position of .....	36
positions between Chanute and .....	141	Warehime station, Ohio, description and position of .....	96
Thomas, N. Y., position of .....	45	Warsaw, N. Y., meridian marks at .....	44
positions between Boylston triangula- tion station and .....	45	Wasen station, Ohio, description and posi- tion of .....	116-117
Tippecanoe station, Ohio, description and position of .....	99	Washington, triangulation stations in, de- scription of .....	205-210
Tip Top, Ga., position of .....	124	Waverly station, Washington, description and position of .....	207
Toledo, Peoria and Western Railway, posi- tions along .....	133	Wawawai station, Washington, description and position of .....	210
Towncreek, Ala., position of .....	79	Wayland Spring station, Tennessee, posi- tion of .....	78
positions between Tusculumbia and .....	79	Waynesboro, Tenn., position of .....	80
Townsend station, New York, description and position of .....	31-32	West Alexander station, West Virginia, de- scription and position of .....	65
Townsend (2), Ohio, description and posi- tion of .....	83	West Edge station, Arizona, description and position of .....	163
Trent, Kans., position of .....	138	West Leyden, N. Y., position of .....	47
Trenton, Ohio, position of .....	122	West Liberty station, West Virginia, de- scription and position of .....	66
Tueker station, Ohio, description and posi- tion of .....	113	West Point, Ala., positions between Opelika and .....	123
Turkey station, New Hampshire, descrip- tion and position of .....	27	West Point, Ga., position of .....	123
Turkey Knob station, West Virginia, de- scription and position of .....	72	positions between Lagrange, Ga., and ..	123
Tusculumbia, Ala., position of .....	79	West Point station, Tennessee, position of ..	78
positions between Iron City, Tenn., and ..	79	West Virginia, triangulation stations in, descriptions of .....	49-76
between Towncreek and .....	79	Western Railway of Alabama, positions along .....	123
Tuy Hill station, New York, description and position of .....	32	Whale station, California, description and position of .....	186
Tyler, N. Dak., position of .....	143	White, Ala., position of .....	123
Tyson station, Arizona, description and po- sition of .....	174	Whiteoak Creek, Tennessee, position on ...	77
Uhrichsville station, Ohio, description and position of .....	116	White station, Ohio, description and posi- tion of .....	84
Uniontown, Ky., position of .....	128	White station, Washington, description and position of .....	205
positions between Henderson and .....	127	Widder station, Ohio, description and po- sition of .....	91
Uniontown, Kans., positions between Blue Mound and .....	140	edman station, Ohio, description and po- sition of .....	110
positions between Fort Scott and .....	140	Wigal station, West Virginia, description and position of .....	76
Unkonooc station, New Hampshire, de- scription and position of .....	27	Williams station, Arizona, description and position of .....	154
Upton station, West Virginia, description and position of .....	50	Wilson, Ky., position of .....	128
Utah, secondary triangulation stations in, positions of .....	163	Wilson Knob station, West Virginia, de- scription and position of .....	62
Valentine station, Washington, description and position of .....	207		
Vandalia Railway, positions along .....	132		

	Page		Page.
Windmill station, Washington, description and position of .....	205	Wyoming, triangulation stations in, description of .....	146-151
Wintersville station, Ohio, description and position of .....	105	Yazoo and Mississippi Valley Railway, positions along .....	131
Wood, Ohio, position of .....	122	York station, Maine, description and position of .....	17-18
Woodsfield court-house station, Ohio, description and position of .....	110	Yuma azimuth station, Arizona, description and position of .....	175
Wray station, Ohio, description and position of .....	105-106	Zaleski station, Ohio, description and position of .....	117
Wymp station, West Virginia, description and position of .....	64-65		

# PUBLICATIONS OF UNITED STATES GEOLOGICAL SURVEY.

[Bulletin No. 216.]

The publications of the United States Geological Survey consist of (1) Annual Reports, (2) Monographs, (3) Professional Papers, (4) Bulletins, (5) Mineral Resources, (6) Water-Supply and Irrigation Papers, (7) Topographic Atlas of United States—folios and separate sheets thereof, (8) Geologic Atlas of United States—folios thereof. The classes numbered 2, 7, and 8 are sold at cost of publication; the others are distributed free. A circular giving complete lists may be had on application.

The Bulletins, Professional Papers, and Water-Supply Papers treat of a variety of subjects, and the total number issued is large. They have therefore been classified into the following series: A, Economic geology; B, Descriptive geology; C, Systematic geology and paleontology; D, Petrography and mineralogy; E, Chemistry and physics; F, Geography; G, Miscellaneous; H, Forestry; I, Irrigation; J, Water storage; K, Pumping water; L, Quality of water; M, General hydrographic investigations; N, Water power; O, Underground waters; P, Hydrographic progress reports. This bulletin is the thirty-fifth in Series F, the complete list of which follows (all are bulletins thus far):

## SERIES F, GEOGRAPHY.

5. Dictionary of altitudes in United States, by Henry Gannett. 1884. 325 pp. (Out of stock; see Bulletin 160.)
6. Elevations in Dominion of Canada, by J. W. Spencer. 1884. 43 pp.
13. Boundaries of United States and of the several States and Territories, with historical sketch of territorial changes, by Henry Gannett. 1885. 135 pp. (Out of stock; see Bulletin 171.)
48. On form and position of sea level, by R. S. Woodward. 1888. 88 pp. (Out of stock.)
49. Latitudes and longitudes of certain points in Missouri, Kansas, and New Mexico, by R. S. Woodward. 1889. 133 pp.
50. Formulas and tables to facilitate the construction and use of maps, by R. S. Woodward. 1889. 124 pp. (Out of stock.)
70. Report on astronomical work of 1889 and 1890, by R. S. Woodward. 1890. 79 pp.
72. Altitudes between Lake Superior and Rocky Mountains, by Warren Upham. 1891. 229 pp.
76. Dictionary of altitudes in United States (second edition), by Henry Gannett. 1891. 393 pp. (Out of stock; see Bulletin 160.)
115. Geographic dictionary of Rhode Island, by Henry Gannett. 1894. 31 pp.
116. Geographic dictionary of Massachusetts, by Henry Gannett. 1894. 126 pp.
117. Geographic dictionary of Connecticut, by Henry Gannett. 1894. 67 pp.
118. Geographic dictionary of New Jersey, by Henry Gannett. 1894. 131 pp.
122. Results of primary triangulation, by Henry Gannett. 1894. 412 pp., 17 pls.
123. Dictionary of geographic positions, by Henry Gannett. 1895. 183 pp., 1 map.
154. Gazetteer of Kansas, by Henry Gannett. 1898. 246 pp., 6 pls.
160. Dictionary of altitudes in United States (third edition), by Henry Gannett. 1899. 775 pp. (Out of stock.)
166. Gazetteer of Utah, by Henry Gannett. 1900. 43 pp., 1 map.
169. Altitudes in Alaska, by Henry Gannett. 1900. 13 pp.
170. Survey of boundary line between Idaho and Montana from international boundary to crest of Bitterroot Mountains, by R. U. Goode. 1900. 67 pp., 14 pls.
171. Boundaries of United States and of the several States and Territories, with outline of history of all important changes of territory (second edition), by Henry Gannett. 1900. 142 pp., 53 pls.
174. Survey of northwestern boundary of United States, 1857-1861, by Marcus Baker. 1900. 78 pp., 1 pl.
175. Triangulation and spirit leveling in Indian Territory, by C. H. Fitch. 1900. 141 pp., 1 pl.
181. Results of primary triangulation and primary traverse, fiscal year 1900-'01, by H. M. Wilson, J. H. Renshaw, E. M. Douglas, and R. U. Goode. 1901. 240 pp., 1 map.
183. Gazetteer of Porto Rico, by Henry Gannett. 1901. 51 pp.

185. Results of spirit leveling, fiscal year 1900-'01, by H. M. Wilson, J. H. Renshaw, E. M. Douglas, and R. U. Goode. 1901. 219 pp.
187. Geographic dictionary of Alaska, by Marcus Baker. 1901. 446 pp.
190. Gazetteer of Texas, by Henry Gannett. 1902. 162 pp., 8 pls.
192. Gazetteer of Cuba, by Henry Gannett. 1902. 113 pp., 8 pls.
194. Northwest boundary of Texas, by Marcus Baker. 1902. 51 pp., 1 pl.
196. Topographic development of the Klamath Mountains, by J. S. Diller. 1902. 69 pp., 13 pls.
197. The origin of certain place names in the United States, by Henry Gannett. 1902. 280 pp. (Out of stock.)
201. Results of primary triangulation and primary traverse, fiscal year 1901-'02, by H. M. Wilson, J. H. Renshaw, E. M. Douglas, and R. U. Goode. 1902. 164 pp., 1 pl.
214. Geographic tables and formulas, compiled by S. S. Gannett. 1903. 284 pp.
216. Results of primary triangulation and primary traverse, fiscal year 1902-'03, by S. S. Gannett. 1903. 222 pp., 1 pl.

Correspondence should be addressed to

The DIRECTOR,

UNITED STATES GEOLOGICAL SURVEY,

WASHINGTON, D. C.

JULY, 1903.

## LIBRARY CATALOGUE SLIPS.

[Mount each slip upon a separate card, placing the subject at the top of the second slip. The name of the series should not be repeated on the series card, but the additional numbers should be added as received to the first entry.]

### Gannett, Samuel S.

... Results of primary triangulation and primary traverse, fiscal year 1902-03; by Samuel S. Gannett. Washington, Gov't print. off., 1903.

222, iii p. 1 pl. (map). 23½<sup>cm</sup>. (U. S. Geological survey. Bulletin no. 216.)

Subject series F, Geography, 35.

### Gannett, Samuel S.

... Results of primary triangulation and primary traverse, fiscal year 1902-03; by Samuel S. Gannett. Washington, Gov't print. off., 1903.

222, iii p. 1 pl. (map). 23½<sup>cm</sup>. (U. S. Geological survey. Bulletin no. 216.)

Subject series F, Geography, 35.

### U. S. Geological survey.

Bulletins.

no. 216. Gannett, S. S. Results of primary triangulation and primary traverse ... 1902-03. 1903.

U. S. Dept. of the Interior.

see also

U. S. Geological survey.

Bull. 216-03-15



